

Linssen Yachts Option list Linssen Grand Sturdy 30.0 Sedan Intero

Date-:	Page 1			
Item	Description			Phase
1. HULL				
1.1 E	XTERIOR			
11060.0	O3 Linssen e-Variodeck® (electric sliding ro	oof) in the saloon		1
1.2 S	TAINLESS STEEL			
12020.0		der integrated into deck rail		1
12060.0	Of Original Linssen polished stainless stee	l bow ladder (removable)		2
12071.0	O1 Stainless steel protection set at side rai from gangway to cockpit and stern (5x)			1
1.3 TI	ECHNICAL			
13290.0	Heating (blower) in cockpit, connected	to heating system		1
2. COAT	ING			
2.1 C	OATING AND DECK FINISH			
21090.1 21090.1	Superstructure and hull Waterline Antifouling Rope fender Glass windows saloon	: Egg Shell White : Black : Black : Black : "Smoke Grey" tinted		1
	Hull Superstructure Waterline Antifouling Rope fender Glass windows saloon	: Super Jet Black : Egg Shell White : Egg Shell White : Black : Black : "Smoke Grey" tinted		
21090.1	Original Linssen colour scheme: Hull Superstructure Waterline Antifouling Rope fender Glass windows saloon	: Dark Grey : Egg Shell White : Egg Shell White : Black : Black : "Smoke Grey" tinted		1
21090.2	Original Linssen colour scheme: Hull Superstructure Waterline Antifouling Rope fender Glass windows saloon, ventilation-/escape hatch	: Midnight Blue : Egg Shell White : Egg Shell White : Black : Beige : "Smoke grey" tinted		1

Linssen Grand Sturdy 30.0 Sedan Intero

Item	Description		Phase
21090.2	4 Original Linssen colour scheme:		1
	Superstructure and hull	: Egg Shell White	
	Waterline	: Dark Green	
	Antifouling	: Black	
	Rope fender	: Beige	
	Glass windows saloon	: "summer green" tinted	
21090.3	8		1
	Hull	: Olive Green	
	Superstructure	: Sand Beige	
	Waterline	: Sand Beige	
	Antifouling	: Black	
	Rope fender Glass windows saloon	: Beige : "Summer Green" tinted	
		: Summer Green Linted	
	EAK DECKS		_
22010.0	Original LINSSEN teak deck on fro	ont deck and side decks	1
3. ENGII	NE COMPARTMENT		
3.1 TE	CHNICAL		
31050.0	3 12V. sternthruster 55 kgf (3 kW /	4 HP)	1
31241.0	3 Heating outlet in toilet compartr	nent forward cabin	1
31240.9	·		1
31240.9		g/controlling the daytime heating. System	1
312 10.3	uses subscription, Free for the fi		-
31411.0	O Air conditioning in forward cabin	by 1x 6.000 BTU unit	1
	Runs only via the shore supply co during (soft) start 11A, current d	onnection, peak current consumption uring operation 2-2,4A	
	Maximum one unit per vessel as the shore power connection'	otherwise it cannot operate via	
31740.0	·	ath the cockpit floor (with ladder)	1
	N-BOARD WATER SYSTEMS	atti the cootpic noor (with ladder)	_
32100.0		shower-drainage, including aft cabin)	1
32100.0	connected to holding tank	snower-dramage, including art cabin)	•
32110.0	1 No fitting of holding tank waste	oump	1
32150.0	4 Deck-wash pump, including hose bathing platform	and trigger nozzle with connection at	1
32150.1	3 Deck-wash pump, including hose bathing platform connected to o	and trigger nozzle with connection at n-board water system	1
3.3 EL	ECTRICAL & ELECTRONICS		
33082.0	Domestic: 12V. with 2 maintenar (total 2x 166 Ah domestic batter)	nce free GEL batterie 166 Ah each. ies)	1
33148.0		n-centre for a perfect control over your sterproof design touch screen display	1

Linssen Grand Sturdy 30.0 Sedan Intero

tem	Description	Phase
33148.15	Cerbo GX linked to the Raymarine Axiom MFD. Monitor your domestic, shore power and generator status. Control the shore power limit to be used from your helmsman's position	1
	Only in combination with position(s): 33148.05 Victron Cerbo GX + Touch 50	
33271.02		1
	Only in combination with position(s): 33082.02 Domestic 12 V., 2 batteries	
33285.70		1
33285.71		1
3.4 INS	TRUMENTS & NAVIGATION	
34065.01	Manual search light, incl. 12 V. connection at steering position	2
3.4.1 N	AVIGATION INSTRUMENTS	
3.4.2 N	AVIGATION PACKAGES	
Pack	3.4.2.1 BASIC PACKAGE	1
340	90.16 Rudder indication on Raymarine Axiom display at steering position	
341	25.01 Raymarine Axiom+ 7 multifunctional display	
341	40.03 Navionics Gold XL9 marine chart type 46XG, West Europe	
341	50.02 Raymarine RS150 GPS sensor in mast	
Pack	3.4.2.2 RIVER PACKAGE	1
341	10.10 Raymarine autopilot with p70RS display at steering position (incl. course computer/rudder indicator/compass transducer) with protection in mast which disengages autopilot during AUTO operation if mast is folded.	
341	25.01 Raymarine Axiom+ 7 multifunctional display	
341	40.03 Navionics Gold XL9 marine chart type 46XG, West Europe	
341	50.02 Raymarine RS150 GPS sensor in mast	
Pack	3.4.2.3 LAKE PACKAGE	1
341	10.10 Raymarine autopilot with p70RS display at steering position (incl. course computer/rudder indicator/compass transducer) with protection in mast which disengages autopilot during AUTO operation if mast is folded.	
341	25.02 Raymarine Axiom 9 Pro RVX multifunctional display with readout of depth and log at steering position	
341	40.03 Navionics Gold XL9 marine chart type 46XG, West Europe	
341	50.02 Raymarine RS150 GPS sensor in mast	

Linssen Grand Sturdy 30.0 Sedan Intero

Item D	Description		
Pack	3.4.2.4 SEA PACKAGE	1	
34110	34110.10 Raymarine autopilot with p70RS display at steering position (incl. course computer/rudder indicator/compass transducer) with protection in mast which disengages autopilot during AUTO operation if mast is folded.		
3412	5.02 Raymarine Axiom 9 Pro RVX multifunctional display with readout of depth and log at steering position		
3414	0.03 Navionics Gold XL9 marine chart type 46XG, West Europe		
34150	0.02 Raymarine RS150 GPS sensor in mast		
3416	0.05 Raymarine Quantum 2 (Doppler) CHIRP radar antenna, on the mast		
34145.11	1x Raymarine IP day & night net dome video camera at longtop roof for rear view with readout on multifunctional Raymarine display	1	
34145.12	2x Raymarine IP day & night net dome video cameras with readout on multifunctional Raymarine display: - 1x SB and 1x Port on the hull for mooring view	1	
34145.15	1x Raymarine IP day & night net dome video camera on bow for front view with readout on multifunctional Raymarine display	1	
3.4.4 RE	MOTE PACKAGES		
31067.01	Remote control for bow (and stern) thruster	2	
34110.03	Raymarine S100 wireless autopilot remote control	1	
	Only in combination with position(s): 34110.10 p70R Display steering position		
34110.13	Raymarine Smart Controller wireless autopilot remote control	1	
	Only in combination with position(s): 34110.10 p70R Display steering position		
3.4.5 CO	MMUNICATION PACKAGES		
34190.09	Raymarine Ray90 VHF with Class D "Digital Selective Calling" (DSC) at steering position including antenna in Mast	1	
34190.10	Extra wireless handset VHF incl. charging station	1	
34200.10	Communication tool for 2 persons by means of 2 walkie-talkies with headset	2	
34943.04	AIS 700 transponder/receiver (Automatic Identification System) integrated on radar/chartplotter display. Attention: MMSI-number required. Attention: Only in combination with VHF installation	1	
3.4.6 OT	HER NAVIGATION INSTRUMENTS		
34100.00	Magnet compass not possible. Due to the steel boats it is not possible to calibrate, so deviation and not usable.	1	
34110.00	Provisions for autopilot	1	

Linssen Grand Sturdy 30.0 Sedan Intero

: :	"Wind Vane" wind transducer for wind direction and wind speed. Read out on Axiom display. Weatherfax not possible. Cannot be tested at the Maasbracht location.	34120.23
	· · · · · · · · · · · · · · · · · · ·	
:		34180.00
:	RIOR EQUIPMENT HULL	3.5 EXTER
	Zinc anodes (for salt water)	35010.02
:	Original Linssen synthetic-fibre rope fender, with stainless steel stretcher (Black colour)	35030.02
:	High-gloss stainless steel fender rope cap at the ends of the fender rope, fitted with a tensioning device.	35030.90
•	Ships name on bow and stern. Port of Registry and Registration number on stern in colour of the waterline Bow letter type; Snell Roundhand. Stern letter type; VAG	35040.01
· ·	Electric anchor winch 1200W/12V, fitted with integrated stainless steel anchor rollers and anchor hawse with 30m. 8 mm. anchor chain according DIN766A15 and 15 Kg. Bruce-anchor (Control by means of cable control).	35090.02
:	Wireless windlass control and chain counter	35110.03
:	High gloss polished stainless steel Bruce-anchor 15 kg. AISI-316	35120.11
:	30m. 8 mm. stainless steel anchor chain	35130.11
	EN YACHTS TENDER SOLUTIONS	3.6 LINSSI
:	Stainless steel snap davit system, with universal tender fastening.	36040.01
:	Outboard engine fastening bracket against stern (Max. 8 HP)	36100.01
	RIOR EQUIPMENT SUPERSTRUCTURE	3.7 EXTER
:	Extend windscreen wiper installation with synchronous and 3 step interval function. In the interval mode, the wipers run synchronously and are self-parking.	37020.50
:	Original Linssen Design mast powder coated in colour superstructure. Short modell (\pm 1,4 mtr.)	37070.06
:	Deck lighting with 2 lights at mast	37130.01
:	Teak joint settee in the cockpit	37245.02
-	Solid teak entrance doors, varnished	37271.01
	pows	3.8 WIND
:	Sliding window in saloon at Port side front, with "Summer Green" tinted glass	38075.02
<u>:</u>	Sliding window in saloon at Port side front, with "Smoke Grey" tinted glass	38076.02

Linssen Grand Sturdy 30.0 Sedan Intero

tem [Description	Phase
4. INTERIC	PR	
GENER/	AL.	
40040.02	Original Linssen maintenance friendly ship's floor, teak color with light striping.	1
4.1 OPE	N COCKPIT	
4.2 SAL	OON/ GALLEY	
42112.02	Cabinets in saloon at Port side beneath the map table/desk. Deletion of the design stool	1
4.4 WH	EEL HOUSE	
5. FINISH		
5.1 LIGH	HTING & SOCKETS	
51080.11	Luxurious LED reading lights (2x) in the front cabin	1
51100.01	Attractive indirect lighting in saloon	1
51400.05	USB socket in FC portside for charging mobil equipment.	1
51400.11	USB socket in FC and steering position for charging mobil equipment.	1
51603.02	The 230 V. sockets will be finished in English version	2
51603.03	The 230 V. sockets will be finished in Swiss version	2
51615.01	230 V. socket in the forward cabin on SB-side	1
51620.01	Splash resistant 230 V. socket in the forward cabin toilet	1
51625.01	3x 230 V. sockets respectively in FC, engine compartment and cockpit for winter heating. Only to be used with shore power.	1
51660.01	230 V. socket in saloon (Stbd-side front next to helm seat)	1
51665.01	230 V. socket in the saloon (Stbd aft)	1
51685.01	12 V. and 230 V. socket in cockpit cellar	1
51710.11	230 V. socket in cockpit, SB side splash resistant	1
5.2 GAL	LEY	
53020.02	Mixer tap in galley equipped with dish-shower, Hansgrohe Talis M51	2
52230.01	Stainless steel oven (gas)	1
5.3 SAN	ITARY FITTINGS	
53010.90	Full-length mirror in the FC toilet compartment at entrance door to the front cabin	2
53130.02	Electric toilet in forward cabin, with fresh water rinsing	1
53130.03	Electric toilet in forward cabin, with sea water rinsing	1
5.4 AUC	DIO / VIDEO/ INTERNET	
54010.50	DAB+ radio module and antenna in the mast for digital radio	1
54010.90	Fusion RA70N expansion kit with usb port for data transfer + control via the multi-function display in steering position.	2
54200.01	Primary TV connection at saloon Port TV cupboard, incl. extra 230V. socket	1

Linssen Grand Sturdy 30.0 Sedan Intero

Item	Description	Phase
54250.01	Glomex TV-antenna on mast, suitable for analogue & digital reception. Suitable for DVBT-T2 network. Attention: Select the correct connection	1
54286.03	Provisions for putting a satellite tv-antenna on deck manually: deck socket against the mast incl. cables in tv-cabinet in saloon	1
54400.03	24" (60cm) LED TV with integrated DVB-T & DVB-S tuner incl. DVD in saloon	2
54900.06	Teltonika 5G LTE router with Wifi Access Point and antenne.	1
5.5 VE	NTILATION	
55020.02	Mosquito screen in forward hinged saloon window, Port side	2
55090.03	Rain protection covers and mosquito screens for the forward cabin port-holes $(4x)$	2
55130.03	Combined blind/mosquito screen for panorama/escape hatch in forward cabin deck-head	1
55137.02	2 Fly screen integrated e-Variodeck®	1
5.6 IN	TERIOR UPHOLSTERY	
56074.02	Design stool raiser so that it can be used as a co-pilot chair.	1
56073.22	1 (additional) design stool finished in genuine leather, cream color	2
56101.02	2 Mattrass 2x 1 pers.in front cabin type Combispring 14 cm.	2
56321.03	Plissé blinds in the saloon, manual controlled.	1
5.7 EX	TERIOR UPHOLSTERY	
57030.02	Cream cushions for cockpit bench in imitation leather	2
57030.03	Cushions for cockpit bench in imitation leather colour Sand beige	2
57030.05	Lava grey cushions for cockpit bench in imitation leather	2
57032.02	Offwhite cushions for joint cockpit bench in imitation leather Only in combination with position(s): 37245.02 Joint settee in the cockpit	1
57032.03	·	1
	Only in combination with position(s): 37245.02 Joint settee in the cockpit	
57032.05	Lava grey cushions for joint cockpit bench in imitation leather	1
	Only in combination with position(s): 37245.02 Joint settee in the cockpit	
57095.02	, , , , , , , , , , , , , , , , , , ,	2
57095.03	, Company of the comp	2
57095.05	2x Comfort seat in imitation leather, colour lava grey	2
5.8 EQ	UIPMENT	
58022.02	2x ball fender Ø55cm black with rope	2
58023.02	2x extra fender black with rope	2
58024.02	, , , , ,	2
58060.03	230V vacuum cleaning installation with a vacuum cleaner integrated in the saloon settee and connection for the hose. Equipped with thermal protection and softstart for inverter use. Delivery including extendable hose (from 1,5 to 9 m.), luxury brushes and 3 vacuum bags	1

Linssen Grand Sturdy 30.0 Sedan Intero

tem	Descr	Description			
58075.	02	Removable clothes rail in shower compartment front cabin	1		
58080.		8 hooks at various positions in the yacht. Positions to be determined during the hand over. Fitted during the 25-hours inspection.	2		
58990.	00				
5.9 C	CANVAS	& COVERS			
59020.		Cockpit canvas Longtop, Sunbrella Dark Navy. The side and back panels can be opened seperately by a zip-fastener	2		
59020.		Cockpit canvas Longtop, Sunbrella Marine Steel grey the side and back panels can be opened seperately by a zip-fastener	2		
59020.		Cockpit canvas Longtop Sunbrella Marine Beige Papyrus. The side and back panels can be opened seperately by a zip-fastener	2		
59022.	03	Cover for windows in cockpit canvas Sunbrella Dark Navy	2		
59022.	04	Cover for windows in cockpit canvas, Sunbrella Marine Steel Grey	2		
59022.	16	Cover for windows in cockpit canvas, Sunbrella Marine Beige Papyrus.	2		
59200.		Sun cover around saloon windows finished in screen cloth (excluding entrance door/window) incl. mounting, colour beige	2		
59200.		Sun cover around saloon windows finished in screen cloth (excluding entrance doors) incl. mounting, colour white	2		
6. COM	MISSIC	ONING & HAND OVER			
6.1 T	RANSP	ORT/WINTER STORAGE			
61010.	01	Cradle (completely coated)	2		
61010.		Making boat ready for transport incl. craning			
61010.	06	Compile documents for export and obtain a temporary residence permit of up to 18 months in the EU.	2		
		(Only possible for residents from outside the EU)			
Pa	ack	1 Comfort package	1		
1	1060.03	Linssen e-Variodeck® (electric sliding roof) in the saloon			
1	2020.02	Polished stainless steel hinged side ladder integrated into deck rail (Port and Starboard)			
3	1050.03	12V. sternthruster 55 kgf (3 kW / 4 HP)			
3	1067.01	Remote control for bow (and stern) thruster			
3	5040.01	Ships name on bow and stern. Port of Registry and Registration number on stern in colour of the waterline			
3	5090.02	Bow letter type; Snell Roundhand. Stern letter type; VAG Electric anchor winch 1200W/12V, fitted with integrated stainless steel anchor rollers and anchor hawse with 30m. 8 mm. anchor chain according DIN766A15 and 15 Kg. Bruce-anchor (Control by means of cable control).			
5	3130.02	Electric toilet in forward cabin, with fresh water rinsing			
5	7030.03	Cushions for cockpit bench in imitation leather colour Sand beige			

Linssen Grand Sturdy 30.0 Sedan Intero

Descri	cription		Phase	
58080.01		oks at various positions in the yacht. Positions to be		
50000 46		rmined during the hand over. Fitted during the 25-hours inspection.		
59020.16		pit canvas Longtop Sunbrella Marine Beige Papyrus. The side and panels can be opened seperately by a zip-fastener		
Pack	2	Ventilation	1	
13290.03	Heat	ing (blower) in cockpit, connected to heating system		
55090.01		protection covers and mosquito screens for the forward cabin holes (4x)		
55130.01		bined blind/mosquito screen for panorama/escape hatch in forward n deck-head		
55137.02	Fly so	creen integrated e-Variodeck®		
Pack	5	Media package	1	
54200.01	Prima	ary TV connection at saloon Port TV cupboard, incl. extra 230V.		
54250.01		nex TV-antenna on mast, suitable for analogue & digital reception. ble for DVBT-T2 network.		
54400.01	24" (in sal	60cm) LED TV with integrated DVB-T & DVB-S tuner incl. DVD loon		
Pack	6	Safety package	1	
34190.09		narine Ray90 VHF with Class D "Digital Selective Calling" (DSC) at ring position including antenna in Mast		
34943.04	radar Atter	700 transponder/receiver (Automatic Identification System) integrated on r/chartplotter display. Intion: MMSI-number required. Intion: Only in combination with VHF installation		
37020.50	Exter	nd windscreen wiper installation with synchronous and 3 step val function. In the interval mode, the wipers run synchronously		
		are self-parking.		
Pack	8	Atmosphere/lighting package	1	
51080.11	Luxu	rious LED reading lights (2x) in the front cabin		
51100.01	Attra	ctive indirect lighting in saloon		
Pack	9	Power package	1	
33082.02		estic: 12V. with 2 maintenance free GEL batterie 166 Ah each. I 2x 166 Ah domestic batteries)		
33271.02		matic battery charger/inverter type Victron Multiplus Compact 600-70 (70A/1600W.) with remote control panel. Peak power 3000 W.		
51400.11		socket in FC and steering position for charging mobil equipment.		
51660.01	230 \	V. socket in saloon (Stbd-side front next to helm seat)		
51710.11	230 \	V. socket in cockpit, SB side splash resistant		

Linssen Grand Sturdy 30.0 Sedan Intero

Item	Description			Phase
	Pack	10	Essentials	1
	12020.02		stainless steel hinged side ladder integrated into deck rail d Starboard)	
	31050.03	12V. ster	rnthruster 55 kgf (3 kW / 4 HP)	
	33082.02		c: 12V. with 2 maintenance free GEL batterie 166 Ah each. 166 Ah domestic batteries)	
	33271.02		tic battery charger/inverter type Victron Multiplus Compact -70 (70A/1600W.) with remote control panel. Peak power 3000 W.	
	35090.02	anchor r	anchor winch 1200W/12V, fitted with integrated stainless steel ollers and anchor hawse with 30m. 8 mm. anchor chain g DIN766A15 and 15 Kg. Bruce-anchor (Control by means of ntrol).	
	51080.11	Luxuriou	is LED reading lights (2x) in the front cabin	
	51100.01	Attractiv	re indirect lighting in saloon	
	53010.90	Full-leng the front	th mirror in the FC toilet compartment at entrance door to t cabin	
	53130.02	Electric t	toilet in forward cabin, with fresh water rinsing	
	55020.01	Mosquit	o screen in forward hinged saloon window, Port side	
	55090.01	Rain proport-hole	tection covers and mosquito screens for the forward cabin es (4x)	
	55130.01	Combine cabin de	ed blind/mosquito screen for panorama/escape hatch in forward ck-head	