

Linssen Grand Sturdy 35.0 Sedan Intero

Date-: 7-3-	2025		Page	1
ltem D	escription			Phase
1. HULL				
1.1 EXTE	RIOR			
11060.03	Linssen e-Variodeck [®] (electric sliding ro	oof) in the saloon		1
1.2 STAI	NLESS STEEL			
12020.02	Polished stainless steel hinged side lade (Port and Starboard)	der integrated into deck rail		1
12060.01	Original Linssen polished stainless stee	l bow ladder (removable)		2
12071.01	Stainless steel protection set at side rai from gangway to cockpit and stern (5x)			1
1.3 TECH	INICAL			
13290.03	Heating (blower) in cockpit, connected	to heating system		1
2. COATING	i			
2.1 COAT	TING & DECK FINISH			
21090.10	Original Linssen colour scheme: Superstructure and hull Waterline Antifouling Rope fender Glass windows saloon	: Egg Shell White : Black : Black : Black : Black : "Smoke Grey" tinted		1
21090.12	Original Linssen colour scheme: Hull Superstructure Waterline Antifouling Rope fender Glass windows saloon	: Super Jet Black : Egg Shell White : Egg Shell White : Black : Black : "Smoke Grey" tinted		1
21090.15	Original Linssen colour scheme: Hull Superstructure Waterline Antifouling Rope fender Glass windows saloon	: Dark Grey : Egg Shell White : Egg Shell White : Black : Black : "Smoke Grey" tinted		1
21090.23	Original Linssen colour scheme: Hull Superstructure Waterline Antifouling Rope fender Glass windows saloon, ventilation-/escape hatch	: Midnight Blue : Egg Shell White : Egg Shell White : Black : Beige : "Smoke grey" tinted		1

Linssen Grand Sturdy 35.0 Sedan Intero

tem D	Description		Phas
21090.24	Original Linssen colour scheme:		
	Superstructure and hull	: Egg Shell White	
	Waterline	: Dark Green	
	Antifouling	: Black	
	Rope fender	: Beige	
	Glass windows saloon	: "summer green" tinted	
21090.31	Original Linssen colour scheme Olive		
	Hull	: Olive Green	
	Superstructure	: Sand Beige	
	Waterline	: Sand Beige	
	Antifouling	: Black	
	Rope fender	: Beige	
	Glass windows saloon	: "Summer Green" tinted	
2.2 TEAI	K DECKS		
22010.01	Original LINSSEN teak deck on front d	eck and side decks	
3. ENGINE	COMPARTMENT		
3.1 TECH	HNICAL		
31050.03	12V. sternthruster 55 kgf (3 kW / 4 HP		
31240.97	Installation of air recirculation unit on	heating system	
31240.99	App-module for remote switching/co	ntrolling the daytime heating. System	
	uses subscription, Free for the first ye		
	thereafter (by purchasing customer). device is free to download.		
31411.00	Air conditioning in forward cabin by 1	x 6,000 BTU unit	
	Runs only via the shore supply connect	ction, peak current consumption	
	during (soft) start 11A, current during		
	Maximum one unit per vessel as othe	rwise it cannot operate via	
	the shore power connection'		
31740.01	Access to storage space underneath t	he cockpit floor (with ladder)	
3.2 ON-	BOARD WATER SYSTEMS		
32100.01	All grey water outlets (sinks and show	er-drainage, including aft cabin)	
22440.04	connected to holding tank		
32110.01	No fitting of holding tank waste pump		
32150.04	Deck-wash pump, including hose and bathing platform	trigger nozzle with connection at	
32150.13			
	bathing platform connected to on-boa	ard water system	
	CTRICAL & ELECTRONICS		
33082.02	Domestic: 12V. with 2 maintenance free GEL batterie 166 Ah each. (total 2x 166 Ah domestic batteries)		
33148.05	Victron Cerbo-GX communication-cen system. Includes a 5 inch slim waterpr with a instant overview.		

Linssen Grand Sturdy 35.0 Sedan Intero

33148.15 Cerbo GX linked to the Raymarine Axiom MFD. Monitor your domestic, shore power and generator status. Control the shore power limit to be used from your helmsma position	1 in's
Only in combination with position(s): 33148.05 Victron Cerbo GX + Touch 50	
33271.02Automatic battery charger/inverter type Victron Multiplus Co12/1600-70 (70A/1600W.) with remote control panel. Peak p	
Only in combination with position(s): 33082.02 Domestic 12 V., 2 batteries	
33285.70 Group of solar panels of 2x 160Wp. Connected to a Victron Si Solar charge controller for charging the domestic batteries. R on the Victron MPPT control display.	
33285.71 Solar panels extension of 2x 160Wp. Connected to the Victro Solar charge controller for charging the domestic batteries. Only in combination with position(s): 33285.70 Solar panel	n Smart 1
3.4 INSTRUMENTS & NAVIGATION	
34065.01 Manual search light, incl. 12 V. connection at steering positio	n 2
3.4.2 NAVIGATION PACKAGES	
Pack 3.4.2.1 BASIC PACKAGE	1
34090.16 Rudder indication on Raymarine Axiom display at steering p	osition
34125.01 Raymarine Axiom+ 7 multifunctional display	
34140.03 Navionics Gold XL9 marine chart type 46XG, West Europe	
34150.02 Raymarine RS150 GPS sensor in mast	
Pack 3.4.2.2 RIVER PACKAGE	1
34110.10 Raymarine autopilot with p70RS display at steering position computer/rudder indicator/compass transducer) with prote which disengages autopilot during AUTO operation if mast is	ction in mast
34125.01 Raymarine Axiom+ 7 multifunctional display	
34140.03 Navionics Gold XL9 marine chart type 46XG, West Europe 34150.02 Raymarine RS150 GPS sensor in mast	
Pack 3.4.2.3 LAKE PACKAGE	1
34110.10 Raymarine autopilot with p70RS display at steering position computer/rudder indicator/compass transducer) with prote which disengages autopilot during AUTO operation if mast is	ction in mast
34125.02 Raymarine Axiom 9 Pro RVX multifunctional display with rea depth and log at steering position	adout of
34140.03 Navionics Gold XL9 marine chart type 46XG, West Europe	
34150.02 Raymarine RS150 GPS sensor in mast	

Item	Desci	iption	Phase
Pa	ck	3.4.2.4 SEA PACKAGE	1
34	4110.10	Raymarine autopilot with p70RS display at steering position (incl. course computer/rudder indicator/compass transducer) with protection in mast which disengages autopilot during AUTO operation if mast is folded.	
34	4125.02	Raymarine Axiom 9 Pro RVX multifunctional display with readout of depth and log at steering position	
34	4140.03	Navionics Gold XL9 marine chart type 46XG, West Europe	
34	4150.02	Raymarine RS150 GPS sensor in mast	
34	4160.05	Raymarine Quantum 2 (Doppler) CHIRP radar antenna, on the mast	
34145.1	11	1x Raymarine IP day & night net dome video camera at longtop roof for rear view with readout on multifunctional Raymarine display	1
34145.1	12	2x Raymarine IP day & night net dome video cameras with readout on multifunctional Raymarine display: - 1x SB and 1x Port on the hull for mooring view	1
34145.1		1x Raymarine IP day & night net dome video camera on bow for front view with readout on multifunctional Raymarine display	1
3.4.4	REMO	TE PACKAGES	
31067.0	01	Remote control for bow (and stern) thruster	2
34110.0)3	Raymarine S100 wireless autopilot remote control	1
		Only in combination with position(s): 34110.10 p70R Display steering position	
34110.1	13	Raymarine Smart Controller wireless autopilot remote control Only in combination with position(s): 34110.10 p70R Display steering position	1
3.4.5	COMN	IUNICATION PACKAGES	
34190.0)9	Raymarine Ray90 VHF with Class D "Digital Selective Calling" (DSC) at steering position including antenna in Mast	1
34190.1	10	Extra wireless handset VHF incl. charging station	1
34200.1	10	Communication tool for 2 persons by means of 2 walkie-talkies with headset	2
34943.0)4	AIS 700 transponder/receiver (Automatic Identification System) integrated on radar/chartplotter display. Attention: MMSI-number required. Attention: Only in combination with VHF installation	1
3.4.6	OTHEF	R NAVIGATION INSTRUMENTS	
34100.0	00	Magnet compass not possible. Due to the steel boats it is not possible to calibrate, so deviation and not usable.	1
34110.0	00	Provisions for autopilot	1

4

Item	Description	Phase
34120.23	"Wind Vane" wind transducer for wind direction and wind speed. Read out on Axiom display.	1
34180.00	Weatherfax not possible. Cannot be tested at the Maasbracht location.	1
3.5 EXT	ERIOR EQUIPMENT HULL	
35010.02	Zinc anodes (for salt water)	1
35030.90	High-gloss stainless steel fender rope cap at the ends of the fender rope, fitted with a tensioning device.	1
35040.01	Ships name on bow and stern. Port of Registry and Registration number on stern in colour of the waterline Bow letter type; Snell Roundhand. Stern letter type; VAG	1
35090.02	Electric anchor winch 1200W/12V, fitted with integrated stainless steel anchor rollers and anchor hawse with 30m. 8 mm. anchor chain according DIN766A15 and 15 Kg. Bruce-anchor (Control by means of cable control).	1
35110.03	Wireless windlass control and chain counter	1
35120.11	High gloss polished stainless steel Bruce-anchor 15 kg. AISI-316	1
35130.11	30m. 8 mm. stainless steel anchor chain	1
3.6 LIN	SSEN YACHTS TENDER SOLUTIONS	
36040.01	Stainless steel snap davit system, with universal tender fastening.	1
36100.01	Outboard engine fastening bracket against stern (Max. 8 HP)	1
3.7 EXT	ERIOR EQUIPMENT SUPERSTRUCTURE	
37020.50	Extend windscreen wiper installation with synchronous and 3 step interval function. In the interval mode, the wipers run synchronously and are self-parking.	1
37070.06	Original Linssen Design mast powder coated in colour superstructure. Short modell (± 1,4 mtr.)	1
37111.01	Folding teak directors chair. Black upholstery and naturel teak wood	2
37130.01	Deck lighting with 2 lights at mast	1
37230.02	Luxury teak table, freestanding on aft deck with steel black powder-coated folding base. Can be used in 2 heights, the low position as a coffee table, the high stand as a dining table.	1
37245.02	Teak joint settee in the cockpit	1
37271.01	Solid teak entrance doors	1
3.8 WI	NDOWS	
38075.02	Sliding window in saloon at Port side front, with "Summer Green" tinted glass	1
38076.02	Sliding window in saloon at Port side front, with "Smoke Grey" tinted glass	1

	Linssen Grand Sturdy 35.0 Sedan Intero	Page	6
Item	Description		Phase
4. INTEF	RIOR		
GENE	RΔI		
40040.0			1
4.1 0	PEN COCKPIT		
4.2 S	ALOON/ GALLEY		
42112.0	-		1
5. FINIS	н		
5.1 L	GHTING & SOCKETS		
51080.1	Luxurious LED reading lights (2x) in the front cabin		1
51100.0			1
51400.0	USB socket in FC portside for charging mobil equipment.		1
51400.3	USB socket in FC and steering position for charging mobil equipment.		1
51595.0	01 12 V. and 230 V. socket in front cellar		1
51603.0	The 230 V. sockets will be finished in English version		1
51603.0	The 230 V. sockets will be finished in Swiss version		1
51615.0	230 V. socket in the forward cabin on SB-side		1
51625.0	D1 3x 230 V. sockets respectively in FC, engine compartment and cockpit for winter heating. Only to be used with shore power.		1
51660.0	230 V. socket in saloon (Stbd-side front next to helm seat)		1
51665.0	230 V. socket in the saloon (Stbd aft)		1
	Not possible in combination with position(s): 56321.03 Plissé blinds		
51685.0	01 12 V. and 230 V. socket in cockpit cellar		1
51710.	11 230 V. socket in cockpit, SB side splash resistant		1
5.2 G	ALLEY		
53020.0	D2 Mixer tap in galley equipped with dish-shower, Hansgrohe Talis M51		2
52230.0	D1 Stainless steel oven (gas)		1
5.3 S	ANITARY FITTINGS		
53010.9			2
53130.0	D2 Electric toilet in forward cabin, with fresh water rinsing		1
53130.0	D3 Electric toilet in forward cabin, with sea water rinsing		1

7 March 2025

5.4 AUDIO / VIDEO / INTERNET

54010.50	DAB+ radio module and antenna in the mast for digital radio	1
54010.90	Fusion RA70N expansion kit with usb port for data transfer + control via the multi-function display in steering position.	1

Item	Description	
54200.02	Primary TV connection at saloon Port TV cupboard, incl. extra 230V. socket	1
54250.02	Glomex TV-antenna on mast, suitable for analogue & digital reception. Suitable for DVBT-T2 network.	1
54286.02	Provisions for putting a satellite tv-antenna on deck manually: deck socket against the mast incl. cables in tv-cabinet in saloon	1
54400.02	L 24" (60cm) LED TV with integrated DVB-T & DVB-S tuner incl. DVD in saloon	2
54900.00	5 Teltonika 5G LTE router with Wifi Access Point and antenne.	1
5.5 VE	NTILATION	
55020.02	Mosquito screen in forward hinged saloon window, Port side	2
55090.02	Rain protection covers and mosquito screens for the forward cabin port-holes (4x)	2
55130.02	L Combined blind/mosquito screen for panorama/escape hatch in forward cabin deck-head	1
55137.02	2 Fly screen integrated e-Variodeck [®]	1
5.6 IN ⁻	TERIOR UPHOLSTERY	
56074.02	Design stool raiser so that it can be used as a co-pilot chair.	1
56073.22	2 1 (additional) design stool finished in genuine leather, cream color	2
56101.02	2 Mattrass 2x 1 pers.in front cabin type Combispring 14 cm.	2
56321.03	Plissé blinds in the saloon, manual controlled.	1
5.7 EX	TERIOR UPHOLSTERY	
57030.02	Cream cushions for cockpit bench in off white imitation leather	2
57030.03	8 Cushions for cockpit bench in imitation leather colour Sand beige	2
57030.05	Lava grey cushions for cockpit bench in imitation leather	2
57032.02	Offwhite cushions for joint cockpit bench in imitation leather	1
	Only in combination with position(s): 37245.02 Joint settee in the cockpit	
57032.03	Sand beige cushions for joint cockpit bench in imitation leather	1
	Only in combination with position(s): 37245.02 Joint settee in the cockpit	
57032.05	5 Lava grey cushions for joint cockpit bench in imitation leather	1
	Only in combination with position(s): 37245.02 Joint settee in the cockpit	
57095.02	2 2x Comfort Seat in imitation leather, colour off white	2
57095.03	3 2x Comfort Seat in imitation leather, colour sand beige	2
57095.05	2x Comfort seat in imitation leather, colour lava grey	2
5.8 EQ	UIPMENT	
58022.02	2x ball fender Ø55cm black with rope	2
58023.02	2x extra fender black with rope	2
58024.02	Additional 40 m mooring line, supplied with on board inventory	2

Linssen Grand Sturdy 35.0 Sedan Intero

Item	Description	
58060.0	 230V vacuum cleaning installation with a vacuum cleaner integrated in the saloon settee and connection for the hose. Equipped with thermal protection and softstart for inverter use. Delivery including extendable hose (from 1,5 to 9 m.), luxury brushes and 3 vacuum bags 	1
58075.0	C C C C C C C C C C C C C C C C C C C	1
58080.0	· ·	2
58990.0	0 Alarm installation not possible. System cannot be supported in the long(er) term.	2
5.9 CA	NVAS & COVERS	
59020.1	3 Cockpit canvas Longtop, Sunbrella Dark Navy. The side and back panels can be opened seperately by a zip-fastener	2
59020.1	4 Cockpit canvas Longtop, Sunbrella Marine Steel grey the side and back panels can be opened seperately by a zip-fastener	2
59020.1	6 Cockpit canvas Longtop Sunbrella Marine Beige Papyrus. The side and back panels can be opened seperately by a zip-fastener	2
59022.0	3 Cover for windows in cockpit canvas Sunbrella Dark Navy	2
59022.0	4 Cover for windows in cockpit canvas, Sunbrella Marine Steel Grey	2
59022.1	6 Cover for windows in cockpit canvas, Sunbrella Marine Beige Papyrus.	2
59200.1	Sun cover around saloon windows finished in screen cloth (excluding entrance door/window) incl. mounting, colour beige	2
59200.1	Sun cover around saloon windows finished in screen cloth (excluding entrance doors) incl. mounting, colour white	2
6. COMN	/ISSIONING & HAND OVER	
6.1 TR	ANSPORT/WINTER STORAGE	
61010.0	1 Cradle (completely coated)	2
61010.0	3 Making boat ready for transport incl. craning	
61010.0	6 Compile documents for export and obtain a temporary residence permit of up to 18 months in the EU. (Only possible for residents from outside the EU)	2
PACKS		
Pac	ck 1 Comfort package	1
11	060.03 Linssen e-Variodeck [®] (electric sliding roof) in the saloon	
12	020.02 Polished stainless steel hinged side ladder integrated into deck rail (Port and Starboard)	
31	050.03 12V. sternthruster 55 kgf (3 kW / 4 HP)	
31	067.01 Remote control for bow (and stern) thruster	
35	040.01 Ships name on bow and stern. Port of Registry and Registration number on stern in colour of the waterline Bow letter type; Snell Roundhand. Stern letter type; VAG	
35	090.02 Electric anchor winch 1200W/12V, fitted with integrated stainless steel anchor rollers and anchor hawse with 30m. 8 mm. anchor chain according DIN766A15 and 15 Kg. Bruce-anchor (Control by means of	

7 March 2025

Linssen Yachts Option list

Linssen Grand Sturdy 35.0 Sedan Intero

tem	Description		Phase
		cable control).	
	53130.02	Electric toilet in forward cabin, with fresh water ri	insing
		Cushions for cockpit bench in imitation leather co	-
		8 hooks at various positions in the yacht. Position	-
		determined during the hand over. Fitted during th	
	59020.16	Cockpit canvas Longtop Sunbrella Marine Beige Pa	apyrus. The side and
	back panels can be opened seperately by a zip-fastener		
	Pack	2 Ventilation	1
	13290.03	Heating (blower) in cockpit, connected to heating	system
	55090.01	Rain protection covers and mosquito screens for t port-holes (4x)	the forward cabin
	55130.01	Combined blind/mosquito screen for panorama/e cabin deck-head	escape hatch in forward
	55137.02	Fly screen integrated e-Variodeck [®]	
	Pack	5 Media package	1
		Primary TV connection at saloon Port TV cupboar	
	51200.01	socket	
	54250.01	Glomex TV-antenna on mast, suitable for analogu Suitable for DVBT-T2 network.	e & digital reception.
	54400.01	24" (60cm) LED TV with integrated DVB-T & DVB-: in saloon	S tuner incl. DVD
	Pack		
		6 Safety package	1
		Raymarine Ray90 VHF with Class D "Digital Select steering position including antenna in Mast	
	34943.04	AIS 700 transponder/receiver (Automatic Identific radar/chartplotter display.	cation System) integrated on
		Attention: MMSI-number required.	
		Attention: Only in combination with VHF installati	
	37020.50	Extend windscreen wiper installation with synchro interval function. In the interval mode, the wipers and are self-parking.	•
	Pack	8 Atmosphere/lighting package	1
		Luxurious LED reading lights (2x) in the front cabi	
		Attractive indirect lighting in saloon	
	Pack		1
		9 Power package	1 1 1 1 1 1 1
		Domestic: 12V. with 2 maintenance free GEL batte (total 2x 166 Ah domestic batteries)	
	33271.02	Automatic battery charger/inverter type Victron N 12/1600-70 (70A/1600W.) with remote control pa	
	51400.11	USB socket in FC and steering position for chargin	g mobil equipment.
	51660.01	230 V. socket in saloon (Stbd-side front next to he	elm seat)
			,

Item	Descri	iption		Phase
	Pack	10	Essentials	1
	12020.02		d stainless steel hinged side ladder integrated into deck rail d Starboard)	
	31050.03	12V. ste	rnthruster 55 kgf (3 kW / 4 HP)	
	33082.02 Domestic: 12V. with 2 maintenance free GEL batterie 166 Ah each. (total 2x 166 Ah domestic batteries)			
	33271.02		tic battery charger/inverter type Victron Multiplus Compact D-70 (70A/1600W.) with remote control panel. Peak power 3000 W.	
	35090.02	anchor i	anchor winch 1200W/12V, fitted with integrated stainless steel rollers and anchor hawse with 30m. 8 mm. anchor chain ng DIN766A15 and 15 Kg. Bruce-anchor (Control by means of ontrol).	
	51080.11	Luxuriou	us LED reading lights (2x) in the front cabin	
	51100.01	Attractiv	ve indirect lighting in saloon	
	53010.90	Full-leng the fron	gth mirror in the FC toilet compartment at entrance door to t cabin	
	53130.02	Electric	toilet in forward cabin, with fresh water rinsing	
	55020.01	Mosquit	to screen in forward hinged saloon window, Port side	
	55090.01	Rain pro port-hol	otection covers and mosquito screens for the forward cabin les (4x)	

55130.01 Combined blind/mosquito screen for panorama/escape hatch in forward cabin deck-head