

# Linssen Yachts Option list Linssen Grand Sturdy 35.0 AC Intero

Page 7-3-2025 Date-: Description **Phase Item** 1. HULL 1.2 STAINLESS STEEL 12020.02 1 Polished stainless steel hinged side ladder integrated into deck rail (Port and Starboard) 12060.01 Original Linssen polished stainless steel bow ladder (removable) 2 12071.01 1 Stainless steel protection set at side railing entrances and stern (3x) 12075.01 Stainless steel steps to saloon deck midships, demountable, finished 1 with anti-slip steps incl. 2 hand grips on saloon deck 1.3 TECHNICAL 13290.01 Heating (blower) at steering position (4 kW), connected to the engine 1 2. COATING 2.1 COATING & DECK FINISH 1 21090.10 Original Linssen colour scheme: Superstructure and hull : Egg Shell White Waterline : Black Antifouling : Black Rope fender : Black Canvas and covers : Sunbrella Marine Steel Grey Glass windows saloon, windscreen : "Smoke Grey" tinted 21090.12 Original Linssen colour scheme: 1 Hull : Super Jet Black Superstructure : Egg Shell White Waterline : Egg Shell White : Black Antifouling Rope fender : Black : Sunbrella Marine Steel Grey Canvas and covers : "Smoke Grey" tinted Glass windows saloon, windscreen 21090.15 1 Original Linssen colour scheme: Hull : Dark Grey Superstructure : Egg Shell White Waterline : Egg Shell White Antifouling : Black Rope fender : Black Canvas and covers : Sunbrella Marine Steel Grey Glass windows saloon, windscreen, ventilation-/escape hatch : "Smoke Grey" tinted 21090.23 Original Linssen colour scheme: 1 Hull : Midnight Blue Superstructure : Egg Shell White Waterline : Egg Shell White Antifouling : Black Rope fender : Beige Canvas and covers : Sunbrella Dark Navy

## **Linssen Grand Sturdy 35.0 AC Intero**

Item I	Description		Phase
	Glass windows saloon, windscreen,		
	ventilation-/escape hatch	: "Smoke grey" tinted	
21090.24	Original Linssen colour scheme:		1
	Superstructure and hull	: Egg Shell White	
	Waterline	: Dark Green	
	Antifouling	: Black	
	Rope fender	: Beige	
	Canvas and covers	: Sunbrella Marine	
		Beige Papyrus	
	Glass windows saloon, windscreen	: "summer green" tinted	
21090.31	Original Linssen colour scheme Olive Gre	en:	1
	Hull	: Olive Green	
	Superstructure	: Sand Beige	
	Waterline	: Sand Beige	
	Antifouling	: Black	
	Rope fender	: Beige	
	Canvas and covers	: Sunbrella Marine	
		Beige Papyrus	
	Glass windows saloon	: "Summer Green" tinted	
21090.33	Original Linssen colour scheme:		1
	Hull	: Midnight Blue	_
	Superstructure	: Egg Shell White	
	Waterline	: Egg Shell White	
	Antifouling	: Black	
	Rope fender	: Beige	
	Canvas and covers	: Sunbrella Marine	
		Beige Papyrus	
	Glass windows saloon, windscreen	: "Smoke Grey" tinted	
2.2 TEA	K DECKS		
22010.01	Original LINSSEN teak deck on front deck	and side decks	1
22020.01	Original LINSSEN teak deck on aft deck ar		1
	-	ia steps on transom	_
	COMPARTMENT		
	HNICAL		
31050.03	12V. sternthruster 55 kgf (3 kW / 4 HP)		1
31240.97	Installation of air recirculation unit on he	ating system	1
31240.99	App-module for remote switching/contro	olling the daytime heating. System	2
	uses subscription, Free for the first year a		
	thereafter (by purchasing customer). App	control via iPhone or Android	
	device is free to download.		
31411.00	Air conditioning in forward cabin by 1x 6,	.000 BTU unit	1
01.11.00	Runs only via the shore supply connectio		
	during (soft) start 11A, current during op	· · ·	
	Maximum one unit per vessel as otherwi		
	the shore power connection'		
	Not possible in combination with posi	tion(s):	
	31461.00 Airco AC 1x 6000 BT		

# **Linssen Grand Sturdy 35.0 AC Intero**

em	Description	Pha
31461.00	Airconditioning in the aft cabin through 1x 6.000 BTU unit. Only possible through the shore power connection, peak current consumption during (soft) start 11A, current during operation 2-2,4A Maximum one unit per vessel otherwise it cannot operate from the shore power connection.	
	Not possible in combination with position(s): 31411.00	
3.2 ON	I-BOARD WATER SYSTEMS	
32015.02	Additional solid PVC watertank, with inspection/cleaning hatch (± 120 litres) under AC bed	
32100.01	All grey water outlets (sinks and shower-drainage, including aft cabin) connected to holding tank	
32110.01	No fitting of holding tank waste pump	
32150.04	bathing platform	
32150.13	Deck-wash pump, including hose and trigger nozzle with connection at bathing platform connected to on-board water system	
3.3 ELI	ECTRICAL & ELECTRONICS	
33082.02	Domestic: 12V. with 2 maintenance free GEL batterie 166 Ah each. (total 2x 166 Ah domestic batteries)	
33148.05	Victron Cerbo-GX communication-centre for a perfect control over your system. Includes a 5 inch slim waterproof design touch screen display with a instant overview.	
33148.15	Monitor your domestic, shore power and generator status.  Control the shore power limit to be used from your helmsman's position	
	Only in combination with position(s): 33148.05 Victron Cerbo GX + Touch 50	
33271.02		
	Only in combination with position(s): 33082.02 Domestic 12 V., 2 batteries 33148.04 Combi Victron Multi Control	
33285.60	Group of solar panels of 2x 110Wp. Connected to a Victron Smart Solar charge controller for charging the domestic batteries. Read out on the Victron MPPT control display.	
3.4 IN	STRUMENTS & NAVIGATION	
34065.02	Manual search light, incl. 12 V. connection at steering position	
3.4.2 N	NAVIGATION PACKAGES	
Pac	k 3.4.2.1 BASIC PACKAGE	
	090.16 Rudder indication on Raymarine Axiom display at steering position	
	125.01 Raymarine Axiom+ 7 multifunctional display	

## **Linssen Grand Sturdy 35.0 AC Intero**

Item	Description		
	34140.03	Navionics Gold XL9 marine chart type 46XG, West Europe	
	Pack	3.4.2.2 RIVER PACKAGE	1
		Raymarine autopilot with p70RS display at steering position (incl. course computer/rudder indicator/compass transducer) with protection in mast which disengages autopilot during AUTO operation if mast is folded.	
		Raymarine Axiom+ 7 multifunctional display	
	34140.03 Navionics Gold XL9 marine chart type 46XG, West Europe		
	Pack	3.4.2.3 LAKE PACKAGE	1
	34110.10	Raymarine autopilot with p70RS display at steering position (incl. course computer/rudder indicator/compass transducer) with protection in mast which disengages autopilot during AUTO operation if mast is folded.	
	34125.02	Raymarine Axiom 9 Pro RVX multifunctional display with readout of depth and log at steering position	
	34140.03	Navionics Gold XL9 marine chart type 46XG, West Europe	
	Pack	3.4.2.4 SEA PACKAGE	1
	34110.10	Raymarine autopilot with p70RS display at steering position (incl. course computer/rudder indicator/compass transducer) with protection in mast which disengages autopilot during AUTO operation if mast is folded.	
	34125.02 Raymarine Axiom 9 Pro RVX multifunctional display with readout of depth and log at steering position		
	34140.03 Navionics Gold XL9 marine chart type 46XG, West Europe		
	34160.05	Raymarine Quantum 2 (Doppler) CHIRP radar antenna, on the mast	
3414		1x Raymarine IP day & night net dome video camera on transom for rear view with readout on multifunctional Raymarine display	1
3414		2x Raymarine IP day & night net dome video cameras with readout on multifunctional Raymarine display: - 1x SB and 1x Port on the hull for mooring view	1
3414		1x Raymarine IP day & night net dome video camera on bow for front view with readout on multifunctional Raymarine display	1
3.4	.4 REMO	TE PACKAGES	
3106	57.01	Remote control for bow (and stern) thruster	1
3411	.0.03	Raymarine S100 wireless autopilot remote control	1
		Only in combination with position(s): 34110.10 p70R Display steering position	
3411	.0.13	Raymarine Smart Controller wireless autopilot remote control	1
		Only in combination with position(s): 34110.10 p70R Display steering position	

## **Linssen Grand Sturdy 35.0 AC Intero**

Item	Description	Phase
3.4.5	COMMUNICATION PACKAGES	
34190.0	9 Raymarine Ray90 VHF with Class D "Digital Selective Calling" (DSC) at steering position including antenna in Mast	1
34190.1	O Extra wireless handset VHF incl. charging station	1
34200.1	O Communication tool for 2 persons by means of 2 walkie-talkies with headset	2
34943.0	AIS 700 transponder/receiver (Automatic Identification System) integrated on radar/chartplotter display. Attention: MMSI-number required. Attention: Only in combination with VHF installation	1
3.4.6	OTHER NAVIGATION INSTRUMENTS	
34100.0	Magnet compass not possible. Due to the steel boats it is not possible to calibrate, so deviation and not usable.	1
34110.0	O Provisions for autopilot	1
34110.5	0 Key switch to lock autopilot in case of charter.	1
34120.2	3 "Wind Vane" wind transducer for wind direction and wind speed. Read out on Axiom display.	1
34180.0	Weatherfax not possible. Cannot be tested at the Maasbracht location.	1
3.5 EX	CTERIOR EQUIPMENT HULL	
35010.0	Zinc anodes (for salt water)	1
35030.9		1
35040.0	Ships name on bow and stern. Port of Registry and Registration number on stern in colour of the waterline Bow letter type; Snell Roundhand. Stern letter type; VAG	1
35090.0	Electric anchor winch 1200W/12V, fitted with integrated stainless steel anchor rollers and anchor hawse with 30m. 8 mm. anchor chain according DIN766A15 and 15 Kg. Bruce-anchor (Control by means of cable control).	1
35110.0	Wireless windlass control and chain counter	1
35120.1	1 High gloss polished stainless steel Bruce-anchor 15 kg. AISI-316	1
35130.1	1 30m. 8 mm. stainless steel anchor chain	1
3.6 LI	NSSEN YACHTS TENDER SOLUTIONS	
36040.0	Stainless steel snap davit system, with universal tender fastening.	1
36100.0	Outboard engine fastening bracket against stern (Max. 8 HP)	1
3.7 EX	CTERIOR EQUIPMENT SUPERSTRUCTURE	
37010.0	Aditional windscreen wiper at windscreen Only in combination with position(s):	1
37020.5	37020.50 Wiper installation synchronous	1

# **Linssen Grand Sturdy 35.0 AC Intero**

Item	Description	Phase
37070.06	Original Linssen Design mast powder coated in colour superstructure. Short modell (beneath windscreen)	1
37111.0	Extra folding teak directors/helm chair Black upholstery and untreated teak wood	2
37110.03	Magnus 'S' helm-seat in prefixx shell white imitation leather, on stainless steel adjustable support.  Only in combination with:  Closed covering over the after deck	2
37110.07		2
37110.15	Magnus 'S' helm-seat in imitation leather lava grey, on stainless steel adjustable support. Only in combination with: Closed covering over the after deck	2
37130.02	Deck lighting with 2 lights at mast	1
37230.02	Luxury teak table, freestanding on aft deck with steel black powder-coated folding base. Can be used in 2 heights, the low position as a coffee table, the high stand as a dining table.	1
37271.02	Solid teak entrance door, varnished	1
3.8 W	NDOWS	
38075.02	Sliding window in saloon at Port side front, with "Summer Green" tinted glass	1
38076.02	Sliding window in saloon at Port side front, with "Smoke Grey" tinted glass	1
4. INTERI	OR	
GENER	RAL	
40040.02		1
4.1 AF	T CABIN/ SHOWER & HEADS COMPARTMENTS	
41062.02	Toilet compartment Port in the AC equipped with manual sea toilet and vanity unit with worktop and wash basin finished in original Corian® including selected bathroom fittings. Walls in high quality Formica wall finishing	1
41063.03	AC equipped with separate shower compartment including selected bathroom fittings. Shower mixer tap in aft shower type Grohe 1000C (Thermostatically adjustable) incl. shower rail. Walls in HPL finish.	1
4.2 SA	LOON/ GALLEY	
51800.03	Stainless steel high gloss banister at saloon entrance stairs	2
42112.02	Cabinets in saloon at Starboard side beneath the map table/desk.  Deletion of the design stool	1

# **Linssen Grand Sturdy 35.0 AC Intero**

tem	Description	Phase
4.3 F	RONT CABIN/ SHOWER & HEADS COMPARTMENTS	
43192.	,	1
	be opened from the hallway.	
5. FINIS	н	
5.1 L	IGHTING & SOCKETS	
51070.	11 Luxurious LED reading lights (2x) in the aft cabin	1
51080.	11 Luxurious LED reading lights (2x) in the front cabin	1
51100.0	O1 Attractive indirect lighting in saloon	1
51400.0	05 USB socket in FC portside for charging mobil equipment.	1
51400.	USB socket in steering position outside, saloon, FC and AC for charging mobil equipment.	1
51595.0	01 12 V. and 230 V. socket in front cellar	1
51603.0	The 230 V. sockets will be finished in English version	1
51603.0	The 230 V. sockets will be finished in Swiss version	1
51615.0	01 230 V. socket in the forward cabin on SB-side	1
51625.0	3x 230 V. sockets respectively in FC, engine compartment and after cabine for winter heating. Only to be used with shore power.	1
51640.	01 230 V. socket in the galley	1
51660.	O1 Additional 230 V. socket in saloon (Stbd-side front)	1
51665.0	01 230 V. socket in the saloon (Stbd aft)	1
51670.	01 230 V. socket in aft cabin	1
51700.	230 V. socket at steering position, SB side splash resistant	1
5.2 G	GALLEY	
53020.	02 Mixer tap in galley equipped with dish-shower, Hansgrohe Talis M51	2
52230.0	O1 Stainless steel oven (gas), fitted in saloon furniture next to the galley	1
5.3 S	ANITARY FITTINGS	
53010.	90 Full-length mirror in the FC toilet compartment at entrance door to the front cabin	2
53015.	90 Full-length mirror at the inside of the toilet door in the AC	2
53015.	91 Full-length mirror in the AC at the entrance door to saloon	2
53130.	02 Electric toilet in forward cabin, with fresh water rinsing	1
53130.	O3 Electric toilet in forward cabin, with sea water rinsing	1
53140.	01 Manual sea toilet in the aft cabin	1
53140.	02 Electrical toilet in the aft cabin, with fresh water rinsing	1
53140.	O3 Electrical toilet in the aft cabin, with sea water rinsing	1
5.4 A	AUDIO / VIDEO / INTERNET	
54010.	DAB+ radio module and antenna in the mast for digital radio	1
54010.	Fusion RA70N expansion kit with usb port for data transfer + control via the multi-function display in steering position.	1

# **Linssen Grand Sturdy 35.0 AC Intero**

Item	Description	Phase
54200.03	Primary TV connection at saloon Port TV cupboard, incl. extra 230V. socket	1
54201.03	Primary TV connection in saloon on Stb cupboard, incl. extra 230V. socket	1
54250.02	Glomex TV-antenna on mast, suitable for analogue & digital reception. Suitable for DVBT-T2 network. Attention: Select the correct connection	1
54286.03	Provisions for putting a satellite tv-antenna on deck manually: deck socket against the mast incl. cables in tv-cabinet in saloon	1
54400.03	24" (60cm) LED TV with integrated DVB-T & DVB-S tuner incl. DVD including manual TV-lift solution in saloon on Port side  Attention: Select the correct connection	1
54900.06	Teltonika 5G LTE router with Wifi Access Point and antenne.	1
5.5 VE	NTILATION	
55020.02	Mosquito screen in forward hinged saloon window, Port side	2
55090.03	Rain protection covers and mosquito screens for the forward cabin port-holes (4x)	2
55110.03	Rain protection covers and mosquito screens for the aft cabin port-holes (4x)	2
55130.03	Combined blind/mosquito screen for panorama/escape hatch in forward cabin deck-head	1
55155.02	Mosquito screen for sliding hatch at the entrance door (with magnets)	2
5.6 IN	TERIOR UPHOLSTERY	
56031.50	Removable right armrest for saloon settee	1
56101.02	2 Mattrass 2x 1 pers.in front cabin type Combispring 14 cm.	2
56131.02	2 Mattrass 2x 1 pers. in aft cabin type 7-zone 14 cm.	2
56321.03	Plissé blinds in the saloon, manual controlled.	1
5.7 EX	TERIOR UPHOLSTERY	
57011.03	Cushions for steel deck-boxes including cushion for teak joint in imitation leather, prefixx off white	2
57011.03	Cushions for steel deck-boxes in imitation leather, Sandsurf MT 0027CP	2
57011.05	Cushions for steel deck-boxes including cusion for teak joint in imitation leather, Moonrock MT 0026	2
57095.02	·	2
57095.03	,	2
57095.05	2x Comfort seat in imitation leather, colour lava grey	2
5.8 EQ	UIPMENT	
58022.02	2x ball fender Ø55cm black with rope	2
58023.02	•	2
58024.03	,	2
58060.02	230V vacuum cleaning installation with a vacuum cleaner integrated in the saloon settee and connection for the hose. Equipped with thermal protection and softstart for inverter use. Delivery including extendable hose (from 1,5 to 9 m.), luxury brushes and 3 vacuum bags	1

## **Linssen Grand Sturdy 35.0 AC Intero**

Item

Page 9

ltem	Descr	ption	Phase
58075.0	02	Removable clothes rail in shower compartment front cabin	1
58080.0	01	hooks at various positions in the yacht. Positions to be determined during the hand over. Fitted during the 25-hours inspection.	2
58990.0		Alarm installation not possible. System cannot be supported in the ong(er) term.	2
5.9 C	ANVAS	& COVERS	
59030.0		Cabrio closed model over the complete aft deck, Sunbrella Dark Navy. The side and back panels can be opened by a zip-fastener	2
59030.0		Cabrio closed model over the complete aft deck, Sunbrella Marine steel Grey The side and back panels can be opened by a cip-fastener	2
59030.0		Cabrio closed model over the complete aft deck, Sunbrella Marine Beige Papyrus. The side- and back parts can be opened by a cip-fastener.	2
59030.9	90	Windows in cabrio front	2
59030.9	91	Cabrio divided by zipper	2
59080.0		Cover for entrance door including sliding hatch Sunbrella Dark Navy	2
59080.0		Cover for entrance door including sliding hatch Sunbrella Marine steel Grey	2
59080.0		Cover for teak entrance door including sliding hatch Sunbrella Marine Beige Papyrus.	2
59130.0	03	Cover for steering console Sunbrella Dark Navy	2
59130.0		Cover for steering console, Sunbrella Marine steel Grey	2
59200.1		Sun cover around saloon windows finished in screen cloth (excluding entrance door/window) incl. mounting, colour beige	2
59200.1		Sun cover around saloon windows finished in screen cloth (excluding entrance door/window) incl. mounting, colour white	2
6 COMN	/IISSIO	NING & HAND OVER	
6.1 TI	RANSP	ORT/WINTER STORAGE	
61010.0	01	Cradle (completely coated)	2
61010.0	)3	Making boat ready for transport incl. craning	
61010.0		Compile documents for export and obtain a temporary residence permit of up to 18 months in the EU. Only possible for residents from outside the EU)	2
Pa	ck	1 Comfort package	1
12020.02		Polished stainless steel hinged side ladder integrated into deck rail (Port and Starboard)	
22	2020.01	Original LINSSEN teak deck on aft deck and steps on transom	
31	1050.03	12V. sternthruster 55 kgf (3 kW / 4 HP)	
31	1067.01	Remote control for bow (and stern) thruster	
35	5040.01	Ships name on bow and stern. Port of Registry and Registration number on stern in colour of the waterline	
		Bow letter type; Snell Roundhand. Stern letter type; VAG	

## **Linssen Grand Sturdy 35.0 AC Intero**

tem	Description		Phase	
	35090.02	Electric anchor winch 1200W/12V, fitted with integrated stainless steel anchor rollers and anchor hawse with 30m. 8 mm. anchor chain according DIN766A15 and 15 Kg. Bruce-anchor (Control by means of cable control).		
	53130.02	Lelectric toilet in forward cabin, with fresh water rinsing		
	53140.02	Pelectrical toilet in the aft cabin, with fresh water rinsing		
	57011.03	Cushions for steel deck-boxes in imitation leather, Sandsurf MT 0027CP		
	58080.01	8 hooks at various positions in the yacht. Positions to be determined during the hand over. Fitted during the 25-hours inspection.		
	59030.06	Cabrio closed model over the complete aft deck, Sunbrella Marine Beige Papyrus. The side- and back parts can be opened by a zip-fastener.		
	Pack	2 Ventilation package	1	
	13290.01	Heating (blower) at steering position (4 kW), connected to the engine		
	55090.01	Rain protection covers and mosquito screens for the forward cabin port-holes (4x)		
	55110.01	Rain protection covers and mosquito screens for the aft cabin port-holes (4x)		
	55130.01	Combined blind/mosquito screen for panorama/escape hatch in forward cabin deck-head		
	Pack	5 Media package	1	
	54200.01	Primary TV connection at saloon Port TV cupboard, incl. extra 230V. socket		
	54250.01	Glomex TV-antenna on mast, suitable for analogue & digital reception. Suitable for DVBT-T2 network.		
	54400.01	24" (60cm) LED TV with integrated DVB-T & DVB-S tuner incl. DVD including manual TV-lift solution in saloon on Port side		
	Pack	6 Safety	1	
	34190.09	Raymarine Ray90 VHF with Class D "Digital Selective Calling" (DSC) at steering position including antenna in Mast		
	34943.04	AIS 700 transponder/receiver (Automatic Identification System) integrated on radar/chartplotter display. Attention: MMSI-number required. Attention: Only in combination with VHF installation		
	37020.50	Extend windscreen wiper installation with synchronous and 3 step interval function. In the interval mode, the wipers run synchronously and are self-parking.		
	51800.01	Stainless steel high gloss banister at saloon entrance stairs		
	Pack	8 Atmosphere/lighting package	1	
	51070.11	Luxurious LED reading lights (2x) in the aft cabin		
	51080.11	Luxurious LED reading lights (2x) in the front cabin		
	51100.01	Attractive indirect lighting in saloon		

## **Linssen Grand Sturdy 35.0 AC Intero**

Item	Description			Phase
	Pack	9	Power package	1
	33082.02		estic: 12V. with 2 maintenance free GEL batterie 166 Ah each. 2x 166 Ah domestic batteries)	
	33271.02		matic battery charger/inverter type Victron Multiplus Compact 600-70 (70A/1600W.) with remote control panel. Peak power 3000 W.	
	51400.11		ocket in steering position outside, saloon, FC and AC for ing mobil equipment.	
	51640.01	230 V	% socket in the galley	
	51665.01	230 V	'. socket in the saloon (Stbd aft)	
	51670.01	230 V	'. socket in aft cabin	
	51700.11	230 V	socket at steering position, SB side splash resistant	
	Pack	10	Essentials	1
	12020.02		ned stainless steel hinged side ladder integrated into deck rail and Starboard)	
	31050.03	12V. s	sternthruster 55 kgf (3 kW / 4 HP)	
	33082.02		estic: 12V. with 2 maintenance free GEL batterie 166 Ah each. 2x 166 Ah domestic batteries)	
	33271.02		matic battery charger/inverter type Victron Multiplus Compact 600-70 (70A/1600W.) with remote control panel. Peak power 3000 W.	
	35090.02	ancho	ric anchor winch 1200W/12V, fitted with integrated stainless steel or rollers and anchor hawse with 30m. 8 mm. anchor chain ding DIN766A15 and 15 Kg. Bruce-anchor (Control by means of control).	
	51070.11	Luxur	ious LED reading lights (2x) in the aft cabin	
	51080.11	Luxur	ious LED reading lights (2x) in the front cabin	
	51100.01	Attrac	ctive indirect lighting in saloon	
	53010.90		ength mirror in the FC toilet compartment at entrance door to ont cabin	
	53130.02	Electr	ric toilet in forward cabin, with fresh water rinsing	
	55020.01	Mosq	uito screen in forward hinged saloon window, Port side	
	55090.01		protection covers and mosquito screens for the forward cabin noles (4x)	
	55110.01		protection covers and mosquito screens for the aft cabin noles (4x)	
	55130.01		oined blind/mosquito screen for panorama/escape hatch in forward deck-head	