

# Linssen Yachts Standard Equipment Linssen Grand Sturdy 35.0 AC Intero

Item	Description	Page 1	
	Description	i age 1	

### **BASIC DATA**

2, 13.0 2, 11,		
01010.05	Type code	: 23C
	Construction	: HPH® (Hardchine Prestressed Hull)
	Hull	: 5/4 mm.
	Bottom/hull/decks/superstructure	: 5/4/4/4 mm.
	Weight/displacement	: ±9.000 kg / ±9 m³
01020.05	LOA x beam x draft	: ± 10.70 x 3.40 x 1.00 m.
	Length over deck	: ± 9.87 m.
	Length waterline	: ± 8.83 m.
	Minimum air draftt	: ± 2.45 m.
	Headroom FC/saloon/AC	: ± 1.83/1.94/1.87 m.
01030.02	CE-classification	: C (coast)
	Number of max. recommended persons	: 8
13010.05	Engine	: 1x 4 cyl. Volvo Penta Diesel, type D2-75
		ZF 25-H / 2,8 : 1
		1x 55 kW (75 HP), 3000 rpm
	Alternator	: 115A-12V
03040.01	Fuel tank capacity	: ± 240 ltr.
	Water tank capacity	: ± 220 ltr.
	Holding tank capacity	: ± 240 ltr.
41001.01	Aft cabin with double berth at SB side, closet	at stern, walk-in wardrobe on the
	port side with integrated storage space, prep	ared for possible subsequent installation of
	a toilet and washbasin and large wardrobe or	n Port side.
42001.01	Spacious saloon with L-settee (incl. Easy Slee	p Convert System) and desk with Linssen
	Design chair at SB-side. Spacious galley at Poi	
43001.01	Front cabin with double berth and cupboards	s, toilet compartment and separate shower
	compartment. Double bed with slatted and s	

### 1. HULL

### 1.1 EXTERIOR

11015.01	Hull constructed in accordance with the Linssen Yachts HPH® construction method
11020.01	Stainless steel foundation for windscreen
11025.01	Outside steering position with high-grade "Soft Coat" instrument panels
11030.01	Integrated moulded aft deck dodgers
11040.01	Integrated deck-boxes, aft benches including lockable teak tops with gas-pressure struts
11080.01	Integrated central stern door to bathing platform

### 1.2 STAINLESS STEEL

12010.01	Polished stainless steel sea rail
12020.01	Side entrances with stainless steel entrance chains
12030.01	Opening in sea rail at the bow (lockable with stainless steel chain)
12050.02	6 x Original Linssen-design stainless steel cleats

## **Linssen Yachts Standard Equipment**

# **Linssen Grand Sturdy 35.0 AC Intero**

Item	Description	Page	2
12055.01	2 x Original Linssen-design stainless ste	el cleats at the bathing platform	
12100.01	Polished stainless steel original Linssen windscreen foundation	-design handrails Starboard and Port side along the	
12120.01	Comfortable solid teak step to bathing side	platform with elegant railing on Port and SB	
12125.01	Teak step in side decks		
12130.01	Polished stainless steel foldable bathin with anti-slip profiles)	g ladder at bathing platform (incl. solid teak steps	
12145.02	Robust, stainless steel coated bathing p Duty Linssen PVC fendering from bathi	olatform, with solid teak parts (including Heavy ng platform to 1/3 of the hull length)	
1.3 TE	CHNICAL		
13030.01	Linssen DUAL CROSS engine foundation	1	
13040.01	_	grated System®) for integral protected loop-up of	
13050.02	Provisions for bowthruster		
13060.02	Provisions for sternthruster, incl. main	power cables	
13080.03	Provisions for deck-wash pump		
13110.01	Outside shower at bathing platform, with warm and cold water tap		
13150.02	Integrated bow fitting with fixed anchor roller and stainless steel anchor holder		
13240.01	Selfdraining seawaterproof anchor chain container		
13280.01	Waterproof speakers for radio at outside	le steering position	
2. COATIN	IG		
2.1 CO	ATING & DECK FINISH		
21010.01	Linssen 2 component Exterior Coating	system	
21020.01	Saloon and cabin deck in anti-slip coati	ng	
21030.01	Fore-deck and side decks in anti-slip co	ating	
21040.01	Aft deck in anti-slip coating		
21060.01	Non-toxic antifouling suitable for fresh	and salt water (Black colour)	
21070.01	Additional 2-component easy-to-clean	Additional 2-component easy-to-clean protective coating in engine compartment	
21090.19	Original Linssen colour scheme:		
	Superstructure and hull	: Sand Beige	
	Waterline	: Dark Green	
	Antifouling	: Black	
	Rope fender Canvas and covers	: Beige : Sunbrella Marine	
	Calivas aliu cuveis	Beige Papyrus	

: "summer green" tinted

Glass windows saloon, windscreen,

ventilation-/escape hatch

### **Linssen Yachts Standard Equipment**

## **Linssen Grand Sturdy 35.0 AC Intero**

 Item
 Description
 Page
 3

 3. ENGINE COMPARTMENT

#### **3.1 TECHNICAL**

31010.01	Linssen Yachts "hydrolubricated" propeller shaft installation
31020.01	Engine/shaft connection through homokinetic coupling and thrust bearing
31025.01	Special low noise propeller
31030.03	12V. Bowthruster 55 kgf (3 kW / 4 HP)
31070.01	Mechanical Morse engine control equipped with anti-vibration kit for noise and vibration damping.
31090.01	Hydraulic steering
31096.02	Stainless steel steering wheel with teak rim at outside steering position
31120.01	Emergency steering installation
31150.02	Fuel tank of advanced design with inspection/cleaning hatch (± 240 litres)
31160.03	Magnetic level gauge in fuel tank for direct volume indication
31170.01	Separate second (1 x on engine) fuel filter with water separator
31210.01	Fuel supply cut-off to engine from saloon settee
31240.01	Air-heating 5kW with outlets in saloon, FC (lockable) and AC (lockable). Control panel in saloon.
31241.03	Heating outlet in toilet compartment forward cabin
31281.03	Heating outlet in toilet compartment aft cabin
31320.01	Lighting storage "cellar" space with automatic switch
31700.03	Automatic fire extinguishing in engine compartment
31750.01	Linssen super sound insulation package consisting of a sound absorbent insulation and a non vibration package.

#### **3.2 ON-BOARD WATER SYSTEMS**

32010.01	Automatic pressurized water system including solid PVC water tank with inspection/cleaning hatch and level indicator (± 220 litres)
32020.01	Automatic pump with electronic pressure regulation for water system
32050.01	Hot water system (24 litre calorifier)
32060.01	230 V / 500W immersion heater in calorifier
32080.03	Holding tank toilet including Dockside-Discharge connection and level indicator (± 240 litres)
32095.01	All grey water outlets (sinks and shower-drainage) discharge directly overboard
32110.02	Holding tank waste pump-out unit for Direct Discharge
32180.01	Electric bilge pump installation in engine compartment, with float switch for alarm. Manually operated. Capacity of bilge pump: 61L/min.
32200.01	Additional loose electric bilge pump provided, with discharge tube and supply cable

### **3.3 ELECTRICAL & ELECTRONICS**

33020.01	Electric domestic 12 V. with automatic main fuse and separate fuses for all users
33030.01	230V. /16Amp shore power connection with fuses and shore power cable (25 metres)
33022.01	Linssen Yachts ICCESS main switchboards, $1x$ in saloon and $1x$ at steering position, for control of key functions and reading of fluid levels
33082.01	Domestic: 12V. with 1 maintenance free GEL batterie 166 Ah.
33180.01	Starting circuit 12V. with 1 x maintenance free "Super Cycle" AGM-battery 170 Ah.

# Linssen Yachts Standard Equipment Linssen Grand Sturdy 35.0 AC Intero

Item	<b>Description</b> Page
33230.00	Automatic VICTRON BlueSmart 12/30-3 (3x 30 A.) battery charger, with BlueTooth function that allows readout via app.
3.4 IN	STRUMENTS & NAVIGATION
34010.03	Engine instrument panel with rev.counter and volt-, temperature and oil pressure alarm (acoustic en optical)
34030.02	2 Compressor horn with control at steering position
34050.02	LED navigation lights: Starboard and Port side on superstructure, stern light, top light in mast and anchor light
34070.03	Spare wiring for compass/windset
3.4.1	NAVIGATION INSTRUMENTS
34080.14	Raymarine i70S multifunction instrument with read out from echosounder, log and outside water temperature at steering position
3.5 EX	TERIOR EQUIPMENT HULL
35010.03	1 Magnesium anodes (for fresh water)
35030.03	Original Linssen synthetic-fibre rope fender, with stainless steel stretcher (Beige colour)
35081.22	Manual anchor winch with integrated Heavy Duty stainless steel anchor rollers and Linssen patented anchor rail. Including 30m 8mm. anchor chain and 15 kg. Bruce anchor
3.7 EX	TERIOR EQUIPMENT SUPERSTRUCTURE
37010.02	Robust windscreen wiper installation, position: middle and starboard
37070.03	Original Linssen Design mast powder coated in colour superstructure
37075.02	2 Stainless steel mast stays with quick release system
37110.0	Folding teak directors/helm chair Black upholstery and untreated teak wood
37180.0	Stainless steel Linssen Grand Sturdy logo
37245.0	,
37261.02	•
37271.1	1 Entrance door, varnished in superstructure colour
3.8 W	INDOWS
38010.03	All windows to saloon in anodised aluminium profiles, incl. toughened "Summer Green" tinted glass
38060.02	2 Hinged window in Port forward saloon, with "Summer Green" tinted glass
38085.02	Sliding window in saloon at SB side front, with "Summer Green" tinted glass
38300.02	4 x opening port-holes in the forward cabin, with plain acrylate
38320.02	4 x opening port-holes in the aft cabin, with plain acrylate
38405.0	Aluminium ventilation/escape hatch with clear acrylic in front cabin.
38430.03	5-part aluminium windscreen with anodised profiles, with "Summer Green" tinted/toughened glass fitted on coated stainless steel foundation

## **Linssen Yachts Standard Equipment**

# **Linssen Grand Sturdy 35.0 AC Intero**

Item	Description	Page !	5
4. INTEI	RIOR		
GEN	ERAL		
40010.	01 Linssen panels FPS® (Floating Panel System, Patented)		
40020.			
40030.	02 Deck-head lining in elegant vinyl finish panels		
40040.	Original Linssen maintenance friendly ship's floor, wengé color		
40050.	O2 High gloss stainless steel fittings in all compartments		
40060.	O2 High gloss stainless steel door and locker furniture, with push-button catch	es	
4.1 A	AFT CABIN/ SHOWER & HEADS COMPARTMENTS		
41021.	O1 Double berth, with slatted base and sprung mattress including spacious dra bed	awer underneath	
41101.	Spacious walk-in wardrobe in the aft cabin on the port side with integrated space, prepared for possible subsequent installation of a toilet and washba sanitary accessories.	_	
41121.	O1 Spacious hanging wardrobe in the aft cabin		
41131.	O1 Spacious built-in cupboard in the aft cabin		
41414.	01 Wall panels in aft cabin in cream white HPL.		
4.2 S	ALOON/ GALLEY		
42021.	O1 Comfortable U-shaped saloon settee with "Easy Sleep Convert System", do with integrated storage space	uble-bed function	
42031.	02 Elegant saloon table		
42082.	01 L-Shaped galley with cupboards and drawers		
42092.	O1 Galley worktop finished with "Clamshell" original Corian®		
42141.	O1 Functional storage space in forward section, equipped with 4 storage boxes	S	
42191.	01 Desk incl. Linssen Design chair in saloon SB side		
43141.	01 Wardrobe in saloon on SB side in the front		
42414.	01 Wall panels in saloon SB, Port and front in cream white HPL.		
4.3 F	RONT CABIN/ SHOWER & HEADS COMPARTMENTS		
43021.	O1 Double berth with slatted base and large drawer		
43031.	O1 Spacious linen-cupboard on Port side		
43041.	O1 Spacious linen cupboard on Starboard side		
43062.	O2 Toilet/shower walls FC in high quality Formica wall finishing		
43071.	Washbasin in front toilet-compartment, built into vanity unit. Worktop and toilet compartment finished in original Corian® "Clamshell"	wash basin in	
43082.	O2 Shower in the FC finished in high quality Formica wall finishing and teak se	at	
43412.	O1 Soft paneling FC, longitudinal SB/Port (3 panels)		

6

# **Linssen Yachts Standard Equipment**

# **Linssen Grand Sturdy 35.0 AC Intero**

Item	<b>Description</b> Page
5. FINISH	1
5.1 LI	GHTING & SOCKETS
51010.0	5 LED dimmed interior light fittings in all compartments, with light switches
51400.0	1 1x USB socket in the saloon for charging mobil equipment. No data transfer.
51500.0	0 1 x 12 V. socket in saloon starbord front
51603.0	3 x 230 V. Sockets in the FC (1x), saloon (1x) and galley (1x)
51620.0	1 Splash resistant 230 V. socket in the forward cabin toilet
51680.0	1 230 V. splash resistant socket in aft toilet compartment
5.2 G	ALLEY
52015.0	Bar cupboard in saloon, incl. set of Linssen Yachts glasses (comprising: 6 shot glasses, 6 highball glasses, 6 whisky glasses and 6 wine glasses)
52020.0	2 Integrated waste bucket in cupboard incl. partition with shelves
52023.0	1 Anti-slip mats in galley
52030.0	1 Cutlery tray
52040.0	1 80 l. refrigerator with freezer compartment. The freezer compartment can be removed to increase the capacity of the fridge.
52105.0	Gas installation with Campingaz gas bottle (3kg), in container at bathing platform
52110.0	2 3-burner stainless steel gas hob
52120.0	2 Glass coverplate for 3-burner gas hob
52180.0	
53020.0	3 Mixer tap in galley type Grohe Essence
5.3 S/	ANITARY FITTINGS
53010.0	Selected bathroom fittings (mirror, toilet paper holder, etc.), in the forward cabin head
53030.0	Wash-basin mixer tap in toilet compartment FC type Grohe Essence
53050.0	4 Shower mixer tap in forward shower type Grohe 1000C (Thermostatically adjustable) incl. shower rail
53130.0	1 Manual sea toilet in forward cabin
5.4 A	UDIO / VIDEO / INTERNET
54010.0	Stereo radio/MP3-player Fusion RA70N with bluetooth including 2 speakers in the saloon and FM radio antenna in mast.  Audio streaming possible Operation possible via the App FUSION link AM/FM including RDS Amplifier Class-AB 4x 50W
5.6 IN	ITERIOR UPHOLSTERY
56031.0	2 L-shaped saloon settee, finished in genuine leather, cream colour
56073.0	2 Design stool finished in genuine leather
56101.1	1 Mattrass 1x 2 pers. in front cabin type coldfoam 14 cm. with layer in foam in two hardness grades.
56131.1	1 Mattrass 1x 2 pers. in aft cabin type coldfoam 14 cm. with layer in foam in two hardness grades
56300.0	1 Curtains for windows and hatches, cream colour

# Linssen Yachts Standard Equipment Linssen Grand Sturdy 35.0 AC Intero

Item	Description	Page	7
5.8 E	QUIPMENT		
58010.0	Spares kit including tool-kit, impeller, fuses, paint-tip and various maintenance parts	5	
58020.0	Complete inventory including 4 fenders, 4 mooring ropes (10 meters), boathook, life buoy, bucket, scrubbing brush, national flag, yard burgee, safety rope for anchor charant anchor ball		
58030.0	Pirst-aid box in saloon according to DIN13157		
58040.0	O1 ABC fire class compliant fire extinguisher (1 x 2 kg) in saloon		
58045.0	Optical smoke detector with fixed built-in lithium battery (life span 10 years) in all sleeping compartments.		
5.9 C	ANVAS & COVERS		
59010.0 59130.0			