

Linssen Yachts Option list

Linssen Grand Sturdy 40.0 Sedan Intero

Date:- 7-3-2025

Page 1

Item	Description	Phase
1. HULL		
1.1 EXTERIOR		
11060.03	Linssen e-Variodeck® (electric sliding roof) in the saloon	1
1.2 STAINLESS STEEL		
12020.02	Polished stainless steel hinged side ladder integrated into deck rail (Port and Starboard)	1
12055.15	2x Original Linssen Design stainless steel cleats in the middle of the last railing section (1x Port, 1x SB). Ideally positioned for solo use because the cleat can be used from the cockpit without entering the gangway.	1
12060.01	Original Linssen polished stainless steel bow ladder (removable)	3
12071.01	Stainless steel protection set at side railing entrances, the passages from gangway to cockpit and stern (5x)	2
1.3 TECHNICAL		
13070.03	Provisions for simple installation of stabilization system to prevent rolling of the ship. 1 mounting flange welded in cockpit at Portside in the hull.	1
13155.01	Mooring facility at bow through stainless steel hawse and stainless steel protection strips	2
13290.03	Heating (blower) in cockpit, connected to 5,5 kW heating system for day heating	1
2. COATING		
2.1 COATING & DECK FINISH		
21090.10	Original Linssen colour scheme: Superstructure and hull : Egg Shell White Waterline : Black Antifouling : Black Rope fender : Black Canvas and covers : Sunbrella Marine Steel Grey Glass windows saloon : "Smoke Grey" tinted	1
21090.12	Original Linssen colour scheme: Hull : Super Jet Black Superstructure : Egg Shell White Waterline : Egg Shell White Antifouling : Black Rope fender : Black Canvas and covers : Sunbrella Marine Steel Grey Glass windows saloon : "Smoke Grey" tinted	1
21090.15	Original Linssen colour scheme: Hull : Dark Grey Superstructure : Egg Shell White Waterline : Egg Shell White Antifouling : Black	1

Linssen Yachts Option list

7 March 2025

Linssen Grand Sturdy 40.0 Sedan Intero

Page 2

Item	Description	Phase
21090.23	Rope fender	: Black
	Canvas and covers	: Sunbrella Marine Steel Grey
	Glass windows saloon, ventilation-/escape hat	: "Smoke Grey" tinted
	Original Linssen colour scheme:	
	Hull	: Midnight Blue
	Superstructure	: Egg Shell White
	Waterline	: Egg Shell White
	Antifouling	: Black
	Rope fender	: Beige
	Canvas and covers	: Sunbrella Dark Navy
21090.24	Glass windows saloon	: "Smoke grey" tinted
	Original Linssen colour scheme:	
	Superstructure and hull	: Egg Shell White
	Waterline	: Dark Green
	Antifouling	: Black
	Rope fender	: Beige
	Canvas and covers	: Sunbrella Marine Beige Papyrus
	Glass windows saloon, windscreen	: "summer green" tinted
	Original Linssen colour scheme Olive Green:	
	Hull	: Olive Green
21090.31	Superstructure	: Sand Beige
	Waterline	: Sand Beige
	Antifouling	: Black
	Rope fender	: Beige
	Canvas and covers	: Sunbrella Marine Beige Papyrus
	Glass windows saloon	: "Summer Green" tinted
	Original Linssen colour scheme:	
	Hull	: Midnight Blue
	Superstructure	: Egg Shell White
	Waterline	: Egg Shell White
21090.33	Antifouling	: Black
	Rope fender	: Beige
	Canvas and covers	: Sunbrella Marine Beige Papyrus
	Glass windows saloon	: "Smoke Grey" tinted

2.2 TEAK DECKS

22010.01	Original LINSSEN teak deck on front deck and side decks	1
----------	---	---

Item	Description	Phase
3. ENGINE COMPARTMENT		
3.1 TECHNICAL		
31032.16	Electric bowthruster Sleipner-Side power 24V/E120 equipped with proportional control. Stepless control of bowthruster (in combination with proportional stern thruster) at any desired performance. Including control panel with integrated LCD display for feedback of battery capacity, functioning time, temperature and system warnings.	1
31053.05	Electric stern thruster Sleipner-Side power 24V/100 Kgf (6,3 kW/8,4 HP) incl. 2x "Super Cycle" AGM battery 170Ah maintenance-free battery for service net 24 V.	2
31053.15	Electric stern thruster Sleipner-Side power 24V/E100 incl. 2x additional maintenance-free starterbattery à 170Ah equipped with proportional control. Infinitely variable operation at any desired power. Including control panel with integrated LCD display for feedback of battery capacity, functioning time, temperature and system warnings.	2
31130.06	Stabilization system (electric, 230V) to prevent rolling. One stabilizer in the cockpit Portside. Only in combination with position(s): Attention: Only possible in combination with generator 13070.03 Provisions for stabiliser(s)	1
31190.06	Double fuel filter with switch (single)	2
31205.01	Compact fuel filter installation. Removes sludge and diesel bacteria from the fuel tank. Also provides for condensation water separation.	2
31240.99	App-module for remote switching/controlling the daytime heating. System uses subscription, Free for the first year and €35,- per year thereafter (by purchasing customer). App control via iPhone or Android device is free to download.	3
31308.01	Towel radiator in toiletcompartment front cabin electric 230 V. thermostatically controllable	2
31501.00	Provisions for airco consists of: - Fitting of cooling pipes incl. distributor - Fitting of power cable chiller + air handlers - Installation of air ducts, outlets and hoses for air intake/supply	2
31501.01	Chiller air conditioning throughout the ship by compressor with soft start, total capacity of 20.000 BTU. Only in combination with position(s): Attention: Only possible in combination with generator 31501.00 Provisions for airco	2
3.2 ON-BOARD WATER SYSTEMS		
32010.20	Additional 1x solid plastic MTS on-board water tank on SB-side without tank measurement with inspection/cleaning opening ± 220 l. Not possible in combination with position(s): 52065.14	2

Item	Description	Phase
32100.01	All grey water outlets (sinks and shower-drainage, including aft cabin) connected to holding tank. Including washing machine if chosen.	2
32110.01	No fitting of holding tank waste pump	2
32150.04	Deck-wash pump, including hose and trigger nozzle with connection at bathing platform Not possible in combination with position(s): 32150.13 Deck-wash pump, conn. bathing platform	1
32150.13	Deck-wash pump, including hose and trigger nozzle with connection at bathing platform connected to on-board water system	1
3.3 ELECTRICAL & ELECTRONICS		
33148.15	Cerbo GX linked to the Raymarine Axiom MFD. Monitor your domestic, shore power and generator status. Control the shore power limit to be used from your helmsman's position	2
33285.60	Group of solar panels of 4x 110Wp. Connected to a Victron Smart Solar charge controller for charging the domestic batteries. Can be read out on the Victron Color GX panel.	2
33285.61	Solar panels extension of 6x 160Wp. Connected to the Victron Smart Solar charge controller for charging the domestic batteries. Only in combination with position(s): 33285.60 Solar panel 110W	2
33290.13	Northern Lights 230V/7 KW, type M773LW3G generator. Intercooling, continuous power, integrated in shore power connection. Incl. water/gas separator for exhaust generator. To control with a control panel with operating hours.	2
3.4.2 NAVIGATION PACKAGES		
Pack	3.4.2.1 BASIC PACKAGE	2
	34090.16 Rudder indication on Raymarine Axiom display at steering position	
	34125.01 Raymarine Axiom+ 7 multifunctional display	
	34140.03 Navionics Gold XL9 marine chart type 46XG, West Europe	
	34150.02 Raymarine RS150 GPS sensor in mast	
Pack	3.4.2.2 RIVER PACKAGE	2
	34110.10 Raymarine autopilot with p70RS display at steering position (incl. course computer/rudder indicator/compass transducer) with protection in mast which disengages autopilot during AUTO operation if mast is folded.	
	34125.01 Raymarine Axiom+ 7 multifunctional display	
	34140.03 Navionics Gold XL9 marine chart type 46XG, West Europe	
	34150.02 Raymarine RS150 GPS sensor in mast	
Pack	3.4.2.3 LAKE PACKAGE	2
	34110.10 Raymarine autopilot with p70RS display at steering position (incl. course computer/rudder indicator/compass transducer) with protection in mast which disengages autopilot during AUTO operation if mast is folded.	

Item	Description	Phase
34125.07	Raymarine Axiom+12RV, 12" multifunctional colour display with touchscreen and Wi-Fi at steering position. Including read out from echosounder, log and outside water temperature.	
34132.80	Raymarine RMK-10 remote keypad for complete touch control for Axiom displays	
34140.03	Navionics Gold XL9 marine chart type 46XG, West Europe	
34150.02	Raymarine RS150 GPS sensor in mast	
Pack	3.4.2.4 SEA PACKAGE	2
34110.10	Raymarine autopilot with p70RS display at steering position (incl. course computer/rudder indicator/compass transducer) with protection in mast which disengages autopilot during AUTO operation if mast is folded.	
34125.07	Raymarine Axiom+12RV, 12" multifunctional colour display with touchscreen and Wi-Fi at steering position. Including read out from echosounder, log and outside water temperature.	
34132.80	Raymarine RMK-10 remote keypad for complete touch control for Axiom displays	
34140.03	Navionics Gold XL9 marine chart type 46XG, West Europe	
34150.02	Raymarine RS150 GPS sensor in mast	
34160.05	Raymarine Quantum 2 (Doppler) CHIRP radar antenna, on the mast	
3.4.3 VIEW PACKAGES		
3.4.3.1 Rear view		
34145.11	1x Raymarine IP day & night net dome video camera at longtop roof for rear view with readout on multifunctional Raymarine display	1
3.4.3.2 Mooring view		
34145.12	2x Raymarine IP day & night net dome video cameras with readout on multifunctional Raymarine display: - 1x SB and 1x Port on the hull for mooring view	1
34145.15	1x Raymarine IP day & night net dome video camera on bow for front view with readout on multifunctional Raymarine display	1
3.4.3.3 Night view		
34800.01	Flir M232 Thermic IP camera (320 x 240, 9Hz) with Pan & Tilt and electronic zoom fitted in the mast with read out on multifunctional Raymarine display. The FLIR camera makes the air draft 30 cm higher because of its placement in the mast top.	2
3.4.3.4 Technology view		
34145.13	2x Raymarine AX8 thermal and visible light camera in engine compartment for temperature measurement with readout on multifunctional Raymarine display	2
34145.14	1x Raymarine AX8 thermal and visible light camera in engine compartment for temperature measurement with readout on multifunctional Raymarine display	2

Item	Description	Phase
34142.30	Read out engine functions on multifunctional display Raymarine.	3
3.4.3.5 Underwater view		
34170.23	Raymarine RV320 transducer with 3D Downvision Port + SB integrated on multifunctional display Raymarine	1
34145.20	Raymarine ClearCruise AR (live navigation objects with AIS identification) on Axiom multifunction display. Only in combination with position(s): 34943.04 AIS 700	2
3.4.4 REMOTE PACKAGES		
34110.03	Raymarine S100 wireless autopilot remote control Only in combination with position(s): 34110.10 p70R Display steering position	2
34110.13	Raymarine Smart Controller wireless autopilot remote control Only in combination with position(s): 34110.10 p70R Display steering position	2
31067.01	Remote control for bow (and stern) thruster	3
31067.02	Remote control for bow (and stern) thruster with proportional control. Control via remote control only on-off.	3
31088.20	Hydronautica RMC remote control for engine(s), bow and stern thruster. Only in combination with position(s): 31053.05 Stern thruster 100 Kgf	2
31088.21	Hydronautica RMC remote control for engine(s) and bow-/sternthruster finished with proportional control. For using the bow and stern thruster via the RMC, you have to tune the desired performance in the control panel. By doing so, you can easily cruise sideways by using the bow and stern thruster simultaneous. Only in combination with position(s): 31032.16 Bow thruster electric e-vision E120 31053.15 Stern thruster e-vision E100	1
3.4.5 COMMUNICATION PACKAGES		
34190.09	Raymarine Ray90 VHF with Class D "Digital Selective Calling" (DSC) at steering position including antenna in Mast	2
34190.10	Extra wireless handset VHF incl. charging station	2
34200.10	Communication tool for 2 persons by means of 2 walkie-talkies with headset	3
34943.04	AIS 700 transponder/receiver (Automatic Identification System) integrated on radar/chartplotter display. Attention: MMSI-number required. Attention: Only in combination with VHF installation	2
3.4.6 OTHER NAVIGATION INSTRUMENTS		
34100.00	Magnet compass not possible. Due to the steel boats it is not possible to calibrate, so deviation and not usable.	2

Linssen Grand Sturdy 40.0 Sedan Intero

Item	Description	Phase
34120.23	"Wind Vane" wind transducer for wind direction and wind speed. Read out on Axiom display.	2
34135.06	Second Raymarine Axiom+12, 12" multifunctional colour display with touchscreen and Wi-Fi at steering position. Including read out from echosounder, log and outside water temperature.	2
34180.00	Weatherfax not possible. Cannot be tested at the Maasbracht location.	2
3.5 EXTERIOR EQUIPMENT HULL		
35010.01	Magnesium anodes (for fresh water)	2
35010.02	Zinc anodes (for salt water)	2
35030.90	High-gloss stainless steel fender rope cap at the ends of the fender rope, fitted with a tensioning device.	2
35092.32	Electric anchor winch 1200W/24V. mounted above deck with integrated stainless steel anchor rollers and anchor rail with 50m. 10 mm. anchor chain and 20 Kg. Bruce-anchor	1
35110.03	Wireless windlass control and chain counter	2
35120.12	High gloss polished stainless steel Bruce-anchor 20 kg. AISI-316	2
35140.04	80m. x 10 mm. anchor chain, according DIN 766	2
35140.13	50 m. 10 mm. stainless steel anchor chain Only in combination with position(s): 35092.32 Electric anchor winch Tiger	1
35140.14	80 m. 10 mm. stainless steel anchor chain Only in combination with position(s): 35092.32 Electric anchor winch Tiger	1
3.6 LINSSSEN YACHTS TENDER SOLUTIONS		
36040.01	Stainless steel snap davit system, with universal tender fastening.	2
36040.05	Linssen Yachts electric stainless steel dinghy lift installation on bathing platform. Lifting capacity 250 kg. incl. remote control.	2
36100.01	Outboard engine fastening bracket against stern (Max. 8 HP)	2
3.7 EXTERIOR EQUIPMENT SUPERSTRUCTURE		
37020.50	Extend windscreen wiper installation with synchronous and 3 step interval function. In the interval mode, the wipers run synchronously and are self-parking.	2
37070.06	Original Linssen Design mast powder coated in colour superstructure. Short modell (± 1,4 mtr.)	1
37080.08	Electric mast lowering system, incl. control at steering position.	2
37111.01	Folding teak directors chair. Black upholstery and naturel teak wood	3
37130.01	Deck lighting with 2 lights at mast	2
37140.05	Automatic searchlight with stainless steel housing on saloon deck, with control at the steering position	2
37140.06	Automatic searchlight with stainless steel housing in the mast, with control at the steering position	2
37170.14	Set of fender baskets to fore deck: Double Port & SB ø300 mm, foldable	3

Item	Description	Phase
37230.01	Luxury teak table at settee in cockpit	1
37230.90	Teak table with luxurious high gloss painting in 8 layers	1
37230.91	Teak table with luxurious satin gloss painting in 3 layers	2
37230.92	Luxury teak table at settee in cockpit, equipped with electrically adjustable table legs (aluminum anodized) including mattress for lounge function with storage bag.	1
	Not possible in combination with position(s): 37230.01 Table aft deck/cockpit	
3.8 WINDOWS		
38030.01	Double-glazed "Summer green" tinted windows in the saloon with thermal insulated profile (Thermic Line).	1
38080.02	Sliding Starboard window in the saloon, finished in "Summer Green" tinted glass	1
38080.06	Sliding Starboard window in the saloon, finished in "Summer Green" tinted double glass, incl. thermal insulated profile (Thermic Line)	1
38031.21	Double-glazed "Smoke grey" tinted windows in the saloon with thermal insulated profile (Thermic Line). Front windows in plain glass.	1
38081.02	Aluminium sliding window in saloon at Starboard side, with "Smoke Grey" tinted glass	1
38081.06	Sliding Stbd window in the saloon, finished in (Thermic Line) double glass, incl. thermal insulated profile	1
4. INTERIOR		
GENERAL		
40040.02	Original Linssen maintenance friendly ship's floor, teak color with light striping.	2
4.1 OPEN COCKPIT		
31315.01	Lighting with ir-sensor under cockpit floor	2
41141.96	Full wooden floor in cockpit cellar for optional storage suitable for (folding) crates	2
41141.97	Storage system under the cockpit floor. Executed as cabinet wall 3 modules on SB and 2 modules at Port side. Including 4 plastic storage boxes 400x300x200mm and 2 folding crates 400x300x200mm.	2
	Only in combination with position(s): 41141.96	
41141.99	Additional storage cupboard under the cockpit floor on the port side against the engine room bulkhead, provided with 4 plastic storage boxes, size 400x300x220 mm.	2
	Only in combination with position(s): 41141.97	
	Not possible in combination with position(s): 31130.06	
4.2 SALOON & GALLEY		

Item	Description	Phase
42031.03	Elegant saloon table, high model	2
42032.02	Manually lowering table in saloon with a folding table top. Table can be used as a dining table and coffee table.	2
42033.01	Low coffee table model, pouf / tray combination Not possible in combination with position(s): 42031.03 Saloon table heigh model	2
42111.90	Foldable stainless steel high-gloss table leg to support the manually folding table in salon	3
4.3.1 FRONT CABIN AND GUEST CABIN		
43101.02	Layout guest cabin, version 1: - 1 bed at Port side against wall (width 90 to 100 cm) - 57 Ltr. refrigerator, accessible from guest cabin, fitted under dinette settee - Reading light above bed against wardrobe Not possible in combination with position(s): 52062.14	2
43101.03	Layout guest cabin, version 2: - Desk, drawers on the left side and additional cupboard under the work top - Design Hocker in leather - 57 Ltr. refrigerator, accessible from guest cabin, fitted under dinette settee - Reading light above desk - 2x 230 V. and 1x USB sockets on work top Not possible in combination with position(s): 52062.14	2
43101.99	Bed guest cabin finished with removable joint incl. mattress for double bed function	2
5. FINISH		
5.1 LIGHTING & SOCKETS		
51090.11	Luxurious LED reading lights (2x) in the guest cabin	2
51100.01	Attractive indirect lighting in saloon	2
51100.02	Attractive indirect lighting in the FC head	2
51110.03	Indirect lighting in all steps of front cabine stairs	2
51400.05	USB socket in FC portside for charging mobil equipment.	2
51400.11	USB socket in FC, guest cabin and nearby steering position for charging mobil equipment.	2
51605.02	5 x 230 V. sockets in English version	2
51605.03	5 x 230 V. sockets in Swiss version	2
51615.01	230 V. socket in the forward cabin on SB-side	2
51625.01	3x 230 V. sockets respectively in FC, engine compartment and cockpit for winter heating. Only to be used with shore power or generator on.	2

Item	Description	Phase
51630.01	230 V. socket in the guest cabin	2
51640.01	230 V. socket in the galley	2
51650.01	230 V. socket next to helm seat	2
51655.01	230 V. socket in saloon (Port-side aft)	2
51665.01	230 V. socket in the saloon (Stbd aft)	2
51685.01	12 V. and 230 V. socket in cockpit cellar	2
51710.11	230 V. socket in cockpit on Port-side superstructure, splash resistant	1
5.2 GALLEY		
52031.02	High gloss polished stainless steel towel rail at refrigerator door	2
52062.14	Cooling drawer, 30 liter, fitted in front cellar.	2
52062.15	2nd Cooling drawer, 30 liter, fitted in front cellar.	2
52062.01	Cooling Tray, 30 liter, built-in at the end face of the rear half saloon settee	3
52065.14	Freezer 40 ltr. in the cellar Not possible in combination with position(s): 32010.20 Additional watertank	2
52100.02	230V. washer/dryer combination, fitted in the forward cabin shower compartment	2
52140.01	230V. induction hob with touch control. 1 x 1200 W. cooking zone, 1 x 1600 W. cooking zone Attention: Only possible in combination with generator	1
52140.02	230V. induction hob, stainless steel, with touch control. 1 x 1200 W. cooking zone, 2 x 1800 W. cooking zone, 1 x 2200 W. cooking zone Attention: Only possible in combination with generator	1
52080.03	230V. dishwasher (front loader) Capacity: 6 covers. Fitted in the galley next to the sink. The optional microwave or oven will be placed under helms man seat at Port side.	2
52220.02	230V. stainless steel 42 l. microwave/oven/grill combination. Temperature range 30-250 degrees. 90-1000W microwave power Not possible in combination with position(s): 52230.01 Oven (gas)	2
52230.01	Stainless steel oven (gas). Fitted in the galley next to the sink Not possible in combination with position(s): 52220.02 Microwave/oven/grill 42 l.	2
5.3 SANITARY FITTINGS		
53010.10	In the FC bathroom cabinet integrated 6-litre waste bin with stainless steel soft-close waste flap	2
53010.90	Full-length mirror in the FC toilet compartment at entrance door to the front cabin	3
53130.03	Electric toilet in forward cabin, with sea water rinsing	2

Item	Description	Phase
5.4 AUDIO / VIDEO		
54010.50	DAB+ radio module and antenna in the mast for digital radio	2
54010.90	Fusion RA70N expansion kit with usb port for data transfer + control via the multi-function display in steering position.	2
54200.01	Primary TV connection in saloon STB TV cupboard, incl. extra 230V. socket	3
54250.01	Glomex TV-antenna on mast, suitable for analogue & digital reception. Suitable for DVBT-T2 network.	2
54286.01	Provisions for putting a satellite tv-antenna on deck manually: deck socket against the mast incl. cables in tv-cabinet in saloon	2
54400.03	32" (81cm) LED TV with integrated DVB-T2 & DVB-S tuner fitted and connected in foldable back part of the galley in the saloon at SB side	2
54610.05	Preparation consisting of additional 230V socket in saloon next to TV cabinet and HDMI cable from TV. Suitable for DVD device with a depth of up to 27cm including cabling.	3
54900.06	Teltonika 5G LTE router with Wifi Access Point and antenne.	2
5.5 VENTILATION		
55010.01	Mosquito screen in forward Starboard hinged saloon window	3
55040.01	Integrated mosquito screen in Stbd sliding saloon window	1
55090.02	Rain protection covers and mosquito screens for the forward cabin port-holes (6x)	3
55137.02	Fly screen integrated e-Variodeck®	2
55130.01	Combined blind/mosquito screens for panorama/escape hatch in forward cabin deck-head	2
55135.01	Combined blind/mosquito screens for cabin and head ventilation/escape hatch	2
5.6 INTERIOR UPHOLSTERY		
56073.02	Design stool finished in genuine leather	2
56073.32	Design stool finished in genuine leather, Trento Snowwhite	3
56101.02	Matrass 2x 1 pers.in front cabin type Combispring 14 cm.	3
56161.02	Matrass 2x single person in guest cabin type Combispring 14 cm.	3
56321.03	Plissé blinds in the saloon, manual controlled.	2
56401.10	Interior duvets and pillows set	3
56401.11	Interior package consisting of bed linen with blue accent for the entire ship	3
	Only in combination with position(s): 56401.10 Interior package duvets and pilows	
56401.12	Interior package consisting of bed linen with beige accent for the entire ship	3
	Only in combination with position(s): 56401.10 Interior package duvets and pilows	

Item	Description	Phase
5.7 EXTERIOR UPHOLSTERY		
57030.01	Cream cushions for cockpit bench in off white imitation leather	3
57030.05	Lava grey cushions for cockpit bench in imitation leather	3
57095.02	2x Comfort Seat in imitation leather, colour off white	3
57095.03	2x Comfort Seat in imitation leather, colour sand beige	3
57095.05	2x Comfort seat in imitation leather, colour lava grey	3
5.8 EQUIPMENT		
58022.02	2x ball fender Ø65cm black with rope	3
58023.02	2x extra fender black with rope	3
58024.01	Additional 40 m mooring line, supplied with on board inventory	3
58050.02	Safe A4 size, with combination lock, in the cabinet middle cabin	2
58060.01	230V vacuum cleaning installation with a vacuum cleaner integrated in the saloon settee and connection for the hose. Equipped with thermal protection and softstart for inverter use. Delivery including extendable hose (from 1,5 to 9 m.), luxury brushes and 3 vacuum bags	2
58075.01	Removable clothes rail in guest compartment across the beds	2
58075.02	Removable clothes rail in shower compartment front cabin	2
58080.01	8 hooks at various positions in the yacht. Positions to be determined during the hand over. Fitted during the 25-hours inspection.	3
58100.11	Stainless steel high-gloss polished bicycle parking bracket on bathing platform. Suitable for 2 bikes. Position is from the center to maximize passageway Not possible in combination with position(s): 36040.05 Tenderlift electric	3
58990.00	Alarm installation not possible. System cannot be supported in the long(er) term.	3
5.9 CANVAS & COVERS		
59022.03	Cover for windows in cockpit canvas Sunbrella Dark Navy	3
59022.04	Cover for windows in cockpit canvas, Sunbrella Marine Steel Grey	3
59022.16	Cover for windows in cockpit canvas, Sunbrella Marine Beige Papyrus.	3
59085.03	Cover for "Linssen slide and pop-out-door" in saloon at port side, Sunbrella Dark Navy	3
59085.04	Cover for "Linssen slide and pop-out-door" in saloon at port side, Sunbrella Marine steel grey	3
59085.07	Cover for "Linssen slide and pop-out-door" in saloon at port side, Sunbrella Marine beige Papyrus.	3
59200.11	Sun cover around saloon windows finished in screen cloth (excluding entrance doors cockpit) incl. mounting, colour beige	3
59200.12	Sun cover around saloon windows finished in screen cloth (excluding entrance doors cockpit) incl. mounting, colour white	3

Item	Description	Phase
6. COMMISSIONING & HAND OVER		
6.1 TRANSPORT/WINTER STORAGE		
61010.01	Cradle (completely coated)	3
61010.03	Making boat ready for transport incl. craning	
61010.06	Compile documents for export and obtain a temporary residence permit of up to 18 months in the EU. (Only possible for residents from outside the EU)	3
PACKAGES		
Pack 1	Comfort package	1
11060.03	Linssen e-Variodeck® (electric sliding roof) in the saloon	
12020.02	Polished stainless steel hinged side ladder integrated into deck rail (Port and Starboard)	
31053.05	Electric stern thruster Sleipner-Side power 24V/100 Kgf (6,3 kW/8,4 HP) incl. 2x "Super Cycle" AGM battery 170Ah maintenance-free battery for service net 24 V.	
31067.01	Remote control for bow (and stern) thruster	
35092.32	Electric anchor winch 1200W/24V. mounted above deck with integrated stainless steel anchor rollers and anchor rail with 50m. 10 mm. anchor chain and 20 Kg. Bruce-anchor	
37230.01	Luxury teak table at settee in cockpit	
58080.01	8 hooks at various positions in the yacht. Positions to be determined during the hand over. Fitted during the 25-hours inspection.	
Pack 2	Ventilation	1
13290.03	Heating (blower) in cockpit, connected to 5,5 kW heating system for day heating	
55090.02	Rain protection covers and mosquito screens for the forward cabin port-holes (6x)	
55130.01	Combined blind/mosquito screens for panorama/escape hatch in forward cabin deck-head	
55135.01	Combined blind/mosquito screens for cabin and head ventilation/escape hatch	
55137.02	Fly screen integrated e-Variodeck®	
Pack 3	Le Chef package	1
33290.13	Northern Lights 230V/7 KW, type M773LW3G generator. Intercooling, continuous power, integrated in shore power connection. Incl. water/gas separator for exhaust generator. To control with a control panel with operating hours.	
52062.01	Cooling Tray, 30 liter, built-in at the end face of the rear half saloon settee	
52140.02	230V. induction hob, stainless steel, with touch control. 1 x 1200 W. cooking zone, 2 x 1800 W. cooking zone, 1 x 2200 W. cooking zone	

Linssen Yachts Option list

7 March 2025

Linssen Grand Sturdy 40.0 Sedan Intero

Page 14

Item	Description	Phase
52220.02	230V. stainless steel 42 l. microwave/oven/grill combination. Temperature range 30-250 degrees. 90-1000W microwave power	
Pack 4	Traveller package	2
33290.13	Northern Lights 230V/7 KW, type M773LW3G generator. Intercooling, continuous power, integrated in shore power connection. Incl. water/gas separator for exhaust generator. To control with a control panel with operating hours.	
52100.02	230V. washer/dryer combination, fitted in the forward cabin shower compartment	
Pack 5	Media package	2
54200.01	Primary TV connection in saloon STB TV cupboard, incl. extra 230V. socket	
54250.01	Glomex TV-antenna on mast, suitable for analogue & digital reception. Suitable for DVBT-T2 network.	
54400.03	32" (81cm) LED TV with integrated DVB-T2 & DVB-S tuner fitted and connected in foldable back part of the galley in the saloon at SB side	
Pack 6	Safety package	2
34190.09	Raymarine Ray90 VHF with Class D "Digital Selective Calling" (DSC) at steering position including antenna in Mast	
34943.04	AIS 700 transponder/receiver (Automatic Identification System) integrated on radar/chartplotter display. Attention: MMSI-number required. Attention: Only in combination with VHF installation	
37020.50	Extend windscreen wiper installation with synchronous and 3 step interval function. In the interval mode, the wipers run synchronously and are self-parking.	
Pack 7	Luxury package	2
35120.12	High gloss polished stainless steel Bruce-anchor 20 kg. AISI-316	
37080.08	Electric mast lowering system, incl. control at steering position.	
52062.01	Cooling Tray, 30 liter, built-in at the end face of the rear half saloon settee	
Pack 8	Atmosphere/lighting package	2
31315.01	Lighting with ir-sensor under cockpit floor	
51090.11	Luxurious LED reading lights (2x) in the guest cabin	
51100.01	Attractive indirect lighting in saloon	
51100.02	Attractive indirect lighting in the FC head	
51110.03	Indirect lighting in all steps of front cabine stairs	
Pack 9	Power package	1
51400.05	USB socket in FC portside for charging mobil equipment.	
51400.11	USB socket in FC, guest cabin and nearby steering position for charging mobil equipment.	

Item	Description	Phase
51615.01	230 V. socket in the forward cabin on SB-side	
51630.01	230 V. socket in the guest cabin	
51640.01	230 V. socket in the galley	
51655.01	230 V. socket in saloon (Port-side aft)	
51665.01	230 V. socket in the saloon (Stbd aft)	
51710.11	230 V. socket in cockpit on Port-side superstructure, splash resistant	
Pack 10	Ambiance	1
12020.02	Polished stainless steel hinged side ladder integrated into deck rail (Port and Starboard)	
33290.13	Northern Lights 230V/7 KW, type M773LW3G generator. Intercooling, continuous power, integrated in shore power connection. Incl. water/gas separator for exhaust generator. To control with a control panel with operating hours.	
37020.50	Extend windscreen wiper installation with synchronous and 3 step interval function. In the interval mode, the wipers run synchronously and are self-parking.	
37230.01	Luxury teak table at settee in cockpit	
37230.91	Teak table with luxurious satin gloss painting in 3 layers	
52062.01	Cooling Tray, 30 liter, built-in at the end face of the rear half saloon settee	
52065.14	Freezer 40 ltr. in the cellar	
52140.02	230V. induction hob, stainless steel, with touch control. 1 x 1200 W. cooking zone, 2 x 1800 W. cooking zone, 1 x 2200 W. cooking zone	