

Linssen Yachts Option list Linssen Grand Sturdy 45.0 AC Intero

ate-: 7-3-202	25		Page		1
em Desci	iption	Price V	AT Excl.	Pha	IS
34125.01	3.4.2.1 BASIC PACKAGE Rudder indication on Raymarine Axiom display at steering position Raymarine Axiom+ 7 multifunctional display Navionics Gold XL9 marine chart type 46XG, West Europe	€	2.595,	00	
	3.4.2.2 RIVER PACKAGE Raymarine autopilot with p70RS display at steering position (incl. course computer/rudder indicator/compass transducer) with protection in mast which disengages autopilot during AUTO operation if mast is folded. Raymarine Axiom+ 7 multifunctional display	€	7.410,	00	
	Navionics Gold XL9 marine chart type 46XG, West Europe				
	3.4.2.3 LAKE PACKAGE Raymarine autopilot with p70RS display at steering position (incl. course computer/rudder indicator/compass transducer) with protection in mast which disengages autopilot during AUTO operation if mast is folded. Raymarine Axiom+12RV, 12" multifunctional colour display with touchscreen and the colour display with touchscreen and the colour display with touch screen and the colour display with		11.030,	00	
	and Wi-Fi at steering position. Including read out from echosounder, log and outside water temperature. Raymarine RMK-10 remote keypad for complete touch control for one or several display. Navionics Gold XL9 marine chart type 46XG, West Europe				
Pack	3.4.2.4 SEA PACKAGE	€	15.780,	00	
	Raymarine autopilot with p70RS display at steering position (incl. course computer/rudder indicator/compass transducer) with protection in mast which disengages autopilot during AUTO operation if mast is folded. Raymarine Axiom+12RV, 12" multifunctional colour display with touchscreand Wi-Fi at steering position. Including read out from echosounder,	een			
34132.80	log and outside water temperature. Raymarine RMK-10 remote keypad for complete touch control for one or several display.				
34140.03	Navionics Gold XL9 marine chart type 46XG, West Europe				
34160.05	Raymarine Quantum 2 (Doppler) CHIRP radar antenna, on the mast				
	Comfort package Polished stainless steel hinged side ladder integrated into deck rail (Port and Starboard) Original LINSSEN teak deck on aft deck, steps on transom and	€	39.730,	00	
31053.08	ventilation-/escape hatch Electric stern thruster Sleipner-Side power 24V/150 Kgf (8,8 kW/11,8 HP) incl. 2x 170 Ah maintenance-free battery				

Linssen Yachts Option list

Linssen Grand Sturdy 45.0 AC Intero

Page 2

Item	Descr	iption	Price VAT Excl.	Phase
		Remote control for bow (and stern) thruster Electric anchor winch 1200W/24V. mounted above deck with integrated stainless steel anchor rollers and anchor rail with 80m. 10 mm.		
		anchor chain and 20 Kg. Bruce-anchor		
	37230.01	Luxury teak table incl. joint (outside)		
	58080.01	8 hooks at various positions in the yacht. Positions to be determined during the hand over. Fitted during the 25-hours inspection.		
	Pack	2 Ventilation package	€ 10.500,	00 1
	13290.01	Heating (blower) at the outside steering position by means of heat exchanger connected to the engine. Equipped with 4x blowers (2x against windscreen windows, 2x under the steering position). The heat exchanger is mounted in the saloon settee including an extra expansion tank for the engine cooling.		
	55030.01	Integrated mosquito screen in Port sliding saloon window		
	55090.02	Rain protection covers and mosquito screens for the forward cabin port-holes (6x)		
	55110.01	Rain protection covers and mosquito screens for the aft cabin port-holes (6x)		
	55130.01	Combined blind/mosquito screens for panorama/escape hatch in forward cabin deck-head		
	55135.01	Combined blind/mosquito screens for cabin and head ventilation/escape hatch		
	55150.01	Combined blind/mosquito screens for panorama/escape hatch in the aft cabin deck-head		
	Pack	3 Le Chef package	€ 29.455,	00 2
	33290.13	Northern Lights 230V/7 KW, type M773LW3G generator. Intercooling, continuous power, integrated in shore power connection. Incl. water/gas separator for exhaust generator. To control with a control panel with operating hours.		
	52062.01	Cooling Tray, 30 liter, built-in at the end face of the rear half saloon settee		
	52140.02	230V. induction hob, stainless steel, with touch control. 1 x 1200 W. cooking zone, 2 x 1800 W. cooking zone, 1 x 2200 W. cooking zone		
	52220.02	230V. stainless steel 42 l. microwave/oven/grill combination. Temperature range 30-250 degrees. 90-1000W microwave power. Fitted in the galley next to the sink.		
	Pack	4 Traveller package	€ 27.640,	00 2
	33290.13	Northern Lights 230V/7 KW, type M773LW3G generator. Intercooling, continuous power, integrated in shore power connection. Incl. water/gas separator for exhaust generator. To control with a control panel with operating hours.		
	52100.02	230V. washer/dryer combination, fitted in the forward cabin shower compartment		

Linssen Yachts Option list

Linssen Grand Sturdy 45.0 AC Intero

Item

Page 3

Pack 5 Media package 54200.01 Primary TV connection in saloon Port TV cupboard, incl. extra 230V. socket 54250.01 Glomex TV-antenna on mast, suitable for analogue & digital reception. Suitable for DVBT-T2 network. 54501.03 Rotating pop-up TV lift incl. 32" full HD Smart TV that makes good use of the free space behind the dinette and positions the TV optimally oriented towards the viewer - on the cabinets. The TV is also in the so-called 'dinette position' so that it is possible to watch TV from both the saloon couch and the front dinette couch. Pack 6 Safety package 34190.09 Raymarine Ray90 VHF with Class D "Digital Selective Calling" (DSC) at steering position including antenna in Mast 34943.04 AlS 700 transponder/receiver (Automatic Identification System) integrated on radar/chartplotter display. Attention: MMSI-number required. Attention: Only in combination with VHF installation 37020.50 Extend windscreen wiper installation with synchronous and 3 step interval function. In the interval mode, the wipers run synchronously and are self-parking. 59017.01 Drop down system to reduce the draft of the standard cabrio Pack 7 Luxury package 35120.12 High gloss polished stainless steel Bruce-anchor 20 kg. AISI-316 37080.08 Electric mast lowering system, incl. control at steering position. 52062.01 Cooling Tray, 30 liter, built-in at the end face of the rear half saloon settee 53090.01 Shower door in aft cabin shower Pack 8 Atmosphere/lighting package 13300.04 LED deck illumination 4x integrated in deck-box and 2x integrated at steering position			xcl. Phase			
socket 54250.01 Glomex TV-antenna on mast, suitable for analogue & digital reception. Suitable for DVBT-T2 network. 54501.03 Rotating pop-up TV lift incl. 32" full HD Smart TV that makes good use of the free space behind the dinette and positions the TV - optimally oriented towards the viewer - on the cabinets. The TV is also in the so-called 'dinette position' so that it is possible to watch TV from both the saloon couch and the front dinette couch. Pack 6 Safety package 34190.09 Raymarine Ray90 VHF with Class D "Digital Selective Calling" (DSC) at steering position including antenna in Mast 34943.04 AIS 700 transponder/receiver (Automatic Identification System) integrated on radar/chartplotter display. Attention: MMSI-number required. Attention: Only in combination with VHF installation 37020.50 Extend windscreen wiper installation with synchronous and 3 step interval function. In the interval mode, the wipers run synchronously and are self-parking. 59017.01 Drop down system to reduce the draft of the standard cabrio Pack 7 Luxury package 35120.12 High gloss polished stainless steel Bruce-anchor 20 kg. AISI-316 37080.08 Electric mast lowering system, incl. control at steering position. 52062.01 Cooling Tray, 30 liter, built-in at the end face of the rear half saloon settee 53090.01 Shower door in aft cabin shower Pack 8 Atmosphere/lighting package 13300.04 LED deck illumination 4x integrated in deck-box and 2x integrated at steering position	€	5.585,0	00	2		
Suitable for DVBT-T2 network. 54501.03 Rotating pop-up TV lift incl. 32" full HD Smart TV that makes good use of the free space behind the dinette and positions the TV - optimally oriented towards the viewer - on the cabinets. The TV is also in the so-called 'dinette position' so that it is possible to watch TV from both the saloon couch and the front dinette couch. Pack 6 Safety package 34190.09 Raymarine Ray90 VHF with Class D "Digital Selective Calling" (DSC) at steering position including antenna in Mast 34943.04 AIS 700 transponder/receiver (Automatic Identification System) integrated on radar/chartplotter display. Attention: MMSI-number required. Attention: Only in combination with VHF installation 37020.50 Extend windscreen wiper installation with synchronous and 3 step interval function. In the interval mode, the wipers run synchronously and are self-parking. 59017.01 Drop down system to reduce the draft of the standard cabrio Pack 7 Luxury package 35120.12 High gloss polished stainless steel Bruce-anchor 20 kg. AISI-316 37080.08 Electric mast lowering system, incl. control at steering position. 52062.01 Cooling Tray, 30 liter, built-in at the end face of the rear half saloon settee 53090.01 Shower door in aft cabin shower Pack 8 Atmosphere/lighting package 13300.04 LED deck illumination 4x integrated in deck-box and 2x integrated at steering position						
use of the free space behind the dinette and positions the TV - optimally oriented towards the viewer - on the cabinets. The TV is also in the so-called 'dinette position' so that it is possible to watch TV from both the saloon couch and the front dinette couch. Pack 6 Safety package 34190.09 Raymarine Ray90 VHF with Class D "Digital Selective Calling" (DSC) at steering position including antenna in Mast 34943.04 Als 700 transponder/receiver (Automatic Identification System) integrated on radar/chartplotter display. Attention: MMSI-number required. Attention: Only in combination with VHF installation 37020.50 Extend windscreen wiper installation with synchronous and 3 step interval function. In the interval mode, the wipers run synchronously and are self-parking. 59017.01 Drop down system to reduce the draft of the standard cabrio Pack 7 Luxury package 35120.12 High gloss polished stainless steel Bruce-anchor 20 kg. AISI-316 37080.08 Electric mast lowering system, incl. control at steering position. 52062.01 Cooling Tray, 30 liter, built-in at the end face of the rear half saloon settee 53090.01 Shower door in aft cabin shower Pack 8 Atmosphere/lighting package 13300.04 LED deck illumination 4x integrated in deck-box and 2x integrated at steering position						
 34190.09 Raymarine Ray90 VHF with Class D "Digital Selective Calling" (DSC) at steering position including antenna in Mast 34943.04 AIS 700 transponder/receiver (Automatic Identification System) integrated on radar/chartplotter display. Attention: MMSI-number required. Attention: Only in combination with VHF installation 37020.50 Extend windscreen wiper installation with synchronous and 3 step interval function. In the interval mode, the wipers run synchronously and are self-parking. 59017.01 Drop down system to reduce the draft of the standard cabrio Pack 7 Luxury package 35120.12 High gloss polished stainless steel Bruce-anchor 20 kg. AISI-316 37080.08 Electric mast lowering system, incl. control at steering position. 52062.01 Cooling Tray, 30 liter, built-in at the end face of the rear half saloon settee 53090.01 Shower door in aft cabin shower Pack 8 Atmosphere/lighting package 13300.04 LED deck illumination 4x integrated in deck-box and 2x integrated at steering position 						
steering position including antenna in Mast 34943.04 AlS 700 transponder/receiver (Automatic Identification System) integrated on radar/chartplotter display. Attention: MMSI-number required. Attention: Only in combination with VHF installation 37020.50 Extend windscreen wiper installation with synchronous and 3 step interval function. In the interval mode, the wipers run synchronously and are self-parking. 59017.01 Drop down system to reduce the draft of the standard cabrio Pack 7 Luxury package 35120.12 High gloss polished stainless steel Bruce-anchor 20 kg. AISI-316 37080.08 Electric mast lowering system, incl. control at steering position. 52062.01 Cooling Tray, 30 liter, built-in at the end face of the rear half saloon settee 53090.01 Shower door in aft cabin shower Pack 8 Atmosphere/lighting package 13300.04 LED deck illumination 4x integrated in deck-box and 2x integrated at steering position	€	7.080,0	00	2		
radar/chartplotter display. Attention: MMSI-number required. Attention: Only in combination with VHF installation 37020.50 Extend windscreen wiper installation with synchronous and 3 step interval function. In the interval mode, the wipers run synchronously and are self-parking. 59017.01 Drop down system to reduce the draft of the standard cabrio Pack 7 Luxury package 35120.12 High gloss polished stainless steel Bruce-anchor 20 kg. AISI-316 37080.08 Electric mast lowering system, incl. control at steering position. 52062.01 Cooling Tray, 30 liter, built-in at the end face of the rear half saloon settee 53090.01 Shower door in aft cabin shower Pack 8 Atmosphere/lighting package 13300.04 LED deck illumination 4x integrated in deck-box and 2x integrated at steering position						
interval function. In the interval mode, the wipers run synchronously and are self-parking. 59017.01 Drop down system to reduce the draft of the standard cabrio Pack 7 Luxury package 35120.12 High gloss polished stainless steel Bruce-anchor 20 kg. AISI-316 37080.08 Electric mast lowering system, incl. control at steering position. 52062.01 Cooling Tray, 30 liter, built-in at the end face of the rear half saloon settee 53090.01 Shower door in aft cabin shower Pack 8 Atmosphere/lighting package 13300.04 LED deck illumination 4x integrated in deck-box and 2x integrated at steering position						
 Pack 7 Luxury package 35120.12 High gloss polished stainless steel Bruce-anchor 20 kg. AISI-316 37080.08 Electric mast lowering system, incl. control at steering position. 52062.01 Cooling Tray, 30 liter, built-in at the end face of the rear half saloon settee 53090.01 Shower door in aft cabin shower Pack 8 Atmosphere/lighting package 13300.04 LED deck illumination 4x integrated in deck-box and 2x integrated at steering position 						
 35120.12 High gloss polished stainless steel Bruce-anchor 20 kg. AISI-316 37080.08 Electric mast lowering system, incl. control at steering position. 52062.01 Cooling Tray, 30 liter, built-in at the end face of the rear half saloon settee 53090.01 Shower door in aft cabin shower Pack 8 Atmosphere/lighting package 13300.04 LED deck illumination 4x integrated in deck-box and 2x integrated at steering position 						
 37080.08 Electric mast lowering system, incl. control at steering position. 52062.01 Cooling Tray, 30 liter, built-in at the end face of the rear half saloon settee 53090.01 Shower door in aft cabin shower Pack 8 Atmosphere/lighting package 13300.04 LED deck illumination 4x integrated in deck-box and 2x integrated at steering position 	€	7.815,0	00	2		
 52062.01 Cooling Tray, 30 liter, built-in at the end face of the rear half saloon settee 53090.01 Shower door in aft cabin shower Pack 8 Atmosphere/lighting package 13300.04 LED deck illumination 4x integrated in deck-box and 2x integrated at steering position 						
saloon settee 53090.01 Shower door in aft cabin shower Pack 8 Atmosphere/lighting package 13300.04 LED deck illumination 4x integrated in deck-box and 2x integrated at steering position						
Pack 8 Atmosphere/lighting package 13300.04 LED deck illumination 4x integrated in deck-box and 2x integrated at steering position						
13300.04 LED deck illumination 4x integrated in deck-box and 2x integrated at steering position						
steering position	€	5.655,0	00	1		
37130.01 Deck lighting with 2 lights at mast						
51080.11 Luxurious LED reading lights (2x) in the front cabin						
51090.11 Luxurious LED reading lights (2x) in the guest cabin						
51100.01 Attractive indirect lighting in saloon						
51100.02 Attractive indirect lighting in the FC and AC heads						
51110.02 Indirect lighting in all steps of saloon stairs						
51110.03 Indirect lighting in all steps of front cabine stairs						
51110.04 Indirect lighting in all steps of after cabine stairs						

Linssen Yachts Option list

Linssen Grand Sturdy 45.0 AC Intero

Page 4

Item	Descri	tion	Price VAT Exc	Excl. Phas	
	Pack	Power package	€ 2.15	0,00	1
	51400.05	JSB socket in FC portside ar equipment.	nd AC starboardside for charging mobil		
	51400.11	JSB socket in steering posit harging mobil equipment.	ion outside, FC, guest cabin and AC for		
	51615.01	30 V. socket in the forward	l cabin on SB-side		
	51630.01	30 V. socket in the guest ca	abin		
	51640.01	30 V. socket in the galley			
	51655.01	30 V. socket in saloon (Por	t-side aft)		
	51665.01	30 V. socket in the saloon ((Stbd aft)		
	51675.01	30 V. socket in the aft cabi	n (Stbd side)		
	51700.11	30 V. socket at steering po	sition, SB side splash resistant		
	Pack	.0 Ambiance	€ 20.50	0,00	1
	12020.02	Polished stainless steel hing Port and Starboard)	ged side ladder integrated into deck rail		
	33290.13	•			
	37020.50	•	stallation with synchronous and 3 step erval mode, the wipers run synchronously		
	37230.01	uxury teak table incl. joint	(outside)		
	37230.91	eak table with luxurious sa	tin gloss painting in 3 layers		
	52062.01	Cooling Tray, 30 liter, built-in aloon settee	n at the end face of the rear half		
	52062.14	Cooling drawer, 30 liter, fitte	ed in front cellar.		
	52065.14	reezer 40 ltr. in the cellar			
	52140.02	•	ess steel, with touch control. 1 x 1200 W. ooking zone, 1 x 2200 W. cooking		
	59017.01	Prop down system to reduc	e the draft of the standard cabrio		