

Linssen Yachts Option list

Linssen 30 SL AC

Date:- 7-3-2025

Page 1

| Item | Description | Phase |
|--------------------------------------|--|-------|
| 1. HULL | | |
| 1.2 STAINLESS STEEL | | |
| 12020.02 | Polished stainless steel hinged side ladder integrated into deck rail (Port and Starboard) | 1 |
| 12060.01 | Original Linssen polished stainless steel bow ladder (removable) | 2 |
| 12071.01 | Stainless steel protection set at side railing entrances and stern (3x) | 1 |
| 12075.01 | Stainless steel steps to saloon deck midships, demountable, finished with anti-slip steps incl. 2 hand grips on saloon deck | 1 |
| 1.3 TECHNICAL | | |
| 13290.01 | Heating (blower) at steering position (4 kW), connected to the engine | 1 |
| 2. COATING | | |
| 2.1 COATING & DECK FINISH | | |
| 21090.26 | Original Linssen SL colour scheme "Haven Grey": Hull : Haven Grey Superstructure : Egg Shell White Waterline : SL bow-up design, Egg Shell White Antifouling : Black Rope fender : Black Canvas color : Sunbrella Marine Steel Grey Glass windows saloon : "Smoke Grey" tinted | 1 |
| 21090.27 | Original Linssen SL colour scheme "Cove Green": Hull : Cove Green Superstructure : Egg Shell White Waterline : SL bow-up design, Egg Shell White Antifouling : Black Rope fender : Black Canvas color : Sunbrella Marine Beige Papyrus Glass windows saloon, windscreen : "Smoke Grey" tinted | 1 |
| 21090.28 | Original Linssen SL colour scheme "Fjord Blue": Hull : Fjord Blue Superstructure : Egg Shell White Waterline : SL bow-up design, Egg Shell White Antifouling : Black Rope fender : Black Canvas color : Sunbrella Marine Steel Grey Glass windows saloon, windscreen : "Smoke Grey" tinted | 1 |

Linssen 30 SL AC

| Item | Description | Phase |
|-----------------------------------|---|-------|
| 21090.36 | Original Linssen SL colour scheme "Mahogany Red": Hull : Mahogany Red Superstructure : Egg Shell White Waterline : SL bow-up design, Egg Shell White Antifouling : Black Rope fender : Black Canvas color : Sunbrella Marine Beige Papyrus Glass windows saloon, windscreen, ventilation : "Smoke Grey" tinted Ships name, Port of Registry and Registration n : In colour of the waterline (White) | 1 |
| 2.2 TEAK DECKS | | |
| 22010.01 | Original LINSSEN teak deck on front deck and side decks | 1 |
| 22020.01 | Original LINSSEN teak deck on aft deck | 1 |
| 3. ENGINE COMPARTMENT | | |
| 3.1 TECHNICAL | | |
| 31050.03 | 12V. sternthruster 55 kgf (3 kW / 4 HP) | 1 |
| 31241.03 | Heating outlet in toilet compartment forward cabin | 1 |
| 31281.03 | Heating outlet in toilet compartment aft cabin | 1 |
| 31240.99 | App-module for remote switching/controlling the daytime heating. System uses subscription, Free for the first year and €35,- per year thereafter (by purchasing customer). App control via iPhone or Android device is free to download. | 1 |
| 31411.00 | Air conditioning in forward cabin by 1x 6,000 BTU unit Runs only via the shore supply connection, peak current consumption during (soft) start 11A, current during operation 2-2,4A Maximum one unit per vessel as otherwise it cannot operate via the shore power connection' Not possible in combination with position(s): 31461.00 Airco AC 1x 6000 BTU | 1 |
| 31461.00 | Airconditioning in the aft cabin through 1x 6.000 BTU unit. Only possible through the shore power connection, peak current consumption during (soft) start 11A, current during operation 2-2,4A Maximum one unit per vessel otherwise it cannot operate from the shore power connection. Not possible in combination with position(s): 31411.00 | 1 |
| 3.2 ON-BOARD WATER SYSTEMS | | |
| 32100.01 | All grey water outlets (sinks and shower-drainage, including aft cabin) connected to holding tank | 1 |
| 32110.01 | No fitting of holding tank waste pump | 1 |
| 32150.04 | Deck-wash pump, including hose and trigger nozzle with connection at bathing platform | 1 |

| Item | Description | Phase |
|---|--|----------|
| 32150.13 | Deck-wash pump, including hose and trigger nozzle with connection at bathing platform connected to on-board water system | 1 |
| 3.3 ELECTRICAL & ELECTRONICS | | |
| 33082.02 | Additional maintenance free "Super Cycle" AGM domestic battery 170 Ah. (total 2x 170 Ah domestic batteries) | 1 |
| 33148.05 | Victron Cerbo-GX communication-centre for a perfect control over your system. Includes a 5 inch slim waterproof design touch screen display with a instant overview. | 1 |
| 33148.15 | Cerbo GX linked to the Raymarine Axiom MFD. Monitor your domestic, shore power and generator status. Control the shore power limit to be used from your helmsman's position Only in combination with position(s): 33148.05 Victron Cerbo GX + Touch 50 | 1 |
| 33271.02 | Automatic battery charger/inverter type Victron Multiplus Compact 12/1600-70 (70A/1600W.) with remote control panel. Peak power 3000 W. Only in combination with position(s): 33082.02 Domestic 12 V., 2 batteries | 1 |
| 33285.70 | Solar panel of 1x 160Wp. Connected to a Victron Smart Solar charge controller for charging the domestic batteries. Read out on the Victron MPPT control display. | 1 |
| 3.4 INSTRUMENTS & NAVIGATION | | |
| 34065.01 | Manual search light, incl. 12 V. connection at steering position | 2 |
| 3.4.2 NAVIGATION PACKAGES | | |
| Pack | 3.4.2.1 BASIC PACKAGE | 1 |
| 34090.16 | Rudder indication on Raymarine Axiom display at steering position | |
| 34125.01 | Raymarine Axiom+ 7 multifunctional display | |
| 34140.03 | Navionics Gold XL9 marine chart type 46XG, West Europe | |
| Pack | 3.4.2.2 RIVER PACKAGE | 1 |
| 34110.10 | Raymarine autopilot with p70RS display at steering position (incl. course computer/rudder indicator/compass transducer) with protection in mast which disengages autopilot during AUTO operation if mast is folded. | |
| 34125.01 | Raymarine Axiom+ 7 multifunctional display | |
| 34140.03 | Navionics Gold XL9 marine chart type 46XG, West Europe | |
| Pack | 3.4.2.3 LAKE PACKAGE | 1 |
| 34110.10 | Raymarine autopilot with p70RS display at steering position (incl. course computer/rudder indicator/compass transducer) with protection in mast which disengages autopilot during AUTO operation if mast is folded. | |
| 34125.02 | Raymarine Axiom 9 Pro RVX multifunctional display with readout of depth and log at steering position | |
| 34140.03 | Navionics Gold XL9 marine chart type 46XG, West Europe | |

| Item | Description | Phase |
|---|---|----------|
| Pack | 3.4.2.4 SEA PACKAGE | 1 |
| 34110.10 | Raymarine autopilot with p70RS display at steering position (incl. course computer/rudder indicator/compass transducer) with protection in mast which disengages autopilot during AUTO operation if mast is folded. | |
| 34125.02 | Raymarine Axiom 9 Pro RVX multifunctional display with readout of depth and log at steering position | |
| 34140.03 | Navionics Gold XL9 marine chart type 46XG, West Europe | |
| 34160.05 | Raymarine Quantum 2 (Doppler) CHIRP radar antenna, on the mast | |
| 34145.11 | 1x Raymarine IP day & night net dome video camera on transom for rear view with readout on multifunctional Raymarine display | 1 |
| 34145.12 | 2x Raymarine IP day & night net dome video cameras with readout on multifunctional Raymarine display: - 1x SB and 1x Port on the hull for mooring view | 1 |
| 34145.15 | 1x Raymarine IP day & night net dome video camera on bow for front view with readout on multifunctional Raymarine display | 1 |
| 3.4.4 REMOTE PACKAGES | | |
| 31067.01 | Remote control for bow (and stern) thruster | 1 |
| 34110.03 | Raymarine S100 wireless autopilot remote control Only in combination with position(s): 34110.10 p70R Display steering position | 1 |
| 34110.13 | Raymarine Smart Controller wireless autopilot remote control Only in combination with position(s): 34110.10 p70R Display steering position | 1 |
| 3.4.5 COMMUNICATION PACKAGES | | |
| 34190.09 | Raymarine Ray90 VHF with Class D "Digital Selective Calling" (DSC) at steering position including antenna in Mast | 1 |
| 34190.10 | Extra wireless handset VHF incl. charging station | 1 |
| 34200.10 | Communication tool for 2 persons by means of 2 walkie-talkies with headset | 2 |
| 34943.04 | AIS 700 transponder/receiver (Automatic Identification System) integrated on radar/chartplotter display. Attention: MMSI-number required. Attention: Only in combination with VHF installation | 1 |
| 3.4.6 OTHER NAVIGATION INSTRUMENTS | | |
| 34100.00 | Magnet compass not possible. Due to the steel boats it is not possible to calibrate, so deviation and not usable. | 1 |
| 34110.00 | Provisions for autopilot | 1 |
| 34120.23 | "Wind Vane" wind transducer for wind direction and wind speed. Read out on Axiom display. | 1 |

| Item | Description | Phase |
|--|---|-------|
| 34180.00 | Weatherfax not possible. Cannot be tested at the Maasbracht location. | 1 |
| 3.5 EXTERIOR EQUIPMENT HULL | | |
| 35010.02 | Zinc anodes (for salt water) | 1 |
| 35040.01 | Ships name on bow and stern. Port of Registry and Registration number on stern in colour RAL7022. Bow letter type; P22 Lucilee Pro Regular. Stern letter type; Handel Gothic D medium. | 1 |
| 35090.02 | Electric anchor winch 1200W/12V, fitted with integrated stainless steel anchor rollers and anchor hawse with 30m. 8 mm. anchor chain according DIN766A15 and 15 Kg. Bruce-anchor (Control by means of cable control). | 1 |
| 35110.03 | Wireless windlass control and chain counter | 1 |
| 35120.11 | High gloss polished stainless steel Bruce-anchor 15 kg. AISI-316 | 1 |
| 35130.11 | 30m. 8 mm. stainless steel anchor chain | 1 |
| 3.6 LINSSEN YACHTS TENDER SOLUTIONS | | |
| 36040.01 | Stainless steel snap davit system, with universal tender fastening. Stern light demountable for fitting in the top of the flaggstaf. | 1 |
| 36100.01 | Outboard engine fastening bracket against stern (Max. 8 HP) | 1 |
| 3.7 EXTERIOR EQUIPMENT SUPERSTRUCTURE | | |
| 37010.03 | Additional windscreen wiper at windscreen Only in combination with position(s): 37020.50 Wiper installation synchronous | 1 |
| 37020.50 | Extend windscreen wiper installation with synchronous and 3 step interval function. In the interval mode, the wipers run synchronously and are self-parking. | 1 |
| 37070.06 | Original Linssen Design mast powder coated in colour superstructure. Short modell (beneath windscreen) | 1 |
| 37110.08 | Comfortable helm-seat in Maglia Uyuni at steering position, on "Zwaardvis" support Only in combination with: Closed covering over the after deck | 2 |
| 37130.01 | Deck lighting with 2 lights at mast | 1 |
| 37271.01 | Solid teak entrance door, varnished | 1 |
| 3.8 WINDOWS | | |
| 38076.32 | Sliding window in saloon at Port side front, with grey profiles and "Smoke Grey" tinted glass | 1 |

| Item | Description | Phase |
|-----------------------------------|---|-------|
| 4. INTERIOR | | |
| GENERAL | | |
| 40040.02 | Original Linssen maintenance friendly ship's floor, teak color with light striping. | 1 |
| 4.1 AFT CABIN | | |
| 41062.02 | Toilet compartment Port in the AC equipped with manual sea toilet and vanity unit with worktop and wash basin finished in original Corian® including selected bathroom fittings. Walls in high quality Formica wall finishing | 1 |
| 43192.99 | Extra door in shower in the front cabin, so that this cabin can be opened from the hallway. | 1 |
| 4.2 SALOON/ GALLEY | | |
| 51800.01 | Stainless steel high gloss banister at saloon entrance stairs | 2 |
| 4.4. WHEELHOUSE | | |
| 5. FINISH | | |
| 5.1 LIGHTING & SOCKETS | | |
| 51070.11 | Luxurious LED reading lights (2x) in the aft cabin | 1 |
| 51080.11 | Luxurious LED reading lights (2x) in the front cabin | 1 |
| 51100.01 | Attractive indirect lighting in saloon | 1 |
| 51400.05 | USB socket in FC portside for charging mobil equipment. | 1 |
| 51400.11 | USB socket in steering position outside, saloon, FC and AC for charging mobil equipment. | 1 |
| 51603.02 | The 230 V. sockets will be finished in English version | 2 |
| 51603.03 | The 230 V. sockets will be finished in Swiss version | 2 |
| 51615.01 | 230 V. socket in the forward cabin on SB-side | 1 |
| 51620.01 | Splash resistant 230 V. socket in the forward cabin toilet | 1 |
| 51625.01 | 3x 230 V. sockets respectively in FC, engine compartment and AC for winter heating. Only to be used with shore power. | 1 |
| 51640.01 | 230 V. socket in the galley | 1 |
| 51665.01 | 230 V. socket in the saloon (Stbd aft) | 1 |
| 51670.01 | 230 V. socket in aft cabin | 1 |
| 51680.01 | 230 V. splash resistant socket in aft toilet compartment | 1 |
| 51700.11 | 230 V. socket at steering position, splash resistant | 1 |
| 5.2 GALLEY | | |
| 53020.02 | Mixer tap in galley equipped with dish-shower, Hansgrohe Talis M51 | 2 |
| 52230.01 | Stainless steel oven (gas) | 1 |
| 5.3 SANITARY FITTINGS | | |
| 53010.90 | Full-length mirror in the FC toilet compartment at entrance door to the front cabin | 2 |

Linssen 30 SL AC

| Item | Description | Phase |
|------------------------------------|---|-------|
| 53015.90 | Full-length mirror at the inside of the toilet door in the AC | 2 |
| 53130.02 | Electric toilet in forward cabin, with fresh water rinsing | 1 |
| 53130.03 | Electric toilet in forward cabin, with sea water rinsing | 1 |
| 53140.02 | Electrical toilet in the aft cabin, with fresh water rinsing | 1 |
| 53140.03 | Electrical toilet in the aft cabin, with sea water rinsing | 1 |
| 5.4 AUDIO/ VIDEO / INTERNET | | |
| 54010.50 | DAB+ radio module and antenna in the mast for digital radio | 1 |
| 54010.90 | Fusion RA70N expansion kit with usb port for data transfer + control via the multi-function display in steering position. | 1 |
| 54200.01 | Primary TV connection at saloon Port TV cupboard, incl. extra 230V. socket | 1 |
| 54201.01 | Primary TV connection in saloon on Stb cupboard, incl. extra 230V. socket | 1 |
| 54250.01 | Glomex TV-antenna on mast, suitable for analogue & digital reception. Suitable for DVBT-T2 network. Attention: Select the correct connection | 1 |
| 54286.01 | Provisions for putting a satellite tv-antenna on deck manually: deck socket against the mast incl. cables in tv-cabinet in saloon | 1 |
| 54400.01 | 24" (60cm) LED TV with integrated DVB-T & DVB-S tuner incl. DVD including manual TV-lift solution in saloon on Port side | 1 |
| 54900.06 | Teltonika 5G LTE router with Wifi Access Point and antenne. | 1 |
| 5.5 VENTILATION | | |
| 55020.01 | Mosquito screen in forward hinged saloon window, Port side | 2 |
| 55090.01 | Rain protection covers and mosquito screens for the forward cabin port-holes (4x) | 2 |
| 55110.01 | Rain protection covers and mosquito screens for the aft cabin port-holes (4x) | 2 |
| 55130.01 | Combined blind/mosquito screen for panorama/escape hatch in forward cabin deck-head | 1 |
| 55155.01 | Mosquito screen for sliding hatch at the entrance door (with magnets) | 2 |
| 5.6 INTERIOR UPHOLSTERY | | |
| 56073.06 | Design stool finished in Mocka Rock | 2 |
| 56101.02 | Mattress 2x 1 pers.in front cabin type Combispring 14 cm. | 2 |
| 56131.02 | Mattress 2x 1 pers. in aft cabin type 7-zone 14 cm. | 2 |
| 56321.03 | Plissé blinds in the saloon, manual controlled. | 1 |
| 5.7 EXTERIOR UPHOLSTERY | | |
| 57011.06 | Cushions for steel deck-boxes including cushion for teak joint in Maglia Uyuni | 2 |
| 57095.06 | 2x Comfort Seat in Maglia Uyuni | 2 |
| 5.8 EQUIPMENT | | |
| 58022.01 | 2x ball fender Ø55cm black with rope | 2 |

| Item | Description | Phase |
|----------|--|-------|
| 58023.01 | 2x extra fender black with rope | 2 |
| 58024.01 | Additional 40 m mooring line, supplied with on board inventory | 2 |
| 58060.01 | 230V vacuum cleaning installation with a vacuum cleaner integrated in the saloon settee and connection for the hose. Equipped with thermal protection and softstart for inverter use. Delivery including extendable hose (from 1,5 to 9 m.), luxury brushes and 3 vacuum bags | 1 |
| 58075.02 | Removable clothes rail in shower compartment front cabin | 1 |
| 58080.01 | 8 hooks at various positions in the yacht. Positions to be determined during the hand over. Fitted during the 25-hours inspection. | 2 |
| 58990.00 | Alarm installation not possible. System cannot be supported in the long(er) term. | 2 |

5.9 CANVAS & COVERS

| | | |
|----------|---|---|
| 59030.04 | Cabrio closed model over the complete aft deck, Sunbrella Marine steel Grey The side and back panels can be opened by a zip-fastener | 2 |
| 59030.06 | Cabrio closed model over the complete aft deck, Sunbrella Marine Beige Papyrus. The side- and back parts can be opened by a zip-fastener. | 2 |
| 59030.90 | Windows in cabrio front | 2 |
| 59030.91 | Cabrio divided by zipper | 2 |
| 59080.04 | Cover for entrance door including sliding hatch Sunbrella Marine steel Grey | 2 |
| 59080.07 | Cover for teak entrance door including sliding hatch Sunbrella Marine Beige Papyrus. | 2 |
| 59130.07 | Cover for steering console Sunbrella Marine Beige Papyrus. | 2 |
| 59200.11 | Sun cover around saloon windows finished in screen cloth (excluding entrance door/window) incl. mounting, colour beige | 2 |
| 59200.12 | Sun cover, semi-transparent, around saloon complete (excluding entrance doors) incl. mounting, colour white | 2 |

6. COMMISIONING & HAND OVER

6.1 TRANSPORT & WINTER STORAGE

| | | |
|----------|---|---|
| 61010.01 | Cradle (completely coated) | 2 |
| 61010.03 | Making boat ready for transport incl. craning | |
| 61010.06 | Compile documents for export and obtain a temporary residence permit of up to 18 months in the EU. (Only possible for residents from outside the EU) | 2 |

| Item | Description | Phase |
|---------------|---|----------|
| PACKS | | |
| Pack 1 | Comfort package | 1 |
| 12020.02 | Polished stainless steel hinged side ladder integrated into deck rail (Port and Starboard) | |
| 22020.01 | Original LINSSEN teak deck on aft deck | |
| 31050.03 | 12V. sternthruster 55 kgf (3 kW / 4 HP) | |
| 31067.01 | Remote control for bow (and stern) thruster | |
| 35040.01 | Ships name on bow and stern. Port of Registry and Registration number on stern in colour RAL7022. Bow letter type; P22 Lucilee Pro Regular. Stern letter type; Handel Gothic D medium. | |
| 35090.02 | Electric anchor winch 1200W/12V, fitted with integrated stainless steel anchor rollers and anchor hawse with 30m. 8 mm. anchor chain according DIN766A15 and 15 Kg. Bruce-anchor (Control by means of cable control). | |
| 53130.02 | Electric toilet in forward cabin, with fresh water rinsing | |
| 53140.02 | Electrical toilet in the aft cabin, with fresh water rinsing | |
| 57011.06 | Cushions for steel deck-boxes including cushion for teak joint in Maglia Uyuni | |
| 58080.01 | 8 hooks at various positions in the yacht. Positions to be determined during the hand over. Fitted during the 25-hours inspection. | |
| 59030.04 | Cabrio closed model over the complete aft deck, Sunbrella Marine steel Grey The side and back panels can be opened by a zip-fastener | |
| Pack 2 | Ventilation | 1 |
| 13290.01 | Heating (blower) at steering position (4 kW), connected to the engine | |
| 55090.01 | Rain protection covers and mosquito screens for the forward cabin port-holes (4x) | |
| 55110.01 | Rain protection covers and mosquito screens for the aft cabin port-holes (4x) | |
| 55130.01 | Combined blind/mosquito screen for panorama/escape hatch in forward cabin deck-head | |
| Pack 5 | | 1 |
| 54200.01 | Primary TV connection at saloon Port TV cupboard, incl. extra 230V. socket | |
| 54250.01 | Glomex TV-antenna on mast, suitable for analogue & digital reception. Suitable for DVBT-T2 network. | |
| 54400.01 | 24" (60cm) LED TV with integrated DVB-T & DVB-S tuner incl. DVD including manual TV-lift solution in saloon on Port side | |

| Item | Description | Phase |
|----------------|---|----------|
| Pack 6 | Safety | 1 |
| 34190.09 | Raymarine Ray90 VHF with Class D "Digital Selective Calling" (DSC) at steering position including antenna in Mast | |
| 34943.04 | AIS 700 transponder/receiver (Automatic Identification System) integrated on radar/chartplotter display. Attention: MMSI-number required. Attention: Only in combination with VHF installation | |
| 37020.50 | Extend windscreen wiper installation with synchronous and 3 step interval function. In the interval mode, the wipers run synchronously and are self-parking. | |
| 51800.01 | Stainless steel high gloss banister at saloon entrance stairs | |
| Pack 8 | Atmosphere/lighting package | 1 |
| 51070.11 | Luxurious LED reading lights (2x) in the aft cabin | |
| 51080.11 | Luxurious LED reading lights (2x) in the front cabin | |
| 51100.01 | Attractive indirect lighting in saloon | |
| Pack 9 | Power package | 1 |
| 33082.02 | Additional maintenance free "Super Cycle" AGM domestic battery 170 Ah. (total 2x 170 Ah domestic batteries) | |
| 33271.02 | Automatic battery charger/inverter type Victron Multiplus Compact 12/1600-70 (70A/1600W.) with remote control panel. Peak power 3000 W. | |
| 51400.11 | USB socket in steering position outside, saloon, FC and AC for charging mobil equipment. | |
| 51640.01 | 230 V. socket in the galley | |
| 51665.01 | 230 V. socket in the saloon (Stbd aft) | |
| 51670.01 | 230 V. socket in aft cabin | |
| 51700.11 | 230 V. socket at steering position, splash resistant | |
| Pack 10 | Essentials | 1 |
| 12020.02 | Polished stainless steel hinged side ladder integrated into deck rail (Port and Starboard) | |
| 31050.03 | 12V. sternthruster 55 kgf (3 kW / 4 HP) | |
| 33082.02 | Additional maintenance free "Super Cycle" AGM domestic battery 170 Ah. (total 2x 170 Ah domestic batteries) | |
| 33271.02 | Automatic battery charger/inverter type Victron Multiplus Compact 12/1600-70 (70A/1600W.) with remote control panel. Peak power 3000 W. | |
| 35090.02 | Electric anchor winch 1200W/12V, fitted with integrated stainless steel anchor rollers and anchor hawse with 30m. 8 mm. anchor chain according DIN766A15 and 15 Kg. Bruce-anchor (Control by means of cable control). | |
| 51070.11 | Luxurious LED reading lights (2x) in the aft cabin | |
| 51080.11 | Luxurious LED reading lights (2x) in the front cabin | |
| 51100.01 | Attractive indirect lighting in saloon | |
| 53010.90 | Full-length mirror in the FC toilet compartment at entrance door to the front cabin | |

Linssen Yachts Option list

7 March 2025

Linssen 30 SL AC

Page 11

| Item | Description | Phase |
|----------|---|-------|
| 53130.02 | Electric toilet in forward cabin, with fresh water rinsing | |
| 55020.01 | Mosquito screen in forward hinged saloon window, Port side | |
| 55090.01 | Rain protection covers and mosquito screens for the forward cabin port-holes (4x) | |
| 55110.01 | Rain protection covers and mosquito screens for the aft cabin port-holes (4x) | |
| 55130.01 | Combined blind/mosquito screen for panorama/escape hatch in forward cabin deck-head | |