

Linssen Yachts Option list

Linssen 30 SL Sedan

Date:- 7-3-2025

Page 1

Item	Description	Phase
1. HULL		
1.1 EXTERIOR		
11060.03	Linssen e-Variodeck® (electric sliding roof) in the saloon	1
1.2 STAINLESS STEEL		
12020.02	Polished stainless steel hinged side ladder integrated into deck rail (Port and Starboard)	1
12060.01	Original Linssen polished stainless steel bow ladder (removable)	2
12071.01	Stainless steel protection set at side railing entrances, the passages from gangway to cockpit and stern (5x)	1
1.3 TECHNICAL		
13290.03	Heating (blower) in cockpit, connected to heating system	1
2. COATING		
2.1 COATING AND DECK FINISH		
21090.26	Original Linssen SL colour scheme "Haven Grey":	1
	Hull : Haven Grey	
	Superstructure : Egg Shell White	
	Waterline : SL bow-up design, Egg Shell White	
	Antifouling : Black	
	Rope fender : Black	
	Glass windows saloon : "Smoke Grey" tinted	
21090.27	Original Linssen SL colour scheme "Cove Green":	1
	Hull : Cove Green	
	Superstructure : Egg Shell White	
	Waterline : SL bow-up design, Egg Shell White	
	Antifouling : Black	
	Rope fender : Black	
	Glass windows saloon : "Smoke Grey" tinted	
21090.28	Original Linssen SL colour scheme "Fjord Blue":	1
	Hull : Fjord Blue	
	Superstructure : Egg Shell White	
	Waterline : SL bow-up design, Egg Shell White	
	Antifouling : Black	
	Rope fender : Black	
	Glass windows saloon : "Smoke Grey" tinted	
21090.36	Original Linssen SL colour scheme "Mahogany Red":	1
	Hull : Mahogany Red	
	Superstructure : Egg Shell White	
	Waterline : SL bow-up design, Egg Shell White	
	Antifouling : Black	

Linssen 30 SL Sedan

Item	Description	Phase
	Rope fender : Black	
	Glass windows saloon, ventilation-/escape hat : "Smoke Grey" tinted	
	Ships name, Port of Registry and Registration n: In colour of the waterline (White)	
2.2 TEAK DECKS		
22010.01	Original LINSSEN teak deck on front deck and side decks	1
3. ENGINE COMPARTMENT		
3.1 TECHNICAL		
31050.03	12V. sternthruster 55 kgf (3 kW / 4 HP)	1
31241.03	Heating outlet in toilet compartment forward cabin	1
31240.97	Installation of air recirculation unit on heating system	1
31240.99	App-module for remote switching/controlling the daytime heating. System uses subscription, Free for the first year and €35,- per year thereafter (by purchasing customer). App control via iPhone or Android device is free to download.	1
31411.00	Air conditioning in forward cabin by 1x 6,000 BTU unit Runs only via the shore supply connection, peak current consumption during (soft) start 11A, current during operation 2-2,4A Maximum one unit per vessel as otherwise it cannot operate via the shore power connection'	1
31740.01	Access to storage space underneath the cockpit floor (with ladder)	1
3.2 ON-BOARD WATER SYSTEMS		
32100.01	All grey water outlets (sinks and shower-drainage, including aft cabin) connected to holding tank	1
32110.01	No fitting of holding tank waste pump	1
32150.04	Deck-wash pump, including hose and trigger nozzle with connection at bathing platform	1
32150.13	Deck-wash pump, including hose and trigger nozzle with connection at bathing platform connected to on-board water system	1
3.3 ELECTRICAL & ELECTRONICS		
33082.02	Domestic: 12V. with 2 maintenance free GEL batterie 166 Ah each. (total 2x 166 Ah domestic batteries)	1
33148.05	Victron Cerbo-GX communication-centre for a perfect control over your system. Includes a 5 inch slim waterproof design touch screen display with a instant overview.	1
33148.15	Cerbo GX linked to the Raymarine Axiom MFD. Monitor your domestic, shore power and generator status. Control the shore power limit to be used from your helmsman's position Only in combination with position(s): 33148.05 Victron Cerbo GX + Touch 50	1
33271.02	Automatic battery charger/inverter type Victron Multiplus Compact 12/1600-70 (70A/1600W.) with remote control panel. Peak power 3000 W. Only in combination with position(s): 33082.02 Domestic 12 V., 2 batteries	1

Item	Description	Phase
33285.70	Group of solar panels of 2x 160Wp. Connected to a Victron Smart Solar charge controller for charging the domestic batteries. Read out on the Victron MPPT control display.	1
33285.71	Solar panels extension of 1x 160Wp. Connected to the Victron Smart Solar charge controller for charging the domestic batteries. Only in combination with position(s): 33285.70 Solar panel	1
3.4 INSTRUMENTS & NAVIGATION		
34065.01	Manual search light, incl. 12 V. connection at steering position	2
3.4.2 NAVIGATION PACKAGES		
Pack	3.4.2.1 BASIC PACKAGE	1
34090.16	Rudder indication on Raymarine Axiom display at steering position	
34125.01	Raymarine Axiom+ 7 multifunctional display	
34140.03	Navionics Gold XL9 marine chart type 46XG, West Europe	
34150.02	Raymarine RS150 GPS sensor in mast	
Pack	3.4.2.2 RIVER PACKAGE	1
34110.10	Raymarine autopilot with p70RS display at steering position (incl. course computer/rudder indicator/compass transducer) with protection in mast which disengages autopilot during AUTO operation if mast is folded.	
34125.01	Raymarine Axiom+ 7 multifunctional display	
34140.03	Navionics Gold XL9 marine chart type 46XG, West Europe	
34150.02	Raymarine RS150 GPS sensor in mast	
Pack	3.4.2.3 LAKE PACKAGE	1
34110.10	Raymarine autopilot with p70RS display at steering position (incl. course computer/rudder indicator/compass transducer) with protection in mast which disengages autopilot during AUTO operation if mast is folded.	
34125.02	Raymarine Axiom 9 Pro RVX multifunctional display with readout of depth and log at steering position	
34140.03	Navionics Gold XL9 marine chart type 46XG, West Europe	
34150.02	Raymarine RS150 GPS sensor in mast	
Pack	3.4.2.4 SEA PACKAGE	1
34110.10	Raymarine autopilot with p70RS display at steering position (incl. course computer/rudder indicator/compass transducer) with protection in mast which disengages autopilot during AUTO operation if mast is folded.	
34125.02	Raymarine Axiom 9 Pro RVX multifunctional display with readout of depth and log at steering position	
34140.03	Navionics Gold XL9 marine chart type 46XG, West Europe	
34150.02	Raymarine RS150 GPS sensor in mast	
34160.05	Raymarine Quantum 2 (Doppler) CHIRP radar antenna, on the mast	

Item	Description	Phase
34145.11	1x Raymarine IP day & night net dome video camera at longtop roof for rear view with readout on multifunctional Raymarine display	1
34145.12	2x Raymarine IP day & night net dome video cameras with readout on multifunctional Raymarine display: - 1x SB and 1x Port on the hull for mooring view	1
34145.15	1x Raymarine IP day & night net dome video camera on bow for front view with readout on multifunctional Raymarine display	1
3.4.4 REMOTE PACKAGES		
31067.01	Remote control for bow (and stern) thruster	2
34110.03	Raymarine S100 wireless autopilot remote control Only in combination with position(s): 34110.10 p70R Display steering position	1
34110.13	Raymarine Smart Controller wireless autopilot remote control Only in combination with position(s): 34110.10 p70R Display steering position	1
3.4.5 COMMUNICATION PACKAGES		
34190.09	Raymarine Ray90 VHF with Class D "Digital Selective Calling" (DSC) at steering position including antenna in Mast	1
34190.10	Extra wireless handset VHF incl. charging station	1
34200.10	Communication tool for 2 persons by means of 2 walkie-talkies with headset	2
34943.04	AIS 700 transponder/receiver (Automatic Identification System) integrated on radar/chartplotter display. Attention: MMSI-number required. Attention: Only in combination with VHF installation	1
3.4.6 OTHER NAVIGATION INSTRUMENTS		
34100.00	Magnet compass not possible. Due to the steel boats it is not possible to calibrate, so deviation and not usable.	1
34110.00	Provisions for autopilot	1
34120.23	"Wind Vane" wind transducer for wind direction and wind speed. Read out on Axiom display.	1
34180.00	Weatherfax not possible. Cannot be tested at the Maasbracht location.	1
3.5 EXTERIOR EQUIPMENT HULL		
35010.02	Zinc anodes (for salt water)	1
35040.01	Ships name on bow and stern. Port of Registry and Registration number on stern in colour RAL7022. Bow letter type; P22 Lucilee Pro Regular. Stern letter type; Handel Gothic D medium.	1
35090.02	Electric anchor winch 1200W/12V, fitted with integrated stainless steel anchor rollers and anchor hawse with 30m. 8 mm. anchor chain according DIN766A15 and 15 Kg. Bruce-anchor (Control by means of cable control).	1

Item	Description	Phase
35110.03	Wireless windlass control and chain counter	1
35120.11	High gloss polished stainless steel Bruce-anchor 15 kg. AISI-316	1
35130.11	30m. 8 mm. stainless steel anchor chain	1
3.6 LINSSSEN YACHTS TENDER SOLUTIONS		
36040.01	Stainless steel snap davit system, with universal tender fastening.	1
36100.01	Outboard engine fastening bracket against stern (Max. 8 HP)	1
3.7 EXTERIOR EQUIPMENT SUPERSTRUCTURE		
37020.50	Extend windscreen wiper installation with synchronous and 3 step interval function. In the interval mode, the wipers run synchronously and are self-parking.	1
37070.06	Original Linssen Design mast powder coated in colour superstructure. Short modell (± 1,4 mtr.)	1
37130.01	Deck lighting with 2 lights at mast	1
37230.02	Luxury teak table, freestanding on aft deck with steel black powder-coated folding base. Can be used in 2 heights, the low position as a coffee table, the high stand as a dining table.	1
37245.02	Teak joint settee in the cockpit	1
37271.01	Solid teak entrance doors, varnished	1
3.8 WINDOWS		
38076.32	Sliding window in saloon at Port side front, with grey profiles and "Smoke Grey" tinted glass	1
4. INTERIOR		
GENERAL		
40040.02	Original Linssen maintenance friendly ship's floor, teak color with light striping.	1
4.1 OPEN COCKPIT		
4.2 SALOON/ GALLEY		
42112.02	Cabinets in saloon at Port side beneath the map table/desk. Deletion of the design stool	1
4.4 WHEEL HOUSE		
5. FINISH		
5.1 LIGHTING & SOCKETS		
51080.11	Luxurious LED reading lights (2x) in the front cabin	1
51100.01	Attractive indirect lighting in saloon	1
51400.05	USB socket in FC portside for charging mobil equipment.	1
51400.11	Additional USB socket in FC and steering position for charging mobil equipment.	1
51603.02	The 230 V. sockets will be finished in English version	2

Linssen 30 SL Sedan

Item	Description	Phase
51603.03	The 230 V. sockets will be finished in Swiss version	2
51615.01	230 V. socket in the forward cabin on SB-side	1
51620.01	Splash resistant 230 V. socket in the forward cabin toilet	1
51625.01	3x 230 V. sockets respectively in FC, engine compartment and cockpit for winter heating. Only to be used with shore power.	1
51660.01	230 V. socket in saloon (Stbd-side front next to helm seat)	1
51665.01	230 V. socket in the saloon (Stbd aft)	1
51685.01	12 V. and 230 V. socket in cockpit cellar	1
51710.11	230 V. socket in cockpit, SB side splash resistant	1
5.2 GALLEY		
53020.02	Mixer tap in galley equipped with dish-shower, Hansgrohe Talis M51	2
52230.01	Stainless steel oven (gas)	1
5.3 SANITARY FITTINGS		
53010.90	Full-length mirror in the FC toilet compartment at entrance door to the front cabin	2
53130.02	Electric toilet in forward cabin, with fresh water rinsing	1
53130.03	Electric toilet in forward cabin, with sea water rinsing	1
5.4 AUDIO / VIDEO/ INTERNET		
54010.50	DAB+ radio module and antenna in the mast for digital radio	1
54010.90	Fusion RA70N expansion kit with usb port for data transfer + control via the multi-function display in steering position.	2
54200.01	Primary TV connection at saloon Port TV cupboard, incl. extra 230V. socket	1
54250.01	Glomex TV-antenna on mast, suitable for analogue & digital reception. Suitable for DVBT-T2 network. Attention: Select the correct connection	1
54286.01	Provisions for putting a satellite tv-antenna on deck manually: deck socket against the mast incl. cables in tv-cabinet in saloon	1
54400.01	24" (60cm) LED TV with integrated DVB-T & DVB-S tuner incl. DVD in saloon	2
54900.06	Teltonika 5G LTE router with Wifi Access Point and antenne.	1
5.5 VENTILATION		
55020.01	Mosquito screen in forward hinged saloon window, Port side	2
55090.01	Rain protection covers and mosquito screens for the forward cabin port-holes (4x)	2
55130.01	Combined blind/mosquito screen for panorama/escape hatch in forward cabin deck-head	1
55137.02	Fly screen integrated e-Variodeck®	1
5.6 INTERIOR UPHOLSTERY		
56074.01	Design stool raiser so that it can be used as a co-pilot chair.	1
56073.26	1 (additional) design stool finished in Mocka Rock	2

Linssen 30 SL Sedan

Item	Description	Phase
56101.02	Matrass 2x 1 pers.in front cabin type Combispring 14 cm.	2
56321.03	Plissé blinds in the saloon, manual controlled.	1
5.7 EXTERIOR UPHOLSTERY		
57030.06	Cushions for cockpit bench in imitation leather Maglia Uyuni	2
57032.06	Maglia Uyuni cushions for joint cockpit bench in imitation leather Only in combination with position(s): 37245.02 Joint settee in the cockpit	1
57095.06	2x Comfort Seat in Maglia Uyuni	2
5.8 EQUIPMENT		
58022.01	2x ball fender Ø55cm black with rope	2
58023.01	2x extra fender black with rope	2
58024.01	Additional 40 m mooring line, supplied with on board inventory	2
58060.01	230V vacuum cleaning installation with a vacuum cleaner integrated in the saloon settee and connection for the hose. Equipped with thermal protection and softstart for inverter use. Delivery including extendable hose (from 1,5 to 9 m.), luxury brushes and 3 vacuum bags	1
58075.02	Removable clothes rail in shower compartment front cabin	1
58080.01	8 hooks at various positions in the yacht. Positions to be determined during the hand over. Fitted during the 25-hours inspection.	2
58990.00	Alarm installation not possible. System cannot be supported in the long(er) term.	2
5.9 CANVAS & COVERS		
59020.14	Cockpit canvas Longtop, Sunbrella Marine Steel grey the side and back panels can be opened seperately by a zip-fastener	2
59020.16	Cockpit canvas Longtop Sunbrella Marine Beige Papyrus. The side and back panels can be opened seperately by a zip-fastener	2
59022.04	Cover for windows in cockpit canvas, Sunbrella Marine Steel Grey	2
59022.16	Cover for windows in cockpit canvas, Sunbrella Marine Beige Papyrus.	2
59200.11	Sun cover around saloon windows finished in screen cloth (excluding entrance door/window) incl. mounting, colour beige	2
59200.12	Sun cover around saloon windows finished in screen cloth (excluding entrance doors) incl. mounting, colour white	2
6. COMMISSIONING & HAND OVER		
6.1 TRANSPORT/WINTER STORAGE		
61010.01	Cradle (completely coated)	2
61010.03	Making boat ready for transport incl. craning	
61010.06	Compile documents for export and obtain a temporary residence permit of up to 18 months in the EU. (Only possible for residents from outside the EU)	2

Linssen 30 SL Sedan

Item	Description	Phase
Pack 1	Comfort package	1
11060.03	Linssen e-Variodeck® (electric sliding roof) in the saloon	
12020.02	Polished stainless steel hinged side ladder integrated into deck rail (Port and Starboard)	
31050.03	12V. sternthruster 55 kgf (3 kW / 4 HP)	
31067.01	Remote control for bow (and stern) thruster	
35040.01	Ships name on bow and stern. Port of Registry and Registration number on stern in colour RAL7022. Bow letter type; P22 Lucilee Pro Regular. Stern letter type; Handel Gothic D medium.	
35090.02	Electric anchor winch 1200W/12V, fitted with integrated stainless steel anchor rollers and anchor hawse with 30m. 8 mm. anchor chain according DIN766A15 and 15 Kg. Bruce-anchor (Control by means of cable control).	
53130.02	Electric toilet in forward cabin, with fresh water rinsing	
57030.06	Cushions for cockpit bench in imitation leather Maglia Uyuni	
58080.01	8 hooks at various positions in the yacht. Positions to be determined during the hand over. Fitted during the 25-hours inspection.	
59020.14	Cockpit canvas Longtop, Sunbrella Marine Steel grey the side and back panels can be opened seperately by a zip-fastener	
Pack 2	Ventilation	1
13290.03	Heating (blower) in cockpit, connected to heating system	
55090.01	Rain protection covers and mosquito screens for the forward cabin port-holes (4x)	
55130.01	Combined blind/mosquito screen for panorama/escape hatch in forward cabin deck-head	
55137.02	Fly screen integrated e-Variodeck®	
Pack 5	Media package	1
54200.01	Primary TV connection at saloon Port TV cupboard, incl. extra 230V. socket	
54250.01	Glomex TV-antenna on mast, suitable for analogue & digital reception. Suitable for DVBT-T2 network.	
54400.01	24" (60cm) LED TV with integrated DVB-T & DVB-S tuner incl. DVD in saloon	
Pack 6	Safety package	1
34190.09	Raymarine Ray90 VHF with Class D "Digital Selective Calling" (DSC) at steering position including antenna in Mast	
34943.04	AIS 700 transponder/receiver (Automatic Identification System) integrated on radar/chartplotter display. Attention: MMSI-number required. Attention: Only in combination with VHF installation	

Linssen 30 SL Sedan

Item	Description	Phase
37020.50	Extend windscreen wiper installation with synchronous and 3 step interval function. In the interval mode, the wipers run synchronously and are self-parking.	
Pack 8	Atmosphere/lighting package	1
51080.11	Luxurious LED reading lights (2x) in the front cabin	
51100.01	Attractive indirect lighting in saloon	
Pack 9	Power package	1
33082.02	Domestic: 12V. with 2 maintenance free GEL batterie 166 Ah each. (total 2x 166 Ah domestic batteries)	
33271.02	Automatic battery charger/inverter type Victron Multiplus Compact 12/1600-70 (70A/1600W.) with remote control panel. Peak power 3000 W.	
51400.11	Additional USB socket in FC and steering position for charging mobil equipment.	
51660.01	230 V. socket in saloon (Stbd-side front next to helm seat)	
51710.11	230 V. socket in cockpit, SB side splash resistant	
Pack 10	Essentials	1
12020.02	Polished stainless steel hinged side ladder integrated into deck rail (Port and Starboard)	
31050.03	12V. sternthruster 55 kgf (3 kW / 4 HP)	
33082.02	Domestic: 12V. with 2 maintenance free GEL batterie 166 Ah each. (total 2x 166 Ah domestic batteries)	
33271.02	Automatic battery charger/inverter type Victron Multiplus Compact 12/1600-70 (70A/1600W.) with remote control panel. Peak power 3000 W.	
35090.02	Electric anchor winch 1200W/12V, fitted with integrated stainless steel anchor rollers and anchor hawse with 30m. 8 mm. anchor chain according DIN766A15 and 15 Kg. Bruce-anchor (Control by means of cable control).	
51080.11	Luxurious LED reading lights (2x) in the front cabin	
51100.01	Attractive indirect lighting in saloon	
53010.90	Full-length mirror in the FC toilet compartment at entrance door to the front cabin	
53130.02	Electric toilet in forward cabin, with fresh water rinsing	
55020.01	Mosquito screen in forward hinged saloon window, Port side	
55090.01	Rain protection covers and mosquito screens for the forward cabin port-holes (4x)	
55130.01	Combined blind/mosquito screen for panorama/escape hatch in forward cabin deck-head	