

### Linssen 35 SL Sedan

Date-: 7-3-2	2025		Page	1
ltem De	escription		Pł	nase
1. HULL				
1.1 EXTER	RIOR			
11060.03	Linssen e-Variodeck <sup>®</sup> (electric slidin	ig roof) in the saloon		1
1.2 STAIN	ILESS STEEL			
12020.02	Polished stainless steel hinged side (Port and Starboard)	ladder integrated into deck rail		1
12060.01	Original Linssen polished stainless s	teel bow ladder (removable)		2
12071.01	Stainless steel protection set at side from gangway to cockpit and stern			1
1.3 TECH	NICAL			
13290.03	Heating (blower) in cockpit, connec	ted to heating system		1
2. COATING				
2.1 COAT	ING & DECK FINISH			
1.3 TECHNICAL         13290.03       Heating (blower) in cockpit, connected to heating system         2. COATING         2.1 COATING & DECK FINISH         21090.26       Original Linssen SL colour scheme "Haven Grey": Hull         Superstructure       Egg Shell White         Waterline       SL bow-up design, Egg Shell White         Antifouling       Black         Rope fender       Black	: Haven Grey : Egg Shell White : SL bow-up design, Egg Shell White : Black : Black : "Smoke Grey" tinted Cove Green": : Cove Green : Egg Shell White : SL bow-up design, Egg Shell White : Black : Black : Black		1	
21090.28 21090.36	-	Fjord Blue": : Fjord Blue : Egg Shell White : SL bow-up design, Egg Shell White : Black : Black : "Smoke Grey" tinted		1

### Linssen 35 SL Sedan

7 March 2025

Item D	escription	Phase
	Rope fender : Black Glass windows saloon, ventilation-/escape hat :"Smoke Grey"	
	tinted Ships name, Port of Registry and Registration n: In colour of the waterline (White)	
<b>2.2 TEAK</b>	( DECKS	
22010.01	Original LINSSEN teak deck on front deck and side decks	1
3. ENGINE	COMPARTMENT	
3.1 TECH	INICAL	
31050.03	12V. sternthruster 55 kgf (3 kW / 4 HP)	1
31240.97	Installation of air recirculation unit on heating system	1
31240.99	App-module for remote switching/controlling the daytime heating. System uses subscription, Free for the first year and €35,- per year thereafter (by purchasing customer). App control via iPhone or Android device is free to download.	2
31411.00	Air conditioning in forward cabin by 1x 6,000 BTU unit Runs only via the shore supply connection, peak current consumption during (soft) start 11A, current during operation 2-2,4A Maximum one unit per vessel as otherwise it cannot operate via the shore power connection'	1
31740.01	Access to storage space underneath the cockpit floor (with ladder)	1
3.2 ON-E	BOARD WATER SYSTEMS	
32100.01	All grey water outlets (sinks and shower-drainage, including aft cabin) connected to holding tank	1
32110.01	No fitting of holding tank waste pump	1
32150.04	Deck-wash pump, including hose and trigger nozzle with connection at bathing platform	1
32150.13	Deck-wash pump, including hose and trigger nozzle with connection at bathing platform connected to on-board water system	1
3.3 ELEC	TRICAL & ELECTRONICS	
33082.02	Domestic: 12V. with 2 maintenance free GEL batterie 166 Ah each. (total 2x 166 Ah domestic batteries)	1
33148.05	Victron Cerbo-GX communication-centre for a perfect control over your system. Includes a 5 inch slim waterproof design touch screen display with a instant overview.	1
33148.15	Cerbo GX linked to the Raymarine Axiom MFD. Monitor your domestic, shore power and generator status. Control the shore power limit to be used from your helmsman's position	1
	Only in combination with position(s): 33148.05 Victron Cerbo GX + Touch 50	
33271.02	Automatic battery charger/inverter type Victron Multiplus Compact 12/1600-70 (70A/1600W.) with remote control panel. Peak power 3000 W. Only in combination with position(s): 33082.02 Domestic 12 V., 2 batteries	1

Linssen	<b>Yachts</b>	Option	list
Eniboten	1401100	Option	

7 March 2025

Linssen 35 SL Sedan

ltem	Descri	iption	Phase
33285.		Group of solar panels of 2x 160Wp. Connected to a Victron Smart Solar charge controller for charging the domestic batteries. Read out on the Victron MPPT control display.	1
33285.		Solar panels extension of 2x 160Wp. Connected to the Victron Smart Solar charge controller for charging the domestic batteries. Only in combination with position(s): 33285.70 Solar panel	1
3.4 II	NSTRUN	IENTS & NAVIGATION	
34065.	01 I	Manual search light, incl. 12 V. connection at steering position	2
3.4.2	NAVIG	ATION PACKAGES	
Ра	ack	3.4.2.1 BASIC PACKAGE	1
3	4090.16	Rudder indication on Raymarine Axiom display at steering position	
3	4125.01	Raymarine Axiom+ 7 multifunctional display	
3	4140.03	Navionics Gold XL9 marine chart type 46XG, West Europe	
3	4150.02	Raymarine RS150 GPS sensor in mast	
Pa	ack	3.4.2.2 RIVER PACKAGE	1
3	4110.10	Raymarine autopilot with p70RS display at steering position (incl. course computer/rudder indicator/compass transducer) with protection in mast which disengages autopilot during AUTO operation if mast is folded.	
3	4125.01	Raymarine Axiom+ 7 multifunctional display	
3	4140.03	Navionics Gold XL9 marine chart type 46XG, West Europe	
3	4150.02	Raymarine RS150 GPS sensor in mast	
Ра	ack	3.4.2.3 LAKE PACKAGE	1
3	4110.10	Raymarine autopilot with p70RS display at steering position (incl. course computer/rudder indicator/compass transducer) with protection in mast which disengages autopilot during AUTO operation if mast is folded.	
3	4125.02	Raymarine Axiom 9 Pro RVX multifunctional display with readout of depth and log at steering position	
3	4140.03	Navionics Gold XL9 marine chart type 46XG, West Europe	
3	4150.02	Raymarine RS150 GPS sensor in mast	
Pa	ack	3.4.2.4 SEA PACKAGE	1
3	4110.10	Raymarine autopilot with p70RS display at steering position (incl. course computer/rudder indicator/compass transducer) with protection in mast which disengages autopilot during AUTO operation if mast is folded.	
3	4125.02	Raymarine Axiom 9 Pro RVX multifunctional display with readout of depth and log at steering position	
		Navionics Gold XL9 marine chart type 46XG, West Europe	
		Raymarine RS150 GPS sensor in mast	
3	4160.05	Raymarine Quantum 2 (Doppler) CHIRP radar antenna, on the mast	

Linssen 35 SL Sedan

ltem	Description	Phase
34145.12	1x Raymarine IP day & night net dome video camera at longtop roof for rear view with readout on multifunctional Raymarine display	1
34145.12	<ul> <li>2x Raymarine IP day &amp; night net dome video cameras with readout</li> <li>on multifunctional Raymarine display:</li> <li>- 1x SB and 1x Port on the hull for mooring view</li> </ul>	1
34145.15	C C	1
3.4.4 F	REMOTE PACKAGES	
31067.02	Remote control for bow (and stern) thruster	2
34110.03	8 Raymarine S100 wireless autopilot remote control	1
	Only in combination with position(s): 34110.10 p70R Display steering position	
34110.13	8 Raymarine Smart Controller wireless autopilot remote control	1
	Only in combination with position(s): 34110.10 p70R Display steering position	
3.4.5 (	COMMUNICATION PACKAGES	
34190.09	Raymarine Ray90 VHF with Class D "Digital Selective Calling" (DSC) at steering position including antenna in Mast	1
34190.10	Extra wireless handset VHF incl. charging station	1
34200.10	Communication tool for 2 persons by means of 2 walkie-talkies with headset	2
34943.04	AIS 700 transponder/receiver (Automatic Identification System) integrated on radar/chartplotter display. Attention: MMSI-number required. Attention: Only in combination with VHF installation	1
3.4.6 (	OTHER NAVIGATION INSTRUMENTS	
34100.00	Magnet compass not possible. Due to the steel boats it is not possible to calibrate, so deviation and not usable.	1
34110.00	Provisions for autopilot	1
34120.23	Wind Vane" wind transducer for wind direction and wind speed. Read out on Axiom display.	1
34180.00	Weatherfax not possible. Cannot be tested at the Maasbracht location.	1
3.5 EX	TERIOR EQUIPMENT HULL	
35010.02	2 Zinc anodes (for salt water)	1
35040.02	<ul> <li>Ships name on bow and stern. Port of Registry and Registration</li> <li>number on stern in colour RAL7022.</li> <li>Bow letter type; P22 Lucilee Pro Regular. Stern letter type; Handel</li> <li>Gothic D medium.</li> </ul>	1
35090.02	Electric anchor winch 1200W/12V, fitted with integrated stainless steel anchor rollers and anchor hawse with 30m. 8 mm. anchor chain according DIN766A15 and 15 Kg. Bruce-anchor (Control by means of cable control).	1

### Linssen 35 SL Sedan

7 March 2025

ltem	Description	Phase
35110.0	03 Wireless windlass control and chain counter	1
35120.2	High gloss polished stainless steel Bruce-anchor 15 kg. AISI-316	1
35130.2	30m. 8 mm. stainless steel anchor chain	1
3.6 LI	NSSEN YACHTS TENDER SOLUTIONS	
36040.0	Stainless steel snap davit system, with universal tender fastening.	1
36100.0	O1 Outboard engine fastening bracket against stern (Max. 8 HP)	1
3.7 E	XTERIOR EQUIPMENT SUPERSTRUCTURE	
37020.5	50 Extend windscreen wiper installation with synchronous and 3 step interval function. In the interval mode, the wipers run synchronously and are self-parking.	1
37070.0	Of Original Linssen Design mast powder coated in colour superstructure. Short modell (± 1,4 mtr.)	1
37111.0	501 Folding teak directors chair. Black upholstery and naturel teak wood	2
37130.0	D1 Deck lighting with 2 lights at mast	1
37230.(	D2 Luxury teak table, freestanding on aft deck with steel black powder-coated folding base. Can be used in 2 heights, the low position as a coffee table, the high stand as a dining table.	1
37245.0	D2 Teak joint settee in the cockpit	1
37271.0	01 Solid teak entrance doors	1
3.8 W	/INDOWS	
38076.3	Sliding window in saloon at Port side front, with grey profiles and "Smoke Grey" tinted glass	1
4. INTEF	RIOR	
GENE	RAL	
40040.0	Original Linssen maintenance friendly ship's floor, teak color with light striping.	1
4.1 0	PEN COCKPIT	
4.2 S	ALOON/ GALLEY	
42112.(		1
5. FINIS	H	
5.1 LI	GHTING & SOCKETS	
51080.2		1
51100.0		1
51400.0	5 5	1
51400.2		1
51595.0		1
51603.0		- 1
51603.0		- 1
22000.0		-

7 March 2025

# Linssen Yachts Option list

### Linssen 35 SL Sedan

ltem	Description	Phase
51615.	.01 230 V. socket in the forward cabin on SB-side	1
51625.	.01 3x 230 V. sockets respectively in FC, engine compartment and cockpit for winter heating. Only to be used with shore power.	1
51660.	.01 230 V. socket in saloon (Stbd-side front next to helm seat)	1
51665.	.01 230 V. socket in the saloon (Stbd aft)	1
	Not possible in combination with position(s): 56321.03 Plissé blinds	
51685.	.01 12 V. and 230 V. socket in cockpit cellar	1
51710.	.11 230 V. socket in cockpit, SB side splash resistant	1
5.2 0	GALLEY	
53020.	.02 Mixer tap in galley equipped with dish-shower, Hansgrohe Talis M51	2
52230.	.01 Stainless steel oven (gas)	1
5.3 S	SANITARY FITTINGS	
53010.	.90 Full-length mirror in the FC toilet compartment at entrance door to the front cabin	2
53130.	.02 Electric toilet in forward cabin, with fresh water rinsing	1
53130.	.03 Electric toilet in forward cabin, with sea water rinsing	1
5.4 A	AUDIO / VIDEO / INTERNET	
54010.	.50 DAB+ radio module and antenna in the mast for digital radio	1
54010.	.90 Fusion RA70N expansion kit with usb port for data transfer + control via the multi-function display in steering position.	1
54200.	.01 Primary TV connection at saloon Port TV cupboard, incl. extra 230V. socket	1
54250.	.01 Glomex TV-antenna on mast, suitable for analogue & digital reception. Suitable for DVBT-T2 network.	1
54286.	.01 Provisions for putting a satellite tv-antenna on deck manually: deck socket against the mast incl. cables in tv-cabinet in saloon	1
54400.	.01 24" (60cm) LED TV with integrated DVB-T & DVB-S tuner incl. DVD in saloon	2
54900.	.06 Teltonika 5G LTE router with Wifi Access Point and antenne.	1
5.5 \	/ENTILATION	
55020.	.01 Mosquito screen in forward hinged saloon window, Port side	2
55090.	.01 Rain protection covers and mosquito screens for the forward cabin port-holes (4x)	2
55130.	.01 Combined blind/mosquito screen for panorama/escape hatch in forward cabin deck-head	1
55137.	.02 Fly screen integrated e-Variodeck <sup>®</sup>	1
5.6 I	NTERIOR UPHOLSTERY	
56074.	.01 Design stool raiser so that it can be used as a co-pilot chair.	1
56073.	.26 1 (additional) design stool finished in Mocka Rock	2
56101.	.02 Mattrass 2x 1 pers.in front cabin type Combispring 14 cm.	2

Page 7

2

Item	Description	Phase
56321.03	Plissé blinds in the saloon, manual controlled.	1
5.7 EX	TERIOR UPHOLSTERY	
57030.06	Cushions for cockpit bench in imitation leather Maglia Uyuni	2
57032.06	Maglia Uyuni cushions for joint cockpit bench in imitation leather	1
	Only in combination with position(s): 37245.02 Joint settee in the cockpit	
57095.06	5 2x Comfort Seat in Maglia Uyuni	2
5.8 EQ	UIPMENT	
58022.01	2x ball fender Ø55cm black with rope	2
58023.01	2x extra fender black with rope	2
58024.01	Additional 40 m mooring line, supplied with on board inventory	2
58060.01	230V vacuum cleaning installation with a vacuum cleaner integrated in the saloon settee and connection for the hose. Equipped with thermal protection and softstart for inverter use. Delivery including extendable hose (from 1,5 to 9 m.), luxury brushes and 3 vacuum bags	1
58075.02	Removable clothes rail in shower compartment front cabin	1
58080.01	8 hooks at various positions in the yacht. Positions to be determined during the hand over. Fitted during the 25-hours inspection.	2
58990.00	Alarm installation not possible. System cannot be supported in the long(er) term.	2
5.9 CA	NVAS & COVERS	
59020.14	Cockpit canvas Longtop, Sunbrella Marine Steel grey the side and back panels can be opened seperately by a zip-fastener	2
59020.16	Cockpit canvas Longtop Sunbrella Marine Beige Papyrus. The side and back panels can be opened seperately by a zip-fastener	2
59022.04	Cover for windows in cockpit canvas, Sunbrella Marine Steel Grey	2
59022.16		2
59200.11	. Sun cover around saloon windows finished in screen cloth (excluding entrance door/window) incl. mounting, colour beige	2
59200.12	Sun cover around saloon windows finished in screen cloth (excluding entrance doors) incl. mounting, colour white	2
6. COMM	IISSIONING & HAND OVER	
6.1 TR	ANSPORT/WINTER STORAGE	
61010.01	Cradle (completely coated)	2
61010.03	Making boat ready for transport incl. craning	

01010.00	
61010.06	Compile documents for export and obtain a temporary residence permit
	of up to 18 months in the EU.
	(Only possible for residents from outside the EU)

### Linssen 35 SL Sedan

P		
		5
	1 Comfort package	Pack
	Linssen e-Variodeck <sup>®</sup> (electric sliding roof) in the saloon	11060.03
	Polished stainless steel hinged side ladder integrated into deck rail (Port and Starboard)	12020.02
	12V. sternthruster 55 kgf (3 kW / 4 HP)	31050.03
	Remote control for bow (and stern) thruster	31067.01
	Ships name on bow and stern. Port of Registry and Registration number on stern in colour RAL7022. Bow letter type; P22 Lucilee Pro Regular. Stern letter type; Handel Gothic D medium.	35040.01
	Electric anchor winch 1200W/12V, fitted with integrated stainless steel	35090.02
	anchor rollers and anchor hawse with 30m. 8 mm. anchor chain	
	according DIN766A15 and 15 Kg. Bruce-anchor (Control by means of cable control).	
	Electric toilet in forward cabin, with fresh water rinsing	53130.02
	Cushions for cockpit bench in imitation leather Maglia Uyuni	57030.06
	8 hooks at various positions in the yacht. Positions to be	58080.01
	determined during the hand over. Fitted during the 25-hours inspection.	
	Cockpit canvas Longtop, Sunbrella Marine Steel grey the side and back panels can be opened seperately by a zip-fastener	59020.14
	2 Ventilation	Pack
	Heating (blower) in cockpit, connected to heating system	13290.03
	Rain protection covers and mosquito screens for the forward cabin port-holes (4x)	55090.01
	Combined blind/mosquito screen for panorama/escape hatch in forward cabin deck-head	55130.01
	Fly screen integrated e-Variodeck <sup>®</sup>	55137.02
	5 Media package	Pack
	Primary TV connection at saloon Port TV cupboard, incl. extra 230V. socket	54200.01
	Glomex TV-antenna on mast, suitable for analogue & digital reception. Suitable for DVBT-T2 network.	54250.01
	24" (60cm) LED TV with integrated DVB-T & DVB-S tuner incl. DVD in saloon	
	6 Safety package	Pack
	Raymarine Ray90 VHF with Class D "Digital Selective Calling" (DSC) at steering position including antenna in Mast	34190.09
	AIS 700 transponder/receiver (Automatic Identification System) integrated on radar/chartplotter display. Attention: MMSI-number required. Attention: Only in combination with VHF installation	34943.04

#### Linssen 35 SL Sedan

7 March 2025

Page

9

Phase	cription	Descri
	50 Extend windscreen wiper installation with synchronous and 3 step interval function. In the interval mode, the wipers run synchronously and are self-parking.	37020.50
1	8 Atmosphere/lighting package	Pack
	1 Luxurious LED reading lights (2x) in the front cabin	51080.11
	01 Attractive indirect lighting in saloon	51100.01
1	9 Power package	Pack
	Domestic: 12V. with 2 maintenance free GEL batterie 166 Ah each. (total 2x 166 Ah domestic batteries)	33082.02
	D2 Automatic battery charger/inverter type Victron Multiplus Compact 12/1600-70 (70A/1600W.) with remote control panel. Peak power 3000 W.	33271.02
	1 USB socket in FC and steering position for charging mobil equipment.	51400.11
	1 230 V. socket in saloon (Stbd-side front next to helm seat)	51660.01
	1 230 V. socket in cockpit, SB side splash resistant	51710.11
1	10 Essentials	Pack
	D2 Polished stainless steel hinged side ladder integrated into deck rail (Port and Starboard)	12020.02
	)3 12V. sternthruster 55 kgf (3 kW / 4 HP)	31050.03
	Domestic: 12V. with 2 maintenance free GEL batterie 166 Ah each. (total 2x 166 Ah domestic batteries)	33082.02
	D2 Automatic battery charger/inverter type Victron Multiplus Compact 12/1600-70 (70A/1600W.) with remote control panel. Peak power 3000 W.	33271.02
	D2 Electric anchor winch 1200W/12V, fitted with integrated stainless steel anchor rollers and anchor hawse with 30m. 8 mm. anchor chain according DIN766A15 and 15 Kg. Bruce-anchor (Control by means of cable control).	35090.02
	1 Luxurious LED reading lights (2x) in the front cabin	51080.11
	01 Attractive indirect lighting in saloon	51100.01
	90 Full-length mirror in the FC toilet compartment at entrance door to the front cabin	53010.90
	D2 Electric toilet in forward cabin, with fresh water rinsing	53130.02
	1 Mosquito screen in forward hinged saloon window, Port side	55020.01
	1 Rain protection covers and mosquito screens for the forward cabin port-holes (4x)	55090.01
	D1 Combined blind/mosquito screen for panorama/escape hatch in forward cabin deck-head	55130.01