

#### Linssen Yachts Option list Linssen 35 SL AC

Page 1 7-3-2025 Date-: Description **Phase** Item 1. HULL 1.2 STAINLESS STEEL 12020.02 Polished stainless steel hinged side ladder integrated into deck rail 1 (Port and Starboard) 12060.01 Original Linssen polished stainless steel bow ladder (removable) 2 12071.01 Stainless steel protection set at side railing entrances and stern (3x) 1 12075.01 Stainless steel steps to saloon deck midships, demountable, finished 1 with anti-slip steps incl. 2 hand grips on saloon deck 1.3 TECHNICAL 13290.01 Heating (blower) at steering position (4 kW), connected to the engine 1 2. COATING 2.1 COATING & DECK FINISH 1 21090.26 Original Linssen SL colour scheme "Haven Grey": Hull : Haven Grey Superstructure : Egg Shell White Waterline : SL bow-up design, Egg Shell White : Black Antifouling Rope fender : Black Canvas color : Sunbrella Marine Steel Grey Glass windows saloon : "Smoke Grey" tinted Original Linssen SL colour scheme "Cove Green": 21090.27 1 Hull : Cove Green Superstructure : Egg Shell White Waterline : SL bow-up design, Egg Shell White Antifouling : Black Rope fender : Black Canvas color : Sunbrella Marine Beige Papyrus Glass windows saloon, windscreen : "Smoke Grey" tinted 21090.28 Original Linssen SL colour scheme "Fjord Blue": 1 Hull : Fjord Blue Superstructure : Egg Shell White Waterline : SL bow-up design, Egg Shell White Antifouling : Black Rope fender : Black : Sunbrella Marine Steel Grey Canvas color Glass windows saloon, windscreen : "Smoke Grey" tinted

## Linssen 35 SL AC

Item	Description		Phase
21090.3	6 Original Linssen SL colour sche	me "Mahogany Red":	1
	Hull	: Mahogany Red	
	Superstructure	: Egg Shell White	
	Waterline	: SL bow-up design,	
		Egg Shell White	
	Antifouling	: Black	
	Rope fender	: Black	
	Canvas color	: Sunbrella Marine	
	Glass windows saloon, windscr	Beige Papyrus	
	Glass Willdows saldolf, Willdsch	tinted	
	Ships name, Port of Registry an		
	, and a second of the second o	the waterline (White)	
2.2 TE	EAK DECKS		
22010.0	1 Original LINSSEN teak deck on	front deck and side decks	1
22020.0	Original LINSSEN teak deck on	aft deck and steps on transom	1
3. ENGIN	IE COMPARTMENT		
3.1 TE	CHNICAL		
31050.0	3 12V. sternthruster 55 kgf (3 kW	/ / 4 HP)	1
31240.9			1
31240.9		ing/controlling the daytime heating. System	1
	uses subscription, Free for the	· · · · · · · · · · · · · · · · · · ·	
	thereafter (by purchasing custo device is free to download.	omer). App control via iPhone or Android	
31411.0	O Air conditioning in forward cab	in by 1x 6,000 BTU unit	1
	Runs only via the shore supply	connection, peak current consumption	
	during (soft) start 11A, current		
		as otherwise it cannot operate via	
	the shore power connection'		
	Not possible in combination 31461.00 Airco AC 1		
31461.0	O Airconditioning in the aft cabin	through 1x 6.000 BTU unit.	1
	, .	e power connection, peak current	
	•	t 11A, current during operation 2-2,4A	
	·	otherwise it cannot operate from the	
	shore power connection.	( )	
	Not possible in combination 31411.00	with position(s):	
3.2 01	N-BOARD WATER SYSTEMS		
32015.0	2 Additional solid PVC watertank	, with inspection/cleaning hatch (± 120	1
	litres) under AC bed		
32100.0	<b>3</b> ,	d shower-drainage, including aft cabin)	1
22112	connected to holding tank		_
32110.0	1 No fitting of holding tank waste	e pump	1

#### Linssen 35 SL AC

em	Description	Phase
32150.04	Deck-wash pump, including hose and trigger nozzle with connection at bathing platform	
32150.13	Deck-wash pump, including hose and trigger nozzle with connection at bathing platform connected to on-board water system	
3.3 ELE	ECTRICAL & ELECTRONICS	
33082.02	Domestic: 12V. with 2 maintenance free GEL batterie 166 Ah each. (total 2x 166 Ah domestic batteries)	
33148.05	Victron Cerbo-GX communication-centre for a perfect control over your system. Includes a 5 inch slim waterproof design touch screen display with a instant overview.	
33148.15	Monitor your domestic, shore power and generator status.  Control the shore power limit to be used from your helmsman's position	
	Only in combination with position(s): 33148.05 Victron Cerbo GX + Touch 50	
33271.02		
	Only in combination with position(s): 33082.02 Domestic 12 V., 2 batteries 33148.04 Combi Victron Multi Control	
33285.60	Group of solar panels of 2x 110Wp. Connected to a Victron Smart Solar charge controller for charging the domestic batteries. Read out on the Victron MPPT control display.	
3.4 INS	STRUMENTS & NAVIGATION	
34065.01	Manual search light, incl. 12 V. connection at steering position	
3.4.2 N	NAVIGATION PACKAGES	
341	k 3.4.2.1 BASIC PACKAGE  190.16 Rudder indication on Raymarine Axiom display at steering position 125.01 Raymarine Axiom+ 7 multifunctional display 140.03 Navionics Gold XL9 marine chart type 46XG, West Europe	
Pac	k 3.4.2.2 RIVER PACKAGE	
	110.10 Raymarine autopilot with p70RS display at steering position (incl. course computer/rudder indicator/compass transducer) with protection in mast which disengages autopilot during AUTO operation if mast is folded.	
	L25.01 Raymarine Axiom+ 7 multifunctional display	
	L40.03 Navionics Gold XL9 marine chart type 46XG, West Europe	
Pac		
341	L10.10 Raymarine autopilot with p70RS display at steering position (incl. course computer/rudder indicator/compass transducer) with protection in mast which disengages autopilot during AUTO operation if mast is folded.	
341	125.02 Raymarine Axiom 9 Pro RVX multifunctional display with readout of depth and log at steering position	

## Linssen 35 SL AC

Item	Descr	ription	Phase
	34140.03	Navionics Gold XL9 marine chart type 46XG, West Europe	
ĺ	Pack	3.4.2.4 SEA PACKAGE	1
		Raymarine autopilot with p70RS display at steering position (incl. course computer/rudder indicator/compass transducer) with protection in mast which disengages autopilot during AUTO operation if mast is folded.	
	34125.02	Raymarine Axiom 9 Pro RVX multifunctional display with readout of depth and log at steering position	
	34140.03	Navionics Gold XL9 marine chart type 46XG, West Europe	
	34160.05	Raymarine Quantum 2 (Doppler) CHIRP radar antenna, on the mast	
3414		1x Raymarine IP day & night net dome video camera on transom for rear view with readout on multifunctional Raymarine display	1
3414	5.12	2x Raymarine IP day & night net dome video cameras with readout	1
		on multifunctional Raymarine display: - 1x SB and 1x Port on the hull for mooring view	
3414		1x Raymarine IP day & night net dome video camera on bow for front view with readout on multifunctional Raymarine display	1
3.4	.4 REMO	TE PACKAGES	
3106	7.01	Remote control for bow (and stern) thruster	1
34110	0.03	Raymarine S100 wireless autopilot remote control Only in combination with position(s): 34110.10 p70R Display steering position	1
3411	0.13	Raymarine Smart Controller wireless autopilot remote control  Only in combination with position(s):  34110.10 p70R Display steering position	1
3.4	.5 COMN	NUNICATION PACKAGES	
3419	0.09	Raymarine Ray90 VHF with Class D "Digital Selective Calling" (DSC) at steering position including antenna in Mast	1
3419	0.10	Extra wireless handset VHF incl. charging station	1
3420		Communication tool for 2 persons by means of 2 walkie-talkies with headset	2
34943		AIS 700 transponder/receiver (Automatic Identification System) integrated on radar/chartplotter display. Attention: MMSI-number required. Attention: Only in combination with VHF installation	1
3.4	.6 OTHER	R NAVIGATION INSTRUMENTS	
3410		Magnet compass not possible. Due to the steel boats it is not possible to calibrate, so deviation and not usable.	1
3411	0.00	Provisions for autopilot	1

## Linssen 35 SL AC

em D	escription	Pha
34110.50	Key switch to lock autopilot in case of charter.	
34120.23	"Wind Vane" wind transducer for wind direction and wind speed. Read out on Axiom display.	
34180.00	Weatherfax not possible. Cannot be tested at the Maasbracht location.	
3.5 EXTE	RIOR EQUIPMENT HULL	
35010.02	Zinc anodes (for salt water)	
35040.01	Ships name on bow and stern. Port of Registry and Registration number on stern in colour RAL7022.  Bow letter type; P22 Lucilee Pro Regular. Stern letter type; Handel Gothic D medium.	
35090.02	Electric anchor winch 1200W/12V, fitted with integrated stainless steel anchor rollers and anchor hawse with 30m. 8 mm. anchor chain according DIN766A15 and 15 Kg. Bruce-anchor (Control by means of cable control).	
35110.03	Wireless windlass control and chain counter	
35120.11	High gloss polished stainless steel Bruce-anchor 15 kg. AISI-316	
35130.11	30m. 8 mm. stainless steel anchor chain	
3.6 LINS	SEN YACHTS TENDER SOLUTIONS	
36040.01	Stainless steel snap davit system, with universal tender fastening.	
36100.01	Outboard engine fastening bracket against stern (Max. 8 HP)	
3.7 EXTE	RIOR EQUIPMENT SUPERSTRUCTURE	
37010.03	Aditional windscreen wiper at windscreen	
	Only in combination with position(s): 37020.50 Wiper installation synchronous	
37020.50	Extend windscreen wiper installation with synchronous and 3 step interval function. In the interval mode, the wipers run synchronously and are self-parking.	
37070.06	Original Linssen Design mast powder coated in colour superstructure. Short modell (beneath windscreen)	
37111.01	Extra folding teak directors/helm chair Black upholstery and untreated teak wood	
37110.18	Helm-seat in Maglia Uyuni, on stainless steel adjustable support. Only in combination with: Closed covering over the after deck	
37130.01	Deck lighting with 2 lights at mast	
37230.02	Luxury teak table, freestanding on aft deck with steel black powder-coated folding base. Can be used in 2 heights, the low position as a coffee table, the high stand as a dining table.	
37271.01	Solid teak entrance door, varnished	
3.8 WIN	DOWS	
38076.32	Sliding window in saloon at Port side front, with grey profiles and "Smoke Grey" tinted glass	

## Linssen 35 SL AC

Page 6

Item	Description	Phase
4. INTE	RIOR	
GEN	ERAL	
40040.	Original Linssen maintenance friendly ship's floor, teak color with light striping.	1
4.1 A	AFT CABIN/ SHOWER & HEADS COMPARTMENTS	
41062.	Toilet compartment Port in the AC equipped with manual sea toilet and vanity unit with worktop and wash basin finished in original Corian® including selected bathroom fittings. Walls in high quality Formica wall finishing	1
41063.	AC equipped with separate shower compartment including selected bathroom fittings. Shower mixer tap in aft shower type Grohe 1000C (Thermostatically adjustable) incl. shower rail. Walls in HPL finish.	1
4.2 S	ALOON/ GALLEY	
51800.	O1 Stainless steel high gloss banister at saloon entrance stairs	2
42112.	O2 Cabinets in saloon at Starboard side beneath the map table/desk.  Deletion of the design stool	1
4.3 F	RONT CABIN/ SHOWER & HEADS COMPARTMENTS	
43192.	99 Extra door in shower in the front cabin, so that this cabin can be opened from the hallway.	1
5. FINIS	н	
5.1 L	IGHTING & SOCKETS	
51070.	11 Luxurious LED reading lights (2x) in the aft cabin	1
51080.	11 Luxurious LED reading lights (2x) in the front cabin	1
51100.	O1 Attractive indirect lighting in saloon	1
51400.	USB socket in FC portside for charging mobil equipment.	1
51400.	USB socket in steering position outside, saloon, FC and AC for charging mobil equipment.	1
51595.	01 12 V. and 230 V. socket in front cellar	1
51603.	The 230 V. sockets will be finished in English version	1
51603.	The 230 V. sockets will be finished in Swiss version	1
51615.	01 230 V. socket in the forward cabin on SB-side	1
51625.	3x 230 V. sockets respectively in FC, engine compartment and after cabine for winter heating. Only to be used with shore power.	1
51640.	230 V. socket in the galley	1
51660.	O1 Additional 230 V. socket in saloon (Stbd-side front)	1
51665.	230 V. socket in the saloon (Stbd aft)	1
51670.	01 230 V. socket in aft cabin	1
51700.	11 230 V. socket at steering position, SB side splash resistant	1

**5.2 GALLEY** 

## Linssen 35 SL AC

Pnase	escription	tem De
2	Mixer tap in galley equipped with dish-shower, Hansgrohe Talis M51	53020.02
1	Stainless steel oven (gas), fitted in saloon furniture next to the galley	52230.01
	ITARY FITTINGS	5.3 SANIT
2	Full-length mirror in the FC toilet compartment at entrance door to the front cabin	53010.90
2	Full-length mirror at the inside of the toilet door in the AC	53015.90
2	Full-length mirror in the AC at the entrance door to saloon	53015.91
1	Electric toilet in forward cabin, with fresh water rinsing	53130.02
1	Electric toilet in forward cabin, with sea water rinsing	53130.03
1	Manual sea toilet in the aft cabin	53140.01
1	Electrical toilet in the aft cabin, with fresh water rinsing	53140.02
1	Electrical toilet in the aft cabin, with sea water rinsing	53140.03
	IO / VIDEO / INTERNET	5.4 AUDIO
1	DAB+ radio module and antenna in the mast for digital radio	54010.50
1	Fusion RA70N expansion kit with usb port for data transfer + control via the multi-function display in steering position.	54010.90
1	Primary TV connection at saloon Port TV cupboard, incl. extra 230V. socket	54200.01
1	Primary TV connection in saloon on Stb cupboard, incl. extra 230V. socket	54201.01
1	Glomex TV-antenna on mast, suitable for analogue & digital reception. Suitable for DVBT-T2 network. Attention: Select the correct connection	54250.01
1	Provisions for putting a satellite tv-antenna on deck manually: deck socket against the mast incl. cables in tv-cabinet in saloon	54286.01
1	24" (60cm) LED TV with integrated DVB-T & DVB-S tuner incl. DVD including manual TV-lift solution in saloon on Port side  Attention: Select the correct connection	54400.01
1	Teltonika 5G LTE router with Wifi Access Point and antenne.	54900.06
	TILATION	5.5 VENTI
2	Mosquito screen in forward hinged saloon window, Port side	55020.01
2	Rain protection covers and mosquito screens for the forward cabin port-holes (4x)	55090.01
2	Rain protection covers and mosquito screens for the aft cabin port-holes $(4x)$	55110.01
1	Combined blind/mosquito screen for panorama/escape hatch in forward cabin deck-head	55130.01
2	Mosquito screen for sliding hatch at the entrance door (with magnets)	55155.01
	RIOR UPHOLSTERY	5.6 INTER
1	Removable right armrest for saloon settee	56031.50
2	Mattrass 2x 1 pers.in front cabin type Combispring 14 cm.	56101.02

## Linssen 35 SL AC

Phase	escription	tem De
2	Mattrass 2x 1 pers. in aft cabin type 7-zone 14 cm.	56131.02
1	Plissé blinds in the saloon, manual controlled.	56321.03
	RIOR UPHOLSTERY	5.7 EXTER
2	Cushions for steel deck-boxes including cusion for teak joint in Maglia Uyuni	57011.06
2	2x Comfort Seat in Maglia Uyuni	57095.06
	IPMENT	5.8 EQUIP
2	2x ball fender Ø55cm black with rope	58022.01
2	2x extra fender black with rope	58023.01
2	Additional 40 m mooring line, supplied with on board inventory	58024.01
1	230V vacuum cleaning installation with a vacuum cleaner integrated in the saloon settee and connection for the hose. Equipped with thermal protection and softstart for inverter use. Delivery including extendable hose (from 1,5 to 9 m.), luxury brushes and 3 vacuum bags	58060.01
1	Removable clothes rail in shower compartment front cabin	58075.02
2	8 hooks at various positions in the yacht. Positions to be determined during the hand over. Fitted during the 25-hours inspection.	58080.01
2	Alarm installation not possible. System cannot be supported in the long(er) term.	58990.00
	VAS & COVERS	5.9 CANV
2	Cabrio including zip-fastened back, Sunbrella Marine Beige Papyrus.	59010.06
2	Cabrio closed model over the complete aft deck, Sunbrella Marine steel Grey The side and back panels can be opened by a zip-fastener	59030.04
2	Cabrio closed model over the complete aft deck, Sunbrella Marine Beige Papyrus. The side- and back parts can be opened by a zip-fastener.	59030.06
2	Windows in cabrio front	59030.90
2	Cabrio divided by zipper	59030.91
2	Cover for entrance door including sliding hatch Sunbrella Marine steel Grey	59080.04
2	Cover for teak entrance door including sliding hatch Sunbrella Marine Beige Papyrus.	59080.07
2	Cover for steering console Sunbrella Marine Beige Papyrus.	59130.07
2	Sun cover around saloon windows finished in screen cloth (excluding entrance door/window) incl. mounting, colour beige	59200.11
2	Sun cover around saloon windows finished in screen cloth (excluding entrance door/window) incl. mounting, colour white	59200.12

Page

9

#### **Linssen Yachts Option list**

#### Linssen 35 SL AC

Description **Phase Item** 6 COMMISSIONING & HAND OVER **6.1 TRANSPORT/WINTER STORAGE** 61010.01 Cradle (completely coated) 2 61010.03 Making boat ready for transport incl. craning 61010.06 Compile documents for export and obtain a temporary residence permit 2 of up to 18 months in the EU. (Only possible for residents from outside the EU) Pack 1 Comfort package 1 12020.02 Polished stainless steel hinged side ladder integrated into deck rail (Port and Starboard) 22020.01 Original LINSSEN teak deck on aft deck and steps on transom 31050.03 12V. sternthruster 55 kgf (3 kW / 4 HP) 31067.01 Remote control for bow (and stern) thruster 35040.01 Ships name on bow and stern. Port of Registry and Registration number on stern in colour RAL7022. Bow letter type; P22 Lucilee Pro Regular. Stern letter type; Handel Gothic D medium. 35090.02 Electric anchor winch 1200W/12V, fitted with integrated stainless steel anchor rollers and anchor hawse with 30m. 8 mm. anchor chain according DIN766A15 and 15 Kg. Bruce-anchor (Control by means of cable control). 53130.02 Electric toilet in forward cabin, with fresh water rinsing 53140.02 Electrical toilet in the aft cabin, with fresh water rinsing 57011.06 Cushions for steel deck-boxes including cusion for teak joint in Maglia Uyuni 58080.01 8 hooks at various positions in the yacht. Positions to be determined during the hand over. Fitted during the 25-hours inspection. 59030.04 Cabrio closed model over the complete aft deck, Sunbrella Marine steel Grey The side and back panels can be opened by a zip-fastener Ventilation Pack 2 1 13290.01 Heating (blower) at steering position (4 kW), connected to the engine 55090.01 Rain protection covers and mosquito screens for the forward cabin port-holes (4x) 55110.01 Rain protection covers and mosquito screens for the aft cabin port-holes (4x) 55130.01 Combined blind/mosquito screen for panorama/escape hatch in forward

cabin deck-head

Page

10

#### **Linssen Yachts Option list**

#### Linssen 35 SL AC

Description **Phase Item** Pack 5 Media package 1 54200.01 Primary TV connection at saloon Port TV cupboard, incl. extra 230V. socket 54250.01 Glomex TV-antenna on mast, suitable for analogue & digital reception. Suitable for DVBT-T2 network. 54400.01 24" (60cm) LED TV with integrated DVB-T & DVB-S tuner incl. DVD including manual TV-lift solution in saloon on Port side Pack Safety 1 34190.09 Raymarine Ray90 VHF with Class D "Digital Selective Calling" (DSC) at steering position including antenna in Mast 34943.04 AIS 700 transponder/receiver (Automatic Identification System) integrated on radar/chartplotter display. Attention: MMSI-number required. Attention: Only in combination with VHF installation 37020.50 Extend windscreen wiper installation with synchronous and 3 step interval function. In the interval mode, the wipers run synchronously and are self-parking. 51800.01 Stainless steel high gloss banister at saloon entrance stairs Pack Atmosphere/lighting package 1 51070.11 Luxurious LED reading lights (2x) in the aft cabin 51080.11 Luxurious LED reading lights (2x) in the front cabin 51100.01 Attractive indirect lighting in saloon Pack 9 Power package 1 33082.02 Domestic: 12V. with 2 maintenance free GEL batterie 166 Ah each. (total 2x 166 Ah domestic batteries) 33271.02 Automatic battery charger/inverter type Victron Multiplus Compact 12/1600-70 (70A/1600W.) with remote control panel. Peak power 3000 W. 51400.11 USB socket in steering position outside, saloon, FC and AC for charging mobil equipment. 51640.01 230 V. socket in the galley 51665.01 230 V. socket in the saloon (Stbd aft) 51670.01 230 V. socket in aft cabin 51700.11 230 V. socket at steering position, SB side splash resistant Pack 10 **Essentials** 1 12020.02 Polished stainless steel hinged side ladder integrated into deck rail (Port and Starboard) 31050.03 12V. sternthruster 55 kgf (3 kW / 4 HP) 33082.02 Domestic: 12V. with 2 maintenance free GEL batterie 166 Ah each. (total 2x 166 Ah domestic batteries) 33271.02 Automatic battery charger/inverter type Victron Multiplus Compact 12/1600-70 (70A/1600W.) with remote control panel. Peak power 3000 W. 35090.02 Electric anchor winch 1200W/12V, fitted with integrated stainless steel anchor rollers and anchor hawse with 30m. 8 mm. anchor chain

according DIN766A15 and 15 Kg. Bruce-anchor (Control by means of

Page

11

# **Linssen Yachts Option list**

#### Linssen 35 SL AC

em	Descri	ption	Phase
		cable control).	
	51070.11	Luxurious LED reading lights (2x) in the aft cabin	
	51080.11	Luxurious LED reading lights (2x) in the front cabin	
	51100.01	Attractive indirect lighting in saloon	
	53010.90	Full-length mirror in the FC toilet compartment at entrance door to the front cabin	
	53130.02	Electric toilet in forward cabin, with fresh water rinsing	
	55020.01	Mosquito screen in forward hinged saloon window, Port side	
	55110.01	Rain protection covers and mosquito screens for the aft cabin port-holes (4x)	
	55130.01	Combined blind/mosquito screen for panorama/escape hatch in forward	

cabin deck-head