

LinsSEN Yachts Option list

LinsSEN 55 SL AC Variotop®

Date:- 7-3-2025

Page 1

Item	Description	Phase
------	-------------	-------

BASIC DATA

42001.02	Saloon, layout 2, finished in HPL.	2
	Only in combination with position(s):	
	42032.03 Electric adjustable saloon table	
	42092.22 Galley worktop L-shape variant 2	
	52020.03 Waste bucket in galley	
	52170.03 Extractor hood 230V	
	54400.05 LCD TV 43" in saloon	
	54500.05 Electric tv lift	
	56041.30 U-shaped saloon settee 2	

1. HULL

1.1 EXTERIOR

11065.50	Longtop extension Variotop (LEV). Fixed aluminum longtop over aft deck mounted to parking frame. This prevents the parking frame from folding.	1
----------	--	---

1.2 STAINLESS STEEL

12060.02	Original LinsSEN polished stainless steel bow ladder, 2-pieces, with seagoing lock securing at the front deck.	2
12055.15	2x Original LinsSEN Design stainless steel cleats aft from side entrance.	1
12071.01	Stainless steel protection set at side railing entrances (3x)	2

1.3 TECHNICAL

13260.01	2 x electrical mooring winches at aft deck bollards. Operation by means of deck switches	1
----------	--	---

2. COATING

2.1 COATING & DECK FINISH

21090.26	Original LinsSEN SL colour scheme "Haven Grey":	1
	Hull : Haven Grey	
	Superstructure : Egg Shell White	
	Waterline : SL bow-up design, Egg Shell White	
	Antifouling : Black	
	Rope fender : Black	
	Variotop : Sonneland Carmat Jive	
	Glass windows saloon, wheelhouse : "Smoke Grey" tinted	
21090.27	Original LinsSEN SL colour scheme "Cove Green":	1
	Hull : Cove Green	
	Superstructure : Egg Shell White	
	Waterline : SL bow-up design, Egg Shell White	
	Antifouling : Black	
	Rope fender : Black	

Item	Description	Phase
21090.28	Variotop : Sonneland Carmat Jive Glass windows saloon, wheelhouse : "Smoke Grey" tinted Original Linssen SL colour scheme "Fjord Blue": Hull : Fjord Blue Superstructure : Egg Shell White Waterline : SL bow-up design, Egg Shell White Antifouling : Black Rope fender : Black Variotop : Sonneland Carmat Jive Glass windows saloon, wheelhouse : "Smoke Grey" tinted	1
21090.36	Original Linssen SL colour scheme "Mahogany Red": Hull : Mahogany Red Superstructure : Egg Shell White Waterline : SL bow-up design, Egg Shell White Antifouling : Black Rope fender : Black Canvas color : Sunbrella Marine Beige Papyrus Glass windows saloon, windscreen, ventilation : "Smoke Grey" tinted Ships name, Port of Registry and Registration n: In colour of the waterline (White)	1

2.2 TEAK DECKS

22050.01	Original LINSSEN teak deck on cabin deck	1
----------	--	---

3. ENGINE COMPARTMENT

3.1 TECHNICAL

31130.04	Stabilization system (electric) to prevent rolling. Completely retractable. System is maintenance free and has CANbus electronic control with "three term controller" (rolling angle, rolling speed and gear). The digital display has a simple control (park/stabilize) and indication rotor position. Gearboxes of the engines are connected to control system to that the rotors automatically go to park position when stationary or go astern.	1
31200.05	Double fuel filter with switch (twin)	2
31230.11	Replace the manual shut-off valves in the hull bottom by electric shut-off valves.	2
31230.22	Electrically operated valve for air conditioning intake	2
31230.23	Electrically operated valve 1" for water maker	2
31307.11	Radiator in front cabin shower compartment. Thermostatically controlled.	2
31501.00	Provisions for airco consists of: - Fitting of cooling pipes incl. fuel tank distributor - Fitting of power cable chiller + air handlers - Installation of air ducts, outlets and hoses for air intake/supply in interior (Incl. 3-way valve for guest cabin)	2

Item	Description	Phase
31501.01	<p>Chiller air conditioning in the whole ship through compressor with variable speed and inverter technology, no starting current and low noise, with total capacity from 50.000 BTU.</p> <p>Including additional second 230V. /16Amp shore power connection with shore power cable (25 meters).</p> <p>50% from the cooling capacity is available through 16Amp shore power connection (Eco 1 and 2 position). Total Full cooling capacity over generator.</p> <p>Only in combination with position(s): 31501.00 Provisions for airco</p>	1
3.2 ON-BOARD WATER SYSTEMS		
32020.10	Shore connection for water, City-/Water-connection	1
32030.03	Schenker ZEN 50 12V Watermaker including control panel. Capacity 50 ltr/hour.	2
32030.10	Aquonic watermaker for inland waterways, freshwater. Capacity 60-120 ltr/h, depending on outdoor water quality. A drinking water system with a seven-stage purification process operating fully automatically.	2
32080.20	Fully automated biological blackwater treatment installation using micro-organisms. No unpleasant odours; no use of chemicals that are harmful to the environment. Bacterial strains remove the waste products from the residual water. After treatment, the purified water is pumped out through a sediment filter and a UV filter below the water line. The water to be discharged is free of residues and bacteria. The ENTERON system has type approval in accordance with IMO/MARPOL standards and is compliant in all of the 175 IMO (except the Netherlands) member states that maintain this standard for the discharge of black water.	1
32100.01	All grey water outlets (sinks and shower-drainage, including aft cabin) connected to holding tank. Including washing machine if chosen.	2
3.3 ELECTRICAL & ELECTRONICS		
33140.20	1 additional Lithium Iron Phosphate (LFP) domestic battery 200 Ah. incl. complete cabling and assembly	2
3.4.3 VIEW PACKAGES		
3.4.3.1 Rear view		
34145.11	1x Raymarine IP day & night net dome video camera on transom for rear view with readout on multifunctional Raymarine display	1
3.4.3.2 Mooring view		
34145.12	2x Raymarine IP day & night net dome video cameras with readout on multifunctional Raymarine display: - 1x SB and 1x Port on the hull for mooring view	1
34145.15	1x Raymarine IP day & night net dome video camera on bow for front view with readout on multifunctional Raymarine display	2

Item	Description	Phase
3.4.3.3 Night view		
34800.01	Flir M232 Thermic IP camera (320 x 240, 9Hz) with Pan & Tilt and electronic zoom fitted in the mast with read out on multifunctional Raymarine display. The FLIR camera makes the air draft 30 cm higher because of its placement in the mast top.	2
3.4.3.4 Technology view		
34145.13	2x Raymarine AX8 thermal and visible light camera in engine compartment for temperature measurement with readout on multifunctional Raymarine display	2
34142.31	Read out engine functions on multifunctional display Raymarine.	3
3.4.3.5 Underwater view		
34170.23	Raymarine RV320 transducer with 3D Downvision Port + SB integrated on multifunctional display Raymarine	1
34145.20	Raymarine ClearCruise AR (live navigation objects with AIS identification) on Axiom multifunction display.	2
3.4.4 REMOTE PACKAGES		
31067.01	Remote control for bow (and stern) thruster	3
31088.20	Hydronautica RMC remote control for engine(s), bow and stern thruster.	2
34110.13	Raymarine Smart Controller wireless autopilot remote control	3
3.4.5 COMMUNICATION PACKAGES		
34190.10	Extra wireless handset VHF incl. charging station	2
34200.10	Communication tool for 2 persons by means of 2 walkie-talkies with headset	3
3.4.6 OTHER NAVIGATION INSTRUMENTS		
34100.00	Magnet compass not possible. Due to the steel boats it is not possible to calibrate, so deviation and not usable.	2
34160.05	Raymarine Quantum 2 (Doppler) CHIRP radar antenna, on the mast	2
34120.23	"Wind Vane" wind transducer for wind direction and wind speed. Read out on Axiom displays.	2
34180.00	Weatherfax not possible. Cannot be tested at the Maasbracht location.	2
3.5 EXTERIOR EQUIPMENT HULL		
35010.01	Magnesium anodes (for fresh water)	1
35011.02	Zinc anodes (for salt water)	2
35110.03	Wireless windlass control and chain counter	2
35120.13	High gloss polished stainless steel Bruce-anchor 30 kg. AISI-316	2
35140.15	100 m. 10 mm. stainless steel anchor chain	2
35200.01	Anchor chain rinsing system with open water	2
3.6 LINSSEN YACHTS TENDER SOLUTIONS		

Item	Description	Phase
36021.01	Hydraulic passerelle fitted in the special integrated parkniche in the stern. Finished in high-gloss polished 316 stainless steel, extending until 3000mm, incl. automatic stanchion and teak grating. Control via remote control.	2
36080.10	Tender Williams 285 Turbojet (80HP), see fixed mounted on aluminium demountable supports on bathing platform, incl.: - Tubes as per hull colour (Off White, Dark Grey or Ocean Blue) - Upholstery: Vinyl White - Hull, deck and steering console: Off White - Cover (Color as per canvas colour boat) - Ship name on floats ('TT (name)') - Battery charger - Teak on walking surface - Ready to use incl. fuel, lines and fenders	2
36080.12	Tender Williams 325 Turbojet (80HP), see fixed mounted on aluminium demountable supports on bathing platform, incl.: - Tubes as per hull colour (Off White, Dark Grey or Ocean Blue) - Upholstery: Vinyl White - Hull, deck and steering console: Off White - Cover (Color as per canvas colour boat) - Ship name on floats ('TT (name)') - Battery charger - Teak on walking surface - Ready to use incl. fuel, lines and fenders	2
3.7 EXTERIOR EQUIPMENT SUPERSTRUCTURE		
37130.01	Deck lighting with 2 lights at mast	2
37140.05	Automatic searchlight with stainless steel housing on saloon deck, with control at the steering position	2
37140.06	Automatic searchlight with stainless steel housing in the mast, with control at the steering position	2
37170.12	Set of fender baskets to aft deck: Double Port & SB ø300 mm, foldable	3
37170.14	Set of fender baskets to fore deck: Double Port & SB ø300 mm, foldable	3
37230.90	Teak table with luxurious high gloss painting in 8 layers	1
37230.91	Teak table with luxurious satin gloss painting in 3 layers	1
37271.02	Solid teak entrance door, varnished	2
37300.01	Gas grill on aft deck, mounted on railing SB, including loose gas bottle by shortcut	1
3.8 WINDOWS		
38041.39	Front hinged window Starboard side with grey tinted glass in the saloon, can be opened and closed electrically. With grey thermal insulated profile (Thermic Line). Incl. mosquito screen, fitted on the outside with magnets	1

Item	Description	Phase
4. INTERIOR		
GENERAL		
40020.01	Interior constructed of high-end okoumé panelling with cherry veneer	2
40030.10	Deck-head lining in elegant vinyl finish panels	3
40040.01	Original Linssen maintenance friendly ship's floor, wengé color.	2
4.1 AFT CABIN		
41021.91	Electric adjustable slatted base in the aft cabin. Finished in 2 parts, adjustable at the head and at the foot.	2
41142.02	?	2
4.2 SALOON & GALLEY		
42032.01	A high electrically pocketable coffee table with large table top. Table can be used as a dining table and with supplied filling mattress as bed	2
42037.02	Saloon and dinette table without flush leather panels	2
42072.01	Dinette vis à vis model with longitudinally adjustable dinette table and 1 integrated drawer.	2
42073.02	Electrically lowerable vis-à-vis dinette table. Table can be used as a dining table and with included filling mattress as a bed.	2
42073.03	Electrically lowerable dinette table for L-shaped dinette settee. Table can be used as a dining table and with included filling mattress as a bed.	2
42112.02	?	2
42201.90	Solid wooden handrail fitted on saloon ceiling	2
4.3.1 FRONT CABIN AND GUEST CABIN		
43102.02	Mid-cabin layout: - Deletion of bed on SB side - Deletion of reading light on SB side - On SB side under lowered section an additional cupboard with shelf.	2
4.4 WHEELHOUSE		
44091.20	Removable leather-covered armrest to the right of the steering bench on the radiator grid in the wheelhouse.	2
5. FINISH		
5.1 LIGHTING & SOCKETS		
51061.07	LED lighting in wheelhouse switchable from warm white to red light for night navigation. Lighting can be switched with wall switch and at light point.	2
51601.02	230 V. sockets in the FC (2x), guest cabin (1x), toilet FC (1x), dinette (1x), saloon (2x), galley (1x double), toilet AC (1x), AC (3x), dressing table AC (1x) and in the wheelhouse (2x) in English version	2

Item	Description	Phase
51601.03	230 V. sockets in the FC (2x), guest cabin (1x), toilet FC (1x), dinette (1x), saloon (2x), galley (1x double), toilet AC (1x), AC (3x), dressing table AC (1x) and in the wheelhouse (2x) in Swiss version	2
51640.02	English 1x double 230 V. socket in the galley	2
51640.03	Additional Swiss 1x double 230 V. socket in the galley	2
51670.02	230 V. socket in aft cabin (Port-side), English version	2
51670.03	Additional 230 V. socket in aft cabin (Port-side), Swiss version	2
5.2 GALLEY		
52012.01	Coffee Corner in saloon with Siemens espresso machine on extendable furniture in saloon cabinet. Complete with cups and saucers.	2
52050.01	45 l. refrigerator with freezer compartment in the wheelhouse wet-bar	2
52050.03	110 Ltr. refrigerator port side in saloon	2
52062.11	Cooling tray, 30 ltr, built-in rear settee in the aft cabin including extra tray for wine bottles and glass set (2x shot, 2x wine, 2x longdrink, 2x whiskey)	2
52065.01	Freezer in walk way to aft cabin, 63 ltr.	2
52070.02	Icemaker in saloon, cap. 18 kg. per day, connected to board water system	2
52076.01	Wine climate closet with glass door in walkway to aft cabin, cap. 24 wine bottles	2
52170.03	Extractor hood (230V). Incl. 2x light points above hob integrated in wooden pillar incl. carbon filter	3
53020.02	Mixer tap in galley equipped with dish-shower, Hansgrohe Talis M51	3
5.3 SANITARY FITTINGS		
53010.90	Full-length mirror in head front cabin door to FC	3
53015.91	Full-length mirror in the AC at the entrance door to saloon	3
53130.04	Electric toilet in the forward cabin with onboard water flush. The toilet is equipped with a bidet function. The toilet seat can be heated and is equipped with a personal adjustable spray function and dryer. Operation via wall panel and remote control.	2
53140.04	Electric toilet in the aft cabin with onboard water flush. The toilet is equipped with a bidet function. The toilet seat can be heated and is equipped with a personal adjustable spray function and dryer. Operation via wall panel and remote control.	2
5.4 AUDIO / VIDEO / INTERNET		
54010.50	DAB+ radio module and antenna in the mast for digital radio	2
54230.01	Supplementary TV connection in front cabin, incl. extra 230V. socket	3
54232.01	Supplementary TV connection in guest cabin, incl. extra 230V. socket	3
54421.01	24" (60cm) LED tv with integrated DVB-T & DVB-S tuner and DVD/CD player in front cabin	2
54426.01	24" (60cm) LED tv with integrated DVB-T & DVB-S tuner in guest cabin	2

Item	Description	Phase
54900.06	Teltonika 5G LTE router with Wifi Access Point and antenne.	2
55156.01	Mosquito screen for passage from saloon to wheelhouse, mounted with push buttons.	3
5.6 INTERIOR UPHOLSTERY		
56025.01	Removable right armrest for dinette settee	2
56025.02	Removable left armrest for dinettebank.	2
56041.30	?	3
56161.02	Mattress 2x single person in guest cabin type 7-zone 14 cm.	3
56301.02	Plissé blinding in front cabin, electrically operated. Head and guest cabin manually operated.	2
56321.02	Plissé blinding in saloon, can be operated separately by radio for port, starboard and front.	2
56331.02	Plissé blinds in aft cabin, electric operated. Head manually operated.	2
56341.03	Plissé blinds in the wheelhouse. Front and side windows separately radio controlled (Port, SB and front), aft manual.	2
56401.13	Interior package consisting of bed linen with 3 accent sticksel for the entire ship Only in combination with position(s): 56401.15 Interior package duvets and pilows	3
56401.14	Interior package consisting of bed linen with grey accent for the entire ship Only in combination with position(s): 56401.15 Interior package duvets and pilows	3
56401.15	Interior duvets and pillows set	3
5.8 EQUIPMENT		
58005.21	Reserve propeller set, seafixed stored	2
58022.02	2x ball fender Ø65cm black with rope	3
58026.01	Life raft (6-pers.) in container type Transocean (ISO 9650-1), fitted in stainless steel support on stern	3
58060.01	230V vacuum cleaning installation with a vacuum cleaner integrated in the saloon settee and connection for the hose. Equipped with thermal protection and softstart for inverter use. Delivery including extendable hose (from 1,5 to 9 m.), luxury brushes and 3 vacuum bags	2
58060.02	230V vacuum cleaning installation with a vacuum cleaner integrated in the front cabin and connection for the hose. Equipped with thermal protection and softstart for inverter use. Delivery including extendable hose (from 1,5 to 9 m.), luxury brushes and 3 vacuum bags	2
58060.03	230V vacuum cleaning installation with a vacuum cleaner integrated in the aft cabin and connection for the hose. Equipped with thermal protection and softstart for inverter use. Delivery including extendable hose (from 1,5 to 9 m.), luxury brushes and 3 vacuum bags	2

Item	Description	Phase
58080.01	8 hooks at various positions in the yacht. Positions to be determined during the hand over. Fitted during the 25-hours inspection.	3
58990.00	Alarm installation not possible. System cannot be supported in the long(er) term.	3
5.9 CANVAS & COVERS		
59020.15	Cockpit canvas around longtop against parking frame, colour light grey (Cadet Grey). The side and back panels can be opened seperately by a zip-fastener	3
59030.04	Closed covering over the aft deck (width deck boxes) Sunbrella Titanium Grey. The side and back panels can be opened by a zip-fastener	3
59030.05	Closed covering over the aft deck fitted to standard cabrio (Sunbrella Cadet Grey). The side and back panels can be opened by a zip-fastener	3
59050.05	Attachable bimini top to Variotop parking frame. Includes cover and triangular brace so that when folded, the bimini top (wrapped in cover) remains upright. Sunbrella Cadet Grey.	3
59160.05	Cover for Variotop® canvas (Sunbrella Cadet Grey)	3
59190.05	Cover for entrance wheelhouse doors (Subrella Cadet Grey).	3
59115.05	Cover for U-shaped deck-boxes to aft deck, (Sunbrella Cadet Grey).	3
59120.05	Cover for teak outside table (Sunbrella Cadet Grey)	3
59220.12	Sun cover, semi-transparent, around wheelhouse complete (without rear panel), incl. mounting colour white.	3
59200.12	Sun cover around saloon windows finished in screen cloth (excluding entrance door/window) incl. mounting, colour white	3
6. COMMISSIONING & HAND OVER		
61010.03	Making boat ready for transport incl. craning	
61010.06	Compile documents for export and obtain a temporary residence permit of up to 18 months in the EU. (Only possible for residents from outside the EU)	3
61015.01	Boat shrink-wrapped in plastic for transport	3
Pack 1	Comfort package	2
31088.20	Hydronautica RMC remote control for engine(s), bow and stern thruster.	
31307.11	Radiator in front cabin shower compartment. Thermostatically controlled.	
36021.01	Hydraulic passerelle fitted in the special integrated parkniche in the stern. Finished in high-gloss polished 316 stainless steel, extending until 3000mm, incl. automatic stanchion and teak grating. Control via remote control.	

Item	Description	Phase
Pack 2	Ventilation package	1
31501.00	Provisions for airco consists of: <ul style="list-style-type: none"> - Fitting of cooling pipes incl. fuel tank distributor - Fitting of power cable chiller + air handlers - Installation of air ducts, outlets and hoses for air intake/supply in interior (Incl. 3-way valve for guest cabin) 	
31501.01	Chiller air conditioning in the whole ship through compressor with variable speed and inverter technology, no starting current and low noise, with total capacity from 50.000 BTU. Including additional second 230V. /16Amp shore power connection with shore power cable (25 meters). 50% from the cooling capacity is available through 16Amp shore power connection (Eco 1 and 2 position). Total Full cooling capacity over generator.	
38041.39	Front hinged window Starboard side with grey tinted glass in the saloon, can be opened and closed electrically. With grey thermal insulated profile (Thermic Line). Incl. mosquito screen, fitted on the outside with magnets	
Pack 3	Le Chef package	2
52050.01	45 l. refrigerator with freezer compartment in the wheelhouse wet-bar	
52065.01	Freezer in walk way to aft cabin, 63 ltr.	
52070.02	Icemaker in saloon, cap. 18 kg. per day, connected to board water system	
52076.01	Wine climate closet with glass door in walkway to aft cabin, cap. 24 wine bottles	
Pack 4	Blue water package	1
31130.04	Stabilization system (electric) to prevent rolling. Completely retractable. System is maintenance free and has CANbus electronic control with "three term controller" (rolling angle, rolling speed and gear). The digital display has a simple control (park/stabilize) and indication rotor position. Gearboxes of the engines are connected to control system to that the rotors automatically go to park position when stationary or go astern.	
32030.03	Schenker ZEN 50 12V Watermaker including control panel. Capacity 50 ltr/hour.	
34110.13	Raymarine Smart Controller wireless autopilot remote control	
34120.23	"Wind Vane" wind transducer for wind direction and wind speed. Read out on Axiom displays.	
34160.05	Raymarine Quantum 2 (Doppler) CHIRP radar antenna, on the mast	
51061.07	LED lighting in wheelhouse switchable from warm white to red light for night navigation. Lighting can be switched with wall switch and at light point.	
58026.01	Life raft (6-pers.) in container type Transocean (ISO 9650-1), fitted in stainless steel support on stern	

Item	Description	Phase
Pack 5	Media package	2
54010.50	DAB+ radio module and antenna in the mast for digital radio	
54230.01	Supplementary TV connection in front cabin, incl. extra 230V. socket	
54421.01	24" (60cm) LED tv with integrated DVB-T & DVB-S tuner and DVD/CD player in front cabin	
Pack 6	Safety package	1
31200.05	Double fuel filter with switch (twin)	
34145.11	1x Raymarine IP day & night net dome video camera on transom for rear view with readout on multifunctional Raymarine display	
34145.12	2x Raymarine IP day & night net dome video cameras with readout on multifunctional Raymarine display: - 1x SB and 1x Port on the hull for mooring view	
42201.90	Solid wooden handrail fitted on saloon ceiling	
Pack 7	Luxury package	1
13260.01	2 x electrical mooring winches at aft deck bollards. Operation by means of deck switches	
22050.01	Original LINSSEN teak deck on cabin deck	
31230.11	Replace the manual shut-off valves in the hull bottom by electric shut-off valves.	
35120.13	High gloss polished stainless steel Bruce-anchor 30 kg. AISI-316	
56321.02	Plissé blinding in saloon, can be operated separately by radio for port, starboard and front.	
56341.03	Plissé blinds in the wheelhouse. Front and side windows separately radio controlled (Port, SB and front), aft manual.	
Pack 8	Atmosphere/lighting package	2
37130.01	Deck lighting with 2 lights at mast	
37140.06	Automatic searchlight with stainless steel housing in the mast, with control at the steering position	