

Linssen Grand Sturdy 550 AC Variotop®

Date-: 7-3-2025		Page 1
ltem	Description	Phase
BASIC E	DATA	
42001.	.02 Saloon, layout 2, finished in HPL. Only in combination with position(s): 42032.03 Electric adjustable saloon table 42092.22 Galley worktop L-shape variant 2 52020.03 Waste bucket in galley 52170.03 Extractor hood 230V 54400.05 LCD TV 43" in saloon 54500.05 Electric tv lift 56041.30 U-shaped saloon settee 2	2
1. HULL		
1.1 E	EXTERIOR	
11065.	.50 Longtop extension Variotop (LEV). Fixed aluminum longtop over aft deck mounted to parking frame. This prevents the parking frame from folding.	1
1.2 \$	STAINLESS STEEL	
12060.	.02 Original Linssen polished stainless steel bow ladder, 2-pieces, with seagoing lock securing at the front deck.	2
12055.	.15 2x Original Linssen Design stainless steel cleats aft from side entrance.	1
12071.	.01 Stainless steel protection set at side railing entrances (3x)	2
1.3 1	FECHNICAL	
13260.	.01 2 x electrical mooring winches at aft deck bollards. Operation by means of deck switches	1
2. COA1	ſING	
2.1 (COATING & DECK FINISH	
21090.	.10Original Linssen Modern White colour scheme: Superstructure and hull: Egg Shell WhiteWaterline: BlackAntifouling: BlackRope fender: BlackVariotop: Sonnenland TitangrauGlass windows saloon, wheelhouse: "Smoke Grey" tinted	1
21090.		1

Linssen Yachts Option list

Linssen Grand Sturdy 550 AC Variotop®

Page 2

1		Original Linssen Dark Grey colour scheme	21090.15
	: Dark Grey	Hull	
	: Egg Shell White	Superstructure	
	: Egg Shell White	Waterline	
	: Black	Antifouling	
	: Black	Rope fender	
	: Sonnenland Titangrau	Variotop	
	: "Smoke Grey" tinted	Glass windows saloon, wheelhouse	
1		Original Linssen colour scheme:	21090.20
	: Dark Green	Hull	
	: Sand Beige	Superstructure	
	: Sand beige	Waterline	
	: Black	Antifouling	
	: Beige	Rope fender	
	: Beige	Cabrio canvas	
	: "summer green" tinted	Glass windows saloon, wheelhouse	
1	v	Original Linssen Midnight Blue colour sch	21090.23
1	: Midnight Blue	Hull	21090.23
	: Egg Shell White	Superstructure	
	: Egg Shell White	Waterline	
	: Black	Antifouling	
		-	
	: Beige : Sonnenland Blue	Rope fender	
		Variotop	
	: "Smoke grey" tinted	Glass windows saloon, wheelhouse	
1		Original Linssen Classic White colour sch	21090.24
	: Egg Shell White	Superstructure and hull	
	: Dark Green	Waterline	
	: Black	Antifouling	
	: Beige	Rope fender	
	: Sonnenland Java	Variotop	
	: "summer green" tinted	Glass windows saloon, wheelhouse	
1	1:	Original Linssen colour scheme Olive Gre	21090.31
	: Olive Green	Hull	
	: Sand Beige	Superstructure	
	: Sand Beige	Waterline	
	: Black	Antifouling	
	: Beige	Rope fender	
	: Sonneland Java	Cabriolet canvas	
	: "Summer Green" tinted	Glass windows saloon, wheelhouse	

2.2 TEAK DECKS

22050.01 Original LINSSEN teak deck on cabin deck

1

Linssen Ya	chts O	ption	list
------------	--------	-------	------

Linssen Grand Sturdy 550 AC Variotop®

Item	Description	Phase
3. ENGIN	IE COMPARTMENT	
3.1 TE	CHNICAL	
31130.0	4 Stabilization system (electric) to prevent rolling. Completely rectractable. System is maintance free and has CANbus electronic control with "three term controller" (rolling angle, rolling speed and gear). The digital display has a simple control (park/stabilize) and indication rotor position. Gearboxes of the engines are connected to control system to that the rotors automatically go to park position when stationary or go astern.	1
31200.0	5 Double fuel filter with switch (twin)	2
31230.1	1 Replace the manual shut-off valves in the hull bottom by electric shut-off valves.	2
31230.2	2 Electrically operated valve for air conditioning intake	2
31230.2	3 Electrically operated valve 1" for water maker	2
31307.1	1 Radiator in front cabin shower compartment. Thermostatically controlled.	2
31501.0	 Provisions for airco consists of: Fitting of cooling pipes incl. fuel tank distributor Fitting of power cable chiller + air handlers Installation of air ducts, outlets and hoses for air intake/supply in interior (Incl. 3-way valve for guest cabin) 	2
31501.0	 Chiller air conditioning in the whole ship through compressor with variable speed and inverter technology, no starting current and low noise, with total capacity from 50.000 BTU. Including additional second 230V. /16Amp shore power connection with shore power cable (25 meters). 50% from the cooling capacity is available through 16Amp shore power connection (Eco 1 and 2 position). Total Full cooling capacity over generator. Only in combination with position(s): 31501.00 Provisions for airco 	1
	N-BOARD WATER SYSTEMS	
32020.1 32030.0	Schenker ZEN 50 12V Watermaker including control panel. Capacity 50	1 2
32080.2	 ltr/hour. Fully automated biological blackwater treatment installation using micro-organisms. No unpleasant odours; no use of chemicals that are harmful to the environment. Bacterial strains remove the waste products from the residual water. After treatment, the purified water is pumped out through a sediment filter and a UV filter below the water line. The water to be discharged is free of residues and bacteria. The ENTERON system has type approval in accordance with IMO/MARPOL standards and is compliant in all of the 175 IMO (except the Netherlands) member states that maintain this standard for the discharge of black water. 	1

4

Page

Linssen Yachts Option list

Linssen Grand Sturdy 550 AC Variotop[®]

Item	Description	Phase
32100.0	All grey water outlets (sinks and shower-drainage, including aft cabin) connected to holding tank. Including washing machine if chosen.	2
3.3 EL	ECTRICAL & ELECTRONICS	
33140.2	1 additional Lithium Iron Phosphate (LFP) domestic battery 200 Ah. incl. complete cabling and assembly	2
3.4.3	/IEW PACKAGES	
3.4.3.	L Rear view	
34145.1	1 1x Raymarine IP day & night net dome video camera on transom for rear view with readout on multifunctional Raymarine display	1
3.4.3.	2 Mooring view	
34145.1	 2x Raymarine IP day & night net dome video cameras with readout on multifunctional Raymarine display: - 1x SB and 1x Port on the hull for mooring view 	1
34145.1	5 1x Raymarine IP day & night net dome video camera on bow for front view with readout on multifunctional Raymarine display	2
3.4.3.	3 Night view	
34800.0	Flir M232 Thermic IP camera (320 x 240, 9Hz) with Pan & Tilt and electronic zoom fitted in the mast with read out on multifunctional Raymarine display. The FLIR camera makes the air draft 30 cm higher because of its placement in the mast top.	2
3.4.3.	4 Technology view	
34145.1	3 2x Raymarine AX8 thermal and visible light camera in engine compartment for temperature measurement with readout on multifunctional Raymarine display	2
34142.3	1 Read out engine functions on multifunctional display Raymarine.	3
3.4.3.	5 Underwater view	
34170.2	8 Raymarine RV320 transducer with 3D Downvision Port + SB integrated on multifunctional display Raymarine	1
34145.2	D Raymarine ClearCruise AR (live navigation objects with AIS identification) on Axiom multifunction display.	2
3.4.4	REMOTE PACKAGES	
31067.0	1 Remote control for bow (and stern) thruster	3
31088.2		2
34110.1	3 Raymarine Smart Controller wireless autopilot remote control	3
3.4.5	COMMUNICATION PACKAGES	
34190.1	6 6	2
34200.1	Communication tool for 2 persons by means of 2 walkie-talkies with headset	3

7 March 2025

Linssen Grand Sturdy 550 AC Variotop®

ltem	Description	Phase
3.4.6	OTHER NAVIGATION INSTRUMENTS	
34100.0	0 Magnet compass not possible. Due to the steel boats it is not possible to calibrate, so deviation and not usable.	2
34160.0	5 Raymarine Quantum 2 (Doppler) CHIRP radar antenna, on the mast	2
34120.2	3 "Wind Vane" wind transducer for wind direction and wind speed. Read out on Axiom displays.	2
34180.0	0 Weatherfax not possible. Cannot be tested at the Maasbracht location.	2
3.5 E)	(TERIOR EQUIPMENT HULL	
35010.0	1 Magnesium anodes (for fresh water)	1
35011.0	2 Zinc anodes (for salt water)	2
35110.0	3 Wireless windlass control and chain counter	2
35120.1	3 High gloss polished stainless steel Bruce-anchor 30 kg. AISI-316	2
35140.1	5 100 m. 10 mm. stainless steel anchor chain	2
35200.0	1 Anchor chain rinsing system with open water	2
3.6 LI	NSSEN YACHTS TENDER SOLUTIONS	
36021.0	 Hydraulic passerelle fitted in the special integrated parkniche in the stern. Finished in high-gloss polished 316 stainless steel, extending until 3000mm, incl. automatic stanchion and teak grating. Control via remote control. 	2
36080.1 36080.1	 demountable supports on bathing platform, incl.: Tubes as per hull colour (Off White, Dark Grey or Ocean Blue) Upholstery: Vinyl White Hull, deck and steering console: Off White Cover (Color as per convas colour boat) Ship name on floats ('TT (name)') Battery charger Teak on walking surface Ready to use incl. fuel, lines and fenders 2 Tender Williams 325 Turbojet (80HP), see fixed mounted on aluminium demountable supports on bathing platform, incl.: Tubes as per hull colour (Off White, Dark Grey or Ocean Blue) Upholstery: Vinyl White Hull, deck and steering console: Off White Cover (Color as per convas colour boat) Ship name on floats ('TT (name)') 	2
3.7 E) 37130.0 37140.0		2 2

Linssen Grand Sturdy 550 AC Variotop[®]

ltem	Description	Phase
37140.06	Automatic searchlight with stainless steel housing in the mast, with control at the steering position	2
37170.12	Set of fender baskets to aft deck: Double Port & SB ø300 mm, foldable	3
37170.14	Set of fender baskets to fore deck: Double Port & SB ø300 mm, foldable	3
37230.90	Teak table with luxurious high gloss painting in 8 layers	1
37230.91	Teak table with luxurious satin gloss painting in 3 layers	1
37271.02	Solid teak entrance door, varnished	2
37300.01	Gas grill on aft deck, mounted on railing SB, including loose gas bottle by shortcut	1
3.8 WI	NDOWS	
38031.01	Double-glazed "Smoke Grey" tinted windows in the saloon with thermal insulated profile (Thermic Line).	1
38040.38	Front hinged window Starboard side with green tinted glass in the saloon, can be opened and closed electrically. With grey thermal insulated profile (Thermic Line). Incl. mosquito screen, fitted on the outside with magnets	1
38041.38	Front hinged window Starboard side with grey tinted glass in the saloon, can be opened and closed electrically. With grey thermal insulated profile (Thermic Line). Incl. mosquito screen, fitted on the outside with magnets	1
38061.38	Front hinged window Port side with grey tinted glass in the saloon, can be opened and closed electrically. With grey thermal insulated profile (Thermic Line). Incl. mosquito screen, fitted on the outside with magnets	1
38231.01	Double-glazed "Smoke Grey" tinted windows in the wheelhouse with thermal insulated profile (Thermic Line). Front windows in plain glass.	1
38340.06	5 5x opening and 1x fixed port-holes in the aft cabin, with plain acrylate, black anodized aluminum, incl. rain protection set and mosquito screens	1
4. INTERI	OR	
GENEF	AL	
40020.01	Interior constructed of high-end okoumé panelling with cherry veneer	2
40025.11	Interior and exterior style "White Glacier": Tight, lightly and fresh. Spatial experience with bright light tones.	2
40025.12	 Interior and exterior style "Shell Greige": Soft and natural. Warm appearance due to sand-gravel grey tones. 	2
40025.13	Interior and exterior style "Marine Blue": Original Yacht experience. Creamy white in combination with the classic deep-dark blue.	2
40025.15	Interior and exterior style "Classic Grandeur": Stylish class. Luxurious appearance through balanced styling.	2
40040.01	Original Linssen maintenance friendly ship's floor, wengé color.	2

7 March 2025	7	March	2025
--------------	---	-------	------

Linssen Grand Sturdy 550 AC Variotop®

ltem	Description	Phase
4.1 AF	T CABIN	
41021.9	Electric adjustable slatted base in the aft cabin. Finished in 2 parts, adjustable at the head and at the foot.	2
41142.02	-	2
4.2 SA	LOON & GALLEY	
42031.03	3 Elegant saloon table, high model	2
42032.0	A high electrically pocketable coffee table with large table top. Table can be used as a dining table and with supplied filling mattress as bed	2
42037.02	2 Saloon and dinette table without flush leather panels	2
42072.0	Dinette vis à vis model with longitudinally adjustable dinette table and 1 integrated drawer.	2
42073.02	2 Electrically lowerable vis-à-vis dinette table. Table can be used as a dining table and with included filling mattress as a bed.	2
42073.03	3 Electrically lowerable dinette table for L-shaped dinette settee. Table can be used as a dining table and with included filling mattress as a bed.	2
42201.9	Solid wooden handrail fitted on saloon ceiling	2
4.3.1	FRONT CABIN AND GUEST CABIN	
43102.0	 Mid-cabin layout: Deletion of bed on SB side Deletion of reading light on SB side On SB side under lowered section an additional cupboard with shelf. 	2
4.4 W	HEELHOUSE	
44081.02	2 Dashboard in Carbon look	2
44091.20	D Removable leather-covered armrest to the right of the steering bench on the radiator grid in the wheelhouse.	2
5. FINISH	I	
5.1 LIC	GHTING & SOCKETS	
51061.0	7 LED lighting in wheelhouse switchable from warm white to red light for night navigation. Lighting can be switched with wall switch and at light point.	2
51601.0	 2 230 V. sockets in the FC (2x), guest cabin (1x), toilet FC (1x), dinette (1x), saloon (2x), galley (1x double), toilet AC (1x), AC (3x), dressing table AC (1x) and in the wheelhouse (2x) in English version 	2
51601.03	dinette (1x), saloon (2x), galley (1x double), toilet AC (1x), AC (3x), dressing table AC (1x) and in the wheelhouse (2x) in Swiss version	2
51640.02	2 English 1x double 230 V. socket in the galley	2

Linssen Grand Sturdy 550 AC Variotop®

em D	escription	Pha
51640.03	Additional Swiss 1x double 230 V. socket in the galley	
51670.02	230 V. socket in aft cabin (Port-side), English version	
51670.03	Additional 230 V. socket in aft cabin (Port-side), Swiss version	
5.2 GAL	LEY	
52012.01	Coffee Corner in saloon with Siemens espresso machine on extendable furniture in saloon cabinet. Complete with cups and saucers.	
52050.01	45 l. refrigerator with freezer compartment in the wheelhouse wet-bar	
52050.03	110 Ltr. refrigerator port side in saloon	
52062.11	Cooling tray, 30 ltr, built-in rear settee in the aft cabin including extra tray for wine bottles and glass set (2x shot, 2x wine, 2x longdrink, 2x whiskey) Only in combination with 41142.02	
52065.01	Freezer in walk way to aft cabin, 63 ltr.	
52070.02	Icemaker in saloon, cap. 18 kg. per day, connected to board water system	
52076.01	Wine climate closet with glass door in walkway to aft cabin, cap. 24 wine bottles	
52170.03	Extractor hood (230V). Incl. 2x light points above hob integrated in wooden pillar incl. carbon filter	
53020.02	Mixer tap in galley equipped with dish-shower, Hansgrohe Talis M51	
5.3 SAN	ITARY FITTINGS	
53010.90	Full-length mirror in head front cabin door to FC	
53015.91	Full-length mirror in the AC at the entrance door to saloon	
53130.04	Electric toilet in the forward cabin with onboard water flush. The toilet is equipped with a bidet function. The toilet seat can be heated and is equipped with a personal adjustable spray function and dryer. Operation via wall panel and remote control.	
53140.04	Electric toilet in the aft cabin with onboard water flush. The toilet is equipped with a bidet function. The toilet seat can be heated and is equipped with a personal adjustable spray function and dryer. Operation via wall panel and remote control.	
5.4 AUD	IO / VIDEO / INTERNET	
54010.50	DAB+ radio module and antenna in the mast for digital radio	
54230.01	Supplementary TV connection in front cabin, incl. extra 230V. socket	
54232.01	Supplementary TV connection in guest cabin, incl. extra 230V. socket	
54421.01	24" (60cm) LED tv with integrated DVB-T & DVB-S tuner and DVD/CD player in front cabin	
54426.01	24" (60cm) LED tv with integrated DVB-T & DVB-S tuner in guest cabin	
54900.06	Teltonika 5G LTE router with Wifi Access Point and antenne.	
55156.01	Mosquito screen for passage from saloon to wheelhouse, mounted with push buttons.	

Linssen Yachts Option list

Linssen Grand Sturdy 550 AC Variotop®

ltem	Description	Phase
5.6 II	NTERIOR UPHOLSTERY	
56025.	01 Removable right armrest for dinette settee	2
56025.	02 Removable left armrest for dinettebank.	2
56082.	02 Seats at starboard side in aft cabin in genuine leather	3
56161.	02 Mattrass 2x single person in guest cabin type 7-zone 14 cm.	3
56301.0	 Plissé blinding in front cabin, electrically operated. Head and guest cabin manually operated. 	2
56321.0	02 Plissé blinding in saloon, can be operated separately by radio for port, starboard and front.	2
56331.0	02 Plissé blinds in aft cabin, electric operated. Head manually operated.	2
56341.0	03 Plissé blinds in the wheelhouse. Front and side windows separately radio controlled (Port, SB and front), aft manual.	2
56401.	10 Interior duvets and pillows set	3
56401.	11 Interior package consisting of bed linen with blue accent for the entire ship	3
	Only in combination with position(s): 56401.10 Interior package duvets and pilows	
56401.	12 Interior package consisting of bed linen with beige accent for the entire ship	3
	Only in combination with position(s): 56401.10 Interior package duvets and pilows	
5.8 E	QUIPMENT	
58005.	21 Reserve propeller set, seafixed stored	2
58022.0	02 2x ball fender Ø65cm black with rope	3
58026.0	01 Life raft (6-pers.) in container type Transocean (ISO 9650-1), fitted in stainless steel support on stern	3
58060.(01 230V vacuum cleaning installation with a vacuum cleaner integrated in the saloon settee and connection for the hose. Equipped with thermal protection and softstart for inverter use. Delivery including extendable hose (from 1,5 to 9 m.), luxury brushes and 3 vacuum bags	2
58060.0	02 230V vacuum cleaning installation with a vacuum cleaner integrated in the front cabin and connection for the hose. Equipped with thermal protection and softstart for inverter use. Delivery including extendable hose (from 1,5 to 9 m.), luxury brushes and 3 vacuum bags	2
58060.0	-	2
58080.0	01 8 hooks at various positions in the yacht. Positions to be determined during the hand over. Fitted during the 25-hours inspection.	3

Linssen Grand Sturdy 550 AC Variotop[®]

58990.0	O Alarm installation not possible. System cannot be supported in the long(er) term.	
5.9 CA	NVAS & COVERS	
59020.1	Cockpit canvas around longtop against parking frame, colour beige. The side and back panels can be opened seperately by a zip-fastener	
59020.1	3 Cockpit canvas around longtop against parking frame, Sunbrella Dark Navy. The side and back panels can be opened seperately by a zip-fastener	
59020.1	4 Cockpit canvas around longtop against parking frame, colour grey. The side and back panels can be opened seperately by a zip-fastener	
59030.0	Closed covering over the aft deck (width deck boxes) Sunbrella Dune. The side and back panels can be opened by a zip-fastener	
59030.0	3 Closed covering over the aft deck (width deck boxes) Sunbrella Dark Navy. The side and back panels can be opened by a zip-fastener	
59030.04	4 Closed covering over the aft deck (width deck boxes) Sunbrella Titanium Grey. The side and back panels can be opened by a zip-fastener	
59050.0	Attachable bimini top to Variotop parking frame. Includes cover and triangular brace so that when folded, the bimini top (wrapped in cover) remains upright. Colour beige.	
59050.0	Attachable bimini top to Variotop parking frame. Includes cover and triangular brace so that when folded, the bimini top (wrapped in cover) remains upright. Colour blue.	
59050.0 [,]		
59160.0		
59160.0		
59160.04	4 Cover for Variotop [®] canvas Sunbrella Titanium Grey	
59180.0	Cover for the wheelhouse so that in rainy weather a low bridge can be taken with an open Variotop and parking frame.	
59190.0	1 Cover for entrance wheelhouse doors Sunbrella Dune	
59190.0	3 Cover for entrance wheelhouse doors Sunbrella Dark Navy	
59190.0	4 Cover for entrance wheelhouse doors Sunbrella Titanium Grey	
59115.0	·	
59115.0	· · · · · · · · · · · · · · · · · · ·	
59115.0		
59120.0		
59120.0	,	
59120.0	,	
59220.1	panel), incl. mounting colour white.	
59200.1	Sun cover around saloon windows finished in screen cloth (excluding entrance door/window) incl. mounting, colour white	

Linssen Grand Sturdy 550 AC Variotop®

Page	11
0	

Item	Descr	iption	Phase
6. CON	MISSIC	NING & HAND OVER	
61010).03	Making boat ready for transport incl. craning	
61010		Compile documents for export and obtain a temporary residence permit of up to 18 months in the EU. (Only possible for residents from outside the EU)	3
61015		Boat shrink-wrapped in plastic for transport	3
F	Pack	1 Comfort package	2
	31088.20	Hydronautica RMC remote control for engine(s), bow and stern thruster.	
	31307.11	Radiator in front cabin shower compartment. Thermostatically controlled.	
		Hydraulic passerelle fitted in the special integrated parkniche in the stern. Finished in high-gloss polished 316 stainless steel, extending until 3000mm, incl. automatic stanchion and teak grating. Control via remote control.	
F	Pack	2 Ventilation package	1
	31501.00	 Provisions for airco consists of: Fitting of cooling pipes incl. fuel tank distributor Fitting of power cable chiller + air handlers Installation of air ducts, outlets and hoses for air intake/supply in interior (Incl. 3-way valve for guest cabin) 	
:	31501.01	Chiller air conditioning in the whole ship through compressor with variable speed and inverter technology, no starting current and low noise, with total capacity from 50.000 BTU. Including additional second 230V. /16Amp shore power connection with shore power cable (25 meters). 50% from the cooling capacity is available through 16Amp shore power connection (Eco 1 and 2 position). Total Full cooling capacity over generator.	
:	38041.38	Front hinged window Starboard side with grey tinted glass in the saloon, can be opened and closed electrically. With grey thermal insulated profile (Thermic Line). Incl. mosquito screen, fitted on the outside with magnets	
F	Pack	3 Le Chef package	2
	52050.01	45 l. refrigerator with freezer compartment in the wheelhouse wet-bar	
	52065.01	Freezer in walk way to aft cabin, 63 ltr.	
	52070.02	Icemaker in saloon, cap. 18 kg. per day, connected to board water system	
	52076.01	Wine climate closet with glass door in walkway to aft cabin, cap. 24 wine bottles	

Linssen Grand Sturdy 550 AC Variotop®

Description Phase Item Pack 4 1 Blue water package 31130.04 Stabilization system (electric) to prevent rolling. Completely rectractable. System is maintance free and has CANbus electronic control with "three term controller" (rolling angle, rolling speed and gear). The digital display has a simple control (park/stabilize) and indication rotor position. Gearboxes of the engines are connected to control system to that the rotors automatically go to park position when stationary or go astern. 32030.03 Schenker ZEN 50 12V Watermaker including control panel. Capacity 50 ltr/hour. 34110.13 Raymarine Smart Controller wireless autopilot remote control 34120.23 "Wind Vane" wind transducer for wind direction and wind speed. Read out on Axiom displays. 34160.05 Raymarine Quantum 2 (Doppler) CHIRP radar antenna, on the mast 51061.07 LED lighting in wheelhouse switchable from warm white to red light for night navigation. Lighting can be switched with wall switch and at light point. 58026.01 Life raft (6-pers.) in container type Transocean (ISO 9650-1), fitted in stainless steel support on stern Pack 5 Media package 2 54010.50 DAB+ radio module and antenna in the mast for digital radio 54230.01 Supplementary TV connection in front cabin, incl. extra 230V. socket 54421.01 24" (60cm) LED tv with integrated DVB-T & DVB-S tuner and DVD/CD player in front cabin Pack 6 Safety package 1 31200.05 Double fuel filter with switch (twin) 34145.11 1x Raymarine IP day & night net dome video camera on transom for rear view with readout on multifunctional Raymarine display 34145.12 2x Raymarine IP day & night net dome video cameras with readout on multifunctional Raymarine display: - 1x SB and 1x Port on the hull for mooring view 42201.90 Solid wooden handrail fitted on saloon ceiling Pack 1 7 Luxury package 13260.01 2 x electrical mooring winches at aft deck bollards. Operation by means of deck switches 22050.01 Original LINSSEN teak deck on cabin deck 31230.11 Replace the manual shut-off valves in the hull bottom by electric shut-off valves. 35120.13 High gloss polished stainless steel Bruce-anchor 30 kg. AISI-316 56321.02 Plissé blinding in saloon, can be operated separately by radio for port, starboard and front. 56341.03 Plissé blinds in the wheelhouse. Front and side windows separately radio controlled (Port, SB and front), aft manual.

7 March	2025
---------	------

Page

13

Linssen Yachts Option list

Linssen Grand Sturdy 550 AC Variotop[®]

Item	Descri	Description		
	59030.01	Closed covering over the aft deck (width deck boxes) Sunbrella Dune. The side and back panels can be opened by a zip-fastener		
	Pack	8 Atmosphere/lighting package	2	
	37130.01	Deck lighting with 2 lights at mast		
	37140.06	Automatic searchlight with stainless steel housing in the mast, with		

control at the steering position