

LinsSEN Yachts Option list

LinsSEN Grand Sturdy 500 AC Variotop®

Date:- 7-3-2025

Page 1

Item	Description	Phase
42001.02	Saloon with spacious galley on Port and SB side, cupboard space, U-shaped settee on SB side. Only in combination with position(s): 42032.03 Electric adjustable saloon table 42092.22 Galley worktop L-shape variant 2 52020.03 Waste bucket in galley 54400.05 LCD TV 43" in saloon 54500.05 Electric tv lift 56041.30 U-shaped saloon settee 2 56073.22	2

1. HULL

1.1 EXTERIOR

11065.50	Longtop extension Variotop (LEV). Fixed aluminum longtop over aft deck mounted to parking frame. This prevents the parking frame from folding.	1
----------	------------------------------------------------------------------------------------------------------------------------------------------------	---

1.2 STAINLESS STEEL

12060.02	Original LinsSEN polished stainless steel bow ladder, 2-pieces, with seagoing lock securing at the front deck.	2
12055.15	2x Original LinsSEN Design stainless steel cleats between front and middle cleats	1
12071.01	Stainless steel protection set at side railing entrances and stern (3x)	2
12146.02	Hydraulic lowering bathing platform, with solid teak parts and Heavy Duty PVC fendering around bathing platform and part of the hull. Incl. remote control. Maximum weight tender 350 kg.	1

1.3 TECHNICAL

13260.01	2 x electrical mooring winches at aft deck bollards. Operation by means of deck switches	1
----------	------------------------------------------------------------------------------------------	---

2. COATING

2.1 COATING & DECK FINISH

21090.10	Original LinsSEN Modern White colour scheme: Superstructure and hull : Egg Shell White Waterline : Black Antifouling : Black Rope fender : Black Variotop : Sonnenland Titangrau Glass windows saloon, wheelhouse, : "Smoke Grey" tinted	1
21090.12	Original LinsSEN Deep Black colour scheme: Hull : Super Jet Black Superstructure : Egg Shell White Waterline : Egg Shell White Antifouling : Black Rope fender : Black	1

Linssen Yachts Option list

7 March 2025

Linssen Grand Sturdy 500 AC Variotop®

Page 2

Item	Description	Phase
21090.15	Variotop : Sonnenland Titangrau Glass windows saloon, wheelhouse, ventilation-/escape hatches : "Smoke Grey" tinted Original Linssen Dark Grey colour scheme: Hull : Dark Grey Superstructure : Egg Shell White Waterline : Egg Shell White Antifouling : Black Rope fender : Black Variotop : Sonnenland Titangrau Glass windows saloon, wheelhouse : "Smoke Grey" tinted	1
21090.20	Original Linssen colour scheme: Hull : Dark Green Superstructure : Sand Beige Waterline : Sand beige Antifouling : Black Rope fender : Beige Cabrio canvas : Beige Glass windows saloon, wheelhouse, ventilation-/escape hatch : "summer green" tinted	1
21090.23	Original Linssen Midnight Blue colour scheme: Hull : Midnight Blue Superstructure : Egg Shell White Waterline : Egg Shell White Antifouling : Black Rope fender : Beige Variotop : Sonnenland Blue Glass windows saloon, wheelhouse, ventilation-/escape hatches : "Smoke grey" tinted	1
21090.24	Original Linssen Classic White colour scheme: Superstructure and hull : Egg Shell White Waterline : Dark Green Antifouling : Black Rope fender : Beige Variotop : Sonnenland Java Glass windows saloon, wheelhouse, ventilation-/escape hatches : "summer green" tinted	1
21090.31	Original Linssen colour scheme Olive Green: Hull : Olive Green Superstructure : Sand Beige Waterline : Sand Beige Antifouling : Black Rope fender : Beige Cabriolet canvas : Sonnenland Java Glass windows saloon, wheelhouse : "Summer Green" tinted	1

Item	Description	Phase
2.2 TEAK DECKS		
22010.01	Original LINSSEN teak deck on front deck and side decks	1
22050.01	Original LINSSEN teak deck on cabin deck	1
3. ENGINE COMPARTMENT		
3.1 TECHNICAL		
31034.22	Bowthruster finished with proportional (stepless) control	3
31054.22	Stern thruster finished with proportional (stepless) control	3
31130.04	Stabilization system (electric) to prevent rolling. Completely retractable. System is maintenance free and has CANbus electronic control with "three term controller" (rolling angle, rolling speed and gear). The digital display has a simple control (park/stabilize) and indication rotor position. Gearboxes of the engines are connected to control system to that the rotors automatically go to park position when stationary or go astern.	1
31200.06	Double fuel filter with switch (twin)	2
31230.11	Replace the manual shut-off valves in the hull bottom by electric shut-off valves.	2
31230.22	Electrically operated valve for air conditioning intake	2
31230.23	Electrically operated valve 1" for water maker	2
31307.11	.Hot air outlet in shower forward cabin thermostatically adjustable, connected to heating system.	2
31501.00	Provisions for airco consists of: - Fitting of cooling pipes incl. fuel tank distributor - Fitting of power cable chiller + air handlers - Installation of air ducts, outlets and hoses for air intake/supply in interior (Incl. 3-way valve for guest cabin)	2
31501.01	Chiller air conditioning in the whole ship through compressor with variable speed and inverter technology, no starting current and low noise, with total capacity from 50.000 BTU. Including additional second 230V. /16Amp shore power connection with shore power cable (25 meters). 50% from the cooling capacity is available through 16Amp shore power connection (Eco 1 and 2 position). Total Full cooling capacity over generator. Only in combination with position(s): 31501.00 Provisions for airco	1
3.2 ON-BOARD WATER SYSTEMS		
32020.10	Shore connection for water, City-/Water-connection	1
32030.03	Schenker ZEN 50 12V Watermaker including control panel. Capacity 50 ltr/hour.	2
32080.20	Fully automated biological blackwater treatment installation using micro-organisms. No unpleasant odours; no use of chemicals that are harmful to the environment. Bacterial strains remove the waste products from the residual water. After treatment, the purified water is pumped out through a sediment filter and a UV filter below the water line. The water to be discharged is free of residues and bacteria. The ENTERON system has type approval in accordance	1

Item	Description	Phase
	with IMO/MARPOL standards and is compliant in all of the 175 IMO (except the Netherlands) member states that maintain this standard for the discharge of black water.	
32100.01	All grey water outlets (sinks and shower-drainage, including aft cabin) connected to holding tank. Including washing machine if chosen.	2
32110.01	No fitting of holding tank waste pump	2
3.3 ELECTRICAL & ELECTRONICS		
33140.20	1 additional Lithium Iron Phosphate (LFP) domestic battery 200 Ah. incl. complete cabling and assembly	2
3.4.2 NAVIGATION PACKAGES		
Pack	3.4.2.3 LAKE PACKAGE	2
34110.30	Raymarine tiller steering, ergonomically positioned for steering position / helm seat	
34135.28	2x Raymarine Axiom XL16, 16" multifunctional colour display with touchscreen and Wi-Fi at steering position	
Pack	3.4.2.4 SEA PACKAGE	2
34110.30	Raymarine tiller steering, ergonomically positioned for steering position / helm seat	
34135.28	2x Raymarine Axiom XL16, 16" multifunctional colour display with touchscreen and Wi-Fi at steering position	
34160.05	Raymarine Quantum 2 (Doppler) CHIRP radar antenna, on the mast	
3.4.3 VIEW PACKAGES		
3.4.3.1 Rear view		
34145.11	1x Raymarine IP day & night net dome video camera on transom for rear view with readout on multifunctional Raymarine display	1
3.4.3.2 Mooring view		
34145.12	2x Raymarine IP day & night net dome video cameras with readout on multifunctional Raymarine display: - 1x SB and 1x Port on the hull for mooring view	1
34145.15	1x Raymarine IP day & night net dome video camera on bow for front view with readout on multifunctional Raymarine display	1
3.4.3.3 Night view		
34800.01	Flir M232 Thermic IP camera (320 x 240, 9Hz) with Pan & Tilt and electronic zoom fitted in the mast with read out on multifunctional Raymarine display. The FLIR camera makes the air draft 30 cm higher because of its placement in the mast top.	2
3.4.3.4 Technology view		
34142.31	Read out engine functions on multifunctional display Raymarine.	3
34145.13	2x Raymarine AX8 thermal and visible light camera in engine compartment for temperature measurement with readout on multifunctional Raymarine display	2

Item	Description	Phase
3.4.3.5 Underwater view		
34170.23	Raymarine RV320 transducer with 3D Downvision Port + SB integrated on multifunctional display Raymarine	1
34145.20	Raymarine ClearCruise AR (live navigation objects with AIS identification) on Axiom multifunction display. Only in combination with position(s): 34943.04 AIS 700	2
3.4.4 REMOTE PACKAGES		
31067.01	Remote control for bow (and stern) thruster	3
31088.20	Hydronautica RMC remote control for engine(s), bow and stern thruster.	2
34110.13	Raymarine Smart Controller wireless autopilot remote control	3
3.4.5 COMMUNICATION PACKAGES		
34190.09	Raymarine Ray90 VHF with Class D "Digital Selective Calling" (DSC) at steering position including antenna in Mast	2
34190.39	Programming North American channels in the transmission equipment according to North American standard	2
34190.10	Extra wireless handset VHF incl. charging station	2
34200.10	Communication tool for 2 persons by means of 2 walkie-talkies with headset	3
34943.04	AIS 700 transponder/receiver (Automatic Identification System) integrated on radar/chartplotter display. Attention: MMSI-number required. Attention: Only in combination with VHF installation	2
3.4.6 OTHER NAVIGATION INSTRUMENTS		
34100.00	Magnet compass not possible. Due to the steel boats it is not possible to calibrate, so deviation and not usable.	2
34110.30	Raymarine tiller steering, ergonomically positioned for steering position / helm seat	2
34120.23	"Wind Vane" wind transducer for wind direction and wind speed. Read out on Axiom displays.	2
34160.05	Raymarine Quantum 2 (Doppler) CHIRP radar antenna, on the mast	2
34180.00	Weatherfax not possible. Cannot be tested at the Maasbracht location.	2
3.5 EXTERIOR EQUIPMENT HULL		
35010.01	Magnesium anodes (for fresh water)	1
35011.02	Zinc anodes (for salt water)	2
35110.03	Wireless windlass control and chain counter	2
35120.12	High gloss polished stainless steel Bruce-anchor 20 kg. AISI-316	2
35140.14	80 m. 10 mm. stainless steel anchor chain	2
35200.01	Anchor chain rinsing system with open water	2

Item	Description	Phase
3.6 LINNSEN YACHTS TENDER SOLUTIONS		
36020.04	Passarelle Opacmare type 4999/30 with a minimum length of 1890 mm and maximum length of 3040 mm. Maximum load 170 kg. The passarelle is mounted on the SB side of the stern steps in the second step from the swimming platform. The passarelle is equipped with teak walkway, automatic hand rail and 2x wireless remote controls.	1
36080.10	Tender Williams 285 Turbojet (80HP), see fixed mounted on aluminium demountable supports on bathing platform, incl.: - Tubes as per hull colour (Off White, Dark Grey or Ocean Blue) - Upholstery: Vinyl White - Hull, deck and steering console: Off White - Cover (Color as per canvas colour boat) - Ship name on floats ('TT (name)') - Battery charger - Teak on walking surface - Ready to use incl. fuel, lines and fenders	2
36080.12	Tender Williams 325 Turbojet (80HP), see fixed mounted on aluminium demountable supports on bathing platform, incl.: - Tubes as per hull colour (Off White, Dark Grey or Ocean Blue) - Upholstery: Vinyl White - Hull, deck and steering console: Off White - Cover (Color as per canvas colour boat) - Ship name on floats ('TT (name)') - Battery charger - Teak on walking surface - Ready to use incl. fuel, lines and fenders	2
3.7 EXTERIOR EQUIPMENT SUPERSTRUCTURE		
37130.01	Deck lighting with 2 lights at mast	2
37130.02	Aft deck lighting with 2 lights in Variotop® parking frame.	2
37140.05	Automatic searchlight with stainless steel housing on saloon deck, with control at the steering position	2
37140.06	Automatic searchlight with stainless steel housing in the mast, with control at the steering position	2
37170.12	Set of fender baskets to aft deck: Double Port & SB ø300 mm, foldable	3
37170.14	Set of fender baskets to fore deck: Double Port & SB ø300 mm, foldable	3
37230.90	Teak table with luxurious high gloss painting in 8 layers	1
37230.91	Teak table with luxurious satin gloss painting in 3 layers	1
37271.02	Solid teak entrance door, varnished	2
37300.01	Gas grill on aft deck, mounted on railing SB, including loose gas bottle by shortcut	1

3.8 WINDOWS

Item	Description	Phase
38040.38	Front hinged window Starboard side with green tinted glass in the saloon, can be opened and closed electrically. With grey thermal insulated profile (Thermic Line). Incl. mosquito screen, fitted on the outside with magnets	1
38041.38	Front hinged window Starboard side with grey tinted glass in the saloon, can be opened and closed electrically. With grey thermal insulated profile (Thermic Line). Incl. mosquito screen, fitted on the outside with magnets	1
38061.38	Front hinged window Port side with grey tinted glass in the saloon, can be opened and closed electrically. With grey thermal insulated profile (Thermic Line). Incl. mosquito screen, fitted on the outside with magnets	1
38340.06	5x opening and 1x fixed port-holes in the aft cabin, with plain acrylate, black anodized aluminum, incl. rain protection set and mosquito screens	1

4. INTERIOR

GENERAL

40020.01	Interior constructed of high-end okoumé panelling with cherry veneer	2
40025.11	Interior and exterior style "White Glacier": Tight, lightly and fresh. Spatial experience with bright light tones.	2
40025.12	Interior and exterior style "Shell Greige": Soft and natural. Warm appearance due to sand-gravel grey tones.	2
40025.13	Interior and exterior style "Marine Blue": Original Yacht experience. Creamy white in combination with the classic deep-dark blue.	2
40025.15	Interior and exterior style "Classic Grandeur": Stylish class. Luxurious appearance through balanced styling.	2
40040.01	Original Linssen maintenance friendly ship's floor, wengé color.	2

4.1 AFT CABIN

41112.02	TV cabinet with shoe cupboard in the aft cabin	2
----------	------------------------------------------------	---

4.2 SALOON & GALLEY

42031.03	Elegant saloon table, high model	2
42037.02	Saloon and dinette table without flush leather panels	2
42072.01	Dinette in saloon with integrated storage space Incl. extra drawers in dinette accessible by longitudinally adjustable dinette table	2
42073.01	Elegant dinette table	2
42073.02	Electrically lowerable vis-à-vis dinette table. Table can be used as a dining table and with included filling mattress as a bed.	2
42073.03	Electrically lowerable dinette table for L-shaped dinette settee. Table can be used as a dining table and with included filling mattress as a bed.	2
42092.22	L-shaped galley worktop on Port and SB side in original Corian®	2
42201.90	Solid wooden handrail fitted on saloon ceiling	2

Item	Description	Phase
4.3.1 FRONT CABIN AND GUEST CABIN		
43102.02	Mid-cabin layout: - Deletion of bed on SB side - Deletion of reading light on SB side - On SB side under lowered section an additional cupboard with shelf.	2
4.4 WHEELHOUSE		
44081.02	Dashboard in Carbon look	2
44091.20	Removable leather-covered armrest to the right of the steering bench on the radiator grid in the wheelhouse.	2
5. FINISH		
5.1 LIGHTING & SOCKETS		
51061.07	LED lighting in wheelhouse switchable from warm white to red light for night navigation. Lighting can be switched with wall switch and at light point.	2
51100.01	Attractive indirect lighting in the FC, AC and in the hall to the aft cabin	2
51110.01	Stair-lighting in steps throughout the interior	2
51601.02	230 V. sockets in the FC (2x), guest cabin (1x), toilet FC (1x), dinette (1x), saloon (2x), galley (1x double), toilet AC (1x), AC (3x), dressing table AC (1x) and in the wheelhouse (2x) in English version	2
51601.03	230 V. sockets in the FC (2x), guest cabin (1x), toilet FC (1x), dinette (1x), saloon (2x), galley (1x double), toilet AC (1x), AC (3x), dressing table AC (1x) and in the wheelhouse (2x) in Swiss version	2
51640.02	Additional English 1x double 230 V. socket in the galley	2
51640.03	Additional Swiss 1x double 230 V. socket in the galley	2
51670.02	230 V. socket in aft cabin (Port-side), English version	2
51670.03	Additional 230 V. socket in aft cabin (Port-side), Swiss version	2
5.2 GALLEY		
52012.01	Coffee Corner in saloon with Siemens espresso machine on extendable furniture in saloon cabinet. Complete with cups and saucers.	2
52050.01	45 l. refrigerator with freezer compartment in the wheelhouse wet-bar	2
52041.02	130 Ltr. refrigerator in entrance to AC	2
52062.20	Cooling drawer, 30 litres, built into Port side deckbox	1
52065.01	Freezer in walk way to aft cabin, 63 ltr.	2
52070.02	Icemaker in saloon, cap. 18 kg. per day, connected to board water system	2
52076.01	Wine climate closet with glass door in walkway to aft cabin, cap. 24 wine bottles	2
52170.02	Extractor (230V). above hob integrated in wooden pillar	2

Item	Description	Phase
52170.03	Integrated extractor hood (230V) in galley worktop next to hob, incl. carbon filter	2
52190.01	Splash guard in galley behind hob made of transparent tempered glass. The glass plate is mounted in stainless steel holders.	3
53020.02	Mixer tap in galley equipped with dish-shower, Hansgrohe Talis M51	3
5.3 SANITARY FITTINGS		
53010.90	Full-length mirror in head front cabin door to FC	3
53015.90	Full-length mirror at the inside of the toilet door in the AC	3
53015.91	Full-length mirror in the AC at the entrance door to saloon	3
53130.04	Electric toilet in the forward cabin with onboard water flush. The toilet is equipped with a bidet function. The toilet seat can be heated and is equipped with a personal adjustable spray function and dryer. Operation via wall panel and remote control.	2
53140.04	Electric toilet in the aft cabin with onboard water flush. The toilet is equipped with a bidet function. The toilet seat can be heated and is equipped with a personal adjustable spray function and dryer. Operation via wall panel and remote control.	2
5.4 AUDIO / VIDEO / INTERNET		
54010.50	DAB+ radio module and antenna in the mast for digital radio	2
54210.01	Supplementary TV connection in aft cabin, incl. extra 230V. socket	3
54230.01	Supplementary TV connection in front cabin, incl. extra 230V. socket	3
54232.01	Supplementary TV connection in guest cabin, incl. extra 230V. socket	3
54421.01	24" (60cm) LED tv with integrated DVB-T & DVB-S tuner and DVD/CD player in front cabin	2
54426.01	24" (60cm) LED tv with integrated DVB-T & DVB-S tuner in guest cabin	2
54410.04	43" (109cm) LED TV with integrated DVB-T2 & DVB-S tuner in the AC	2
54900.06	Teltonika 5G LTE router with Wifi Access Point and antenne.	2
55156.01	Mosquito screen for passage from saloon to wheelhouse, mounted with push buttons.	3
5.6 INTERIOR UPHOLSTERY		
56025.01	Removable right armrest for dinette settee	3
56025.02	Removable left armrest for dinettebank.	3
56101.02	Mattress 2x 1 pers.in front cabin type 7-zone 14 cm.	3
56161.02	Mattress 2x single person in guest cabin type 7-zone 14 cm.	3
56301.02	Plissé blinding in front cabin, electrically operated. Head and guest cabin manually operated.	2
56321.02	Plissé blinding in saloon, can be operated separately by radio for port, starboard and front.	2
56331.02	Plissé blinds in aft cabin, electric operated. Head manually operated.	2

Item	Description	Phase
56341.03	Plissé blinds in the wheelhouse. Front and side windows separately radio controlled (Port, SB and front), aft manual.	2
56401.10	Interior duvets and pillows set Not possible in combination with position(s): 43102.02 Guest cabin version 1	3
56401.11	Interior package consisting of bed linen with blue accent for the entire ship Only in combination with position(s): 56401.10 Interior package duvets and pilows	3
56401.12	Interior package consisting of bed linen with beige accent for the entire ship Only in combination with position(s): 56401.10 Interior package duvets and pilows	3
5.8 EQUIPMENT		
58005.20	Reserve propeller set, seafixed stored	2
58022.02	2x ball fender Ø65cm black with rope	3
58026.01	Life raft (6-pers.) in container type Transocean (ISO 9650-1), fitted in stainless steel support on stern	3
58050.02	Safe A4 size, with combination lock, in aft cabin	2
58060.01	230V vacuum cleaning installation with a vacuum cleaner integrated in the saloon settee and connection for the hose. Equipped with thermal protection and softstart for inverter use. Delivery including extendable hose (from 1,5 to 9 m.), luxury brushes and 3 vacuum bags	3
58080.01	8 hooks at various positions in the yacht. Positions to be determined during the hand over. Fitted during the 25-hours inspection.	3
58990.00	Alarm installation not possible. System cannot be supported in the long(er) term.	3
5.9 CANVAS & COVERS		
59020.11	Cockpit canvas around longtop against parking frame, colour beige. The side and back panels can be opened seperately by a zip-fastener	3
59020.13	Cockpit canvas around longtop against parking frame, Sunbrella Dark Navy. The side and back panels can be opened seperately by a zip-fastener	3
59020.14	Cockpit canvas around longtop against parking frame, colour grey. The side and back panels can be opened seperately by a zip-fastener	3
59030.01	Closed covering over the aft deck (width deck boxes) Sunbrella Dune. The side and back panels can be opened by a zip-fastener	3
59030.03	Closed covering over the aft deck (width deck boxes) Sunbrella Dark Navy. The side and back panels can be opened by a zip-fastener	3
59030.04	Closed covering over the aft deck (width deck boxes) Sunbrella Titanium Grey. The side and back panels can be opened by a zip-fastener	3
59050.01	Extension of bimini-top to parking frame including cover for wrapping up (Beige colour)	3

Item	Description	Phase
59050.03	Extension of bimini-top to parking frame including cover for wrapping up (Blue colour)	3
59050.04	Extension of bimini-top to parking frame including cover for wrapping up (Grey colour)	3
59160.01	Cover for Variotop® canvas Sunbrella Dune	3
59160.03	Cover for Variotop® canvas Sunbrella Dark Navy	3
59160.04	Cover for Variotop® canvas Sunbrella Titanium Grey	3
59180.01	Cover for the wheelhouse so that in rainy weather a low bridge can be taken with an open Variotop and parking frame.	3
59190.01	Cover for entrance wheelhouse doors Sunbrella Dune	3
59190.03	Cover for entrance wheelhouse doors Sunbrella Dark Navy	3
59190.04	Cover for entrance wheelhouse doors Sunbrella Titanium Grey	3
59115.01	Cover for deck-boxes to aft deck Sunbrella Dune	3
59115.03	Cover for U-shaped deck-boxes to aft deck Sunbrella Dark Navy	3
59115.04	Cover for U-shaped deck-boxes to aft deck Sunbrella Titanium Grey	3
59120.01	Cover for teak outside table Sunbrella Dune	3
59120.03	Cover for teak outside table Sunbrella Dark Navy	3
59120.04	Cover for teak outside table Sunbrella Titanium Grey	3
59220.12	Sun cover, semi-transparent, around wheelhouse complete (without rear panel), incl. mounting colour white.	3
59200.12	Sun cover around saloon windows finished in screen cloth (excluding entrance door/window) incl. mounting, colour white	3

6. COMMISSIONING & HAND OVER

61010.03	Making boat ready for transport incl. craning	
61010.06	Compile documents for export and obtain a temporary residence permit of up to 18 months in the EU. (Only possible for residents from outside the EU)	3
61520.31	Ship built in accordance with North American regulations in compliance with USCG (United States Coast Guard) standards, voluntary ABYC (American Boat and Yacht Council) standards and/or voluntary NFPA (National Fire Protection Association) standards.	3

PACKAGES

Pack 1	Comfort package	2
31034.22	Bowthruster finished with proportional (stepless) control	
31054.22	Stern thruster finished with proportional (stepless) control	
31088.20	Hydronautica RMC remote control for engine(s), bow and stern thruster.	
Pack 2	Ventilation package	1
31501.00	Provisions for airco consists of: - Fitting of cooling pipes incl. fuel tank distributor - Fitting of power cable chiller + air handlers - Installation of air ducts, outlets and hoses for air intake/supply in interior (Incl. 3-way valve for guest cabin)	

Item	Description	Phase
31501.01	Chiller air conditioning in the whole ship through compressor with variable speed and inverter technology, no starting current and low noise, with total capacity from 50.000 BTU. Including additional second 230V. /16Amp shore power connection with shore power cable (25 meters). 50% from the cooling capacity is available through 16Amp shore power connection (Eco 1 and 2 position). Total Full cooling capacity over generator.	
Pack 3	Le Chef package	2
52041.02	130 Ltr. refrigerator in entrance to AC	
52050.01	45 l. refrigerator with freezer compartment in the wheelhouse wet-bar	
52076.01	Wine climate closet with glass door in walkway to aft cabin, cap. 24 wine bottles	
52170.02	Extractor (230V). above hob integrated in wooden pillar	
52190.01	Splash guard in galley behind hob made of transparent tempered glass. The glass plate is mounted in stainless steel holders. Not possible in combination with position(s): 42001.02 Saloon layout 2 in HPL	
Pack 4	Blue water package	1
31130.04	Stabilization system (electric) to prevent rolling. Completely retractable. System is maintenance free and has CANbus electronic control with "three term controller" (rolling angle, rolling speed and gear). The digital display has a simple control (park/stabilize) and indication rotor position. Gearboxes of the engines are connected to control system to that the rotors automatically go to park position when stationary or go astern.	
32030.03	Schenker ZEN 50 12V Watermaker including control panel. Capacity 50 ltr/hour.	
34110.13	Raymarine Smart Controller wireless autopilot remote control	
34120.23	"Wind Vane" wind transducer for wind direction and wind speed. Read out on Axiom displays.	
51061.07	LED lighting in wheelhouse switchable from warm white to red light for night navigation. Lighting can be switched with wall switch and at light point.	
58026.01	Life raft (6-pers.) in container type Transocean (ISO 9650-1), fitted in stainless steel support on stern	
Pack 5	Media package	2
54010.50	DAB+ radio module and antenna in the mast for digital radio	
54210.01	Supplementary TV connection in aft cabin, incl. extra 230V. socket	
54410.04	43" (109cm) LED TV with integrated DVB-T2 & DVB-S tuner in the AC	

Item	Description	Phase
Pack 6	Safety package	1
31200.06	Double fuel filter with switch (twin)	
34145.11	1x Raymarine IP day & night net dome video camera on transom for rear view with readout on multifunctional Raymarine display	
34145.12	2x Raymarine IP day & night net dome video cameras with readout on multifunctional Raymarine display: - 1x SB and 1x Port on the hull for mooring view	
34190.09	Raymarine Ray90 VHF with Class D "Digital Selective Calling" (DSC) at steering position including antenna in Mast	
34943.04	AIS 700 transponder/receiver (Automatic Identification System) integrated on radar/chartplotter display. Attention: MMSI-number required. Attention: Only in combination with VHF installation	
42201.90	Solid wooden handrail fitted on saloon ceiling	
Pack 7	Luxury package	1
13260.01	2 x electrical mooring winches at aft deck bollards. Operation by means of deck switches	
22010.01	Original LINSSEN teak deck on front deck and side decks	
31230.11	Replace the manual shut-off valves in the hull bottom by electric shut-off valves.	
35120.12	High gloss polished stainless steel Bruce-anchor 20 kg. AISI-316	
56321.02	Plissé blinding in saloon, can be operated separately by radio for port, starboard and front.	
56341.03	Plissé blinds in the wheelhouse. Front and side windows separately radio controlled (Port, SB and front), aft manual.	
Pack 8	Atmosphere/lighting package	2
37130.01	Deck lighting with 2 lights at mast	
37130.02	Aft deck lighting with 2 lights in Variotop® parking frame.	
37140.06	Automatic searchlight with stainless steel housing in the mast, with control at the steering position	
51100.01	Attractive indirect lighting in the FC, AC and in the hall to the aft cabin	
51110.01	Stair-lighting in steps throughout the interior	